	Online Auction: Wednesday, January 24
Lot	Description
101	tray roller conveyor, stainless steel frame, approx. 5 ft. x 13 ft. [Live Receiving]
102	tray belt conveyor, stainless steel frame, approx. 24 in. x 14 ft. w/ washdown motor [Live Receiving]
103	tray washer, 3-zone, stainless steel, infeed conveyor c/w (2) centrifugal pumps, 25/30 hp ea. [Live Receiving]
104	Live Receiving/Kill Line/De-Feathering overhead conveyor w/ stainless steel shackles at 6 in. approx. 340 ft. long [Kill Line]
	stunner, approx. 14 ft. [Kill Line]
105A	misc. stunner spare parts, power units mod. VS200 [Warehouse]
106	blood trough, stainless steel, approx. 10 ft. x 16 ft. x 24 in. deep [Kill Line]
107	(2) scalding tanks, stainless steel, approx. 20 in. x 13 ft. x 4 ft. deep and 52 in. x 12 ft. x 4 ft. deep [Kil Line]
108	Baader feather picker, mod. BA-1190-6, ser. no. 285419.2/139 (2009), stainless steel [De- Feathering]
109	Baader feather picker, mod. BA-1190-6, ser. no. 285419.2/138 (2009), stainless steel [De- Feathering]
109A	misc. feather picker spare parts and fingers [Warehouse]
110	dehawker, stainless steel, 3 hp [De-Feathering]
111	loading belt conveyor (no belt), stainless steel frame, approx. 36 in. x 12 ft. w/ washdown motor
	[Evisceration 1]
112	Evisceration overhead conveyor w/ plastic shackles at 6 in. approx. 475 ft. long [Evisceration 1]
112A	misc. evisceration line spare parts and shackles [Warehouse]
113	outside carcase washer, stainless steel [Evisceration 1]
114	Stork oil sack cutter, stainless steel [Evisceration 1]
115	Stork venter, stainless steel c/w (2) vacuum pumps and stainless steel tank [Evisceration 1]
115A	misc. stork venter spare parts [Warehouse]
116	Stork opener, stainless steel [Evisceration 1]
116A	misc. stork opener spare parts [Warehouse]
117	Stork eviserator, stainless steel [Evisceration 1]
117A	misc. stork eviscerator spare parts [Warehouse]
118	Stork hot neck cutter, stainless steel [Evisceration 1]
118A	misc. stork hot cutter spare part [Warehouse]
119	head conveying vacuum system, stainless steel w/ (2) actuated valves [Evisceration 1]
120	Pack overhead conveyor w/ stainless steel shackles at 6 in. approx. 320 ft. long [Evisceration 1]
120 120A	misc. pack shackle spare parts [Warehouse]
1204	inspection trough, stainless steel, approx. 38 ft. c/w (5) stainless steel hoppers [Evisceration 2]
124	inspection station w/ trough, stainless steel, approx. 30 in. x 96 in. [Evisceration 2]
124	Stork cropper, stainless steel [Evisceration 2]
125 125A	misc. cropper spare parts [Warehouse]
1254	Stork neck breaker, stainless steel [Evisceration 2]
127	Stork foot cutter, mod. NSC-3, ser. no. 449L, stainless steel c/w stainless steel hopper [Evisceration 2]
127A	Baader MultiCut 30 Compact Portioning System, mod. 690 ser. no. 11603.06.30, 480 volts, 3 phase, 50 Hz, (2017) [MLF Bradford Plant - 65 Reagens Industrial Pkwy, Bradford, ON]
128	Stork inside/outside bird washer, stainless steel [Evisceration 2]
129	Hurricane washer, stainless steel w/ washdown motor [Evisceration 2]
7 то	L Asset Group Inc. www.managingyourassets.com 1 of 905-660-1367

 motor [Packaging] inclined fluted belt conveyor, stainless steel frame, approx. 18 in. x 3 ft. x 80 in. high w/ washdown motor [Packaging] belt conveyor, stainless steel frame, approx. 14 in. x 67 in. ea. w/ (2) washdown motors [Packaging] inclined belt conveyor (no belt), approx. 18 in. x 14 ft. w/ washdown motor [Offal] inclined belt conveyor (no belt), approx. 18 in. x 14 ft. w/ washdown motor [Offal] belt conveyor (no belt), approx. 18 in. x 14 ft. w/ washdown motor [Offal] inclined belt conveyor (no belt), approx. 18 in. x 40 ft. w/ washdown motor [Offal] inclined belt conveyor (no belt), approx. 18 in. x 40 ft. w/ washdown motor [Offal] inclined belt conveyor (no belt), approx. 18 in. x 40 ft. w/ washdown motor [Offal] inclined belt conveyor (no belt), approx. 18 in. x 22 ft. w/ washdown motor [Offal] inclined belt conveyor (no belt), approx. 18 in. x 22 ft. w/ washdown motor [Offal] inclined belt conveyor (no belt), approx. 18 in. x 22 ft. w/ washdown motor [Offal] (4) centrifugal pumps, 5 hp ea. [Anti-De-Feathering] (4) Pentair Wellmate pressure tank, mod. WM0330 Classic GC (2014). 328 L cap. ea. [Anti-De-Feathering] 149 Live Receiving/Chill Line/Evisceration 1 PLC control panel [Anti-De-Feathering] 149 Ec conveyor (no belt), approx. 16 in. x 11 ft. w/ washdown motor [Anti-Evisceration 1] 149F Barnes sump pump, 0.5 hp [Anti-Evisceration 1] 149F Barnes sump pump, 0.5 hp [Anti-Evisceration 1] 151 table, stainless steel, approx. 24 in. x 48 in. x 19 in. high [Production] 153 work platform, stainless steel, approx. 24 in. x 48 in. x 19 in. high [Production] 154 work platform, stainless steel, approx. 18 in. x 29 in. Production] 155 tray cars, stainless steel, approx. 18 in. x 29 in. Production] 156 inspection station, stainless steel, approx. 18 in. x 29 in. [Production] 157 work platform, stain		Online Auction: Wednesday, January 24
 dual bird chute, stainless steel [Evisceration 2] Evisceration 2 control panel [Evisceration 2] Chill Line overhead conveyor w/ stainless steel shackles at 12 in. approx. 1100 ft. long [Chill Line] inclined fluted belt conveyor, stainless steel frame, approx. 16 in. x 7 ft. x 48 in. high w/ washdown motor [Packaging] inclined fluted belt conveyor, stainless steel frame, approx. 18 in. x 3 ft. x 80 in. high w/ washdown motor [Packaging] belt conveyor, stainless steel frame, approx. 18 in. x 9 ft. w/ washdown motor [Packaging] alare belt conveyor, stainless steel frame, approx. 14 in. x 67 in. ea. w/ (2) washdown motors [Packaging] inclined belt conveyor (no belt), approx. 18 in. x 14 ft. w/ washdown motor [Offal] belt conveyor (no belt), approx. 18 in. x 14 ft. w/ washdown motor [Offal] belt conveyor (no belt), approx. 18 in. x 14 ft. w/ washdown motor [Offal] belt conveyor (no belt), approx. 18 in. x 14 ft. w/ washdown motor [Offal] belt conveyor (no belt), approx. 18 in. x 24 ft. w/ washdown motor [Offal] torlined belt conveyor (no belt), approx. 18 in. x 22 ft. w/ washdown motor [Offal] torlined belt conveyor (no belt), approx. 18 in. x 22 ft. w/ washdown motor [Offal] RC Ind. Tank, mod. 1070-IMP, ser. no. 5225.001.A, stainless steel, approx. 6 ft. dia. X 64 in., open top [Offal] tive Receiving/Chill Line/Evisceration 1 PLC control panel [Anti-De-Feathering] tive Receiving/Chill Line/Evisceration 1 PLC control panel [Anti-De-Feathering] take, stainless steel, approx. 24 in. x 48 in. x 19 in. high [Production] tray cart, stainless steel, approx. 24 in. x 48 in. x 19 in. high [Production] tray cart, stainless steel, approx. 24 in. x 48 in. x 19 in. high [Production] tray cart, stainless steel, approx. 24 in. x 48 in. x 19 in. high [Production] tray cart, stainless steel, approx. 24 in. x 48 in. x 19 in. high [Product	Lot	Description
 Evisceration 2 control panel [Evisceration 2] Chill Line overhead conveyor w/ stainless steel shackles at 12 in. approx. 1100 ft. long [Chill Line] inclined fluted belt conveyor, stainless steel frame, approx. 16 in. x 7 ft. x 48 in. high w/ washdown motor [Packaging] inclined fluted belt conveyor, stainless steel frame, approx. 18 in. x 3 ft. x 80 in. high w/ washdown motor [Packaging] belt conveyor, stainless steel frame, approx. 18 in. x 9 ft. w/ washdown motor [Packaging] inclined belt conveyor, stainless steel frame, approx. 18 in. x 67 in. ea. w/ (2) washdown motors [Packaging] inclined belt conveyor (no belt), approx. 18 in. x 14 ft. w/ washdown motor [Offal] inclined belt conveyor (no belt), approx. 18 in. x 14 ft. w/ washdown motor [Offal] inclined belt conveyor (no belt), approx. 18 in. x 40 ft. w/ washdown motor [Offal] inclined belt conveyor (no belt), approx. 18 in. x 40 ft. w/ washdown motor [Offal] inclined belt conveyor (no belt), approx. 18 in. x 40 ft. w/ washdown motor [Offal] vacuum system w/ diaphragm pump, (2) tanks, stainless steel trough and (2) pneumatic gates [Offal] inclined belt conveyor (no belt), approx. 18 in. x 22 ft. w/ washdown motor [Offal] (4) centrifugal pumps, 5 hp ea. [Anti-De-Feathering] (4) centrifugal pumps, 5 hp ea. [Anti-De-Feathering] Live Receiving/Chill Line/Evisceration 1 PLC control panel [Anti-De-Feathering] Live Receiving/Chill Line/Evisceration 1] Barnes sump pump, 0.5 hp [Anti-Evisceration 1] table, stainless steel, approx. 24 in. x 48 in. x 19 in. high [Production] troide wash station, stainless steel, paprox. 24 in. x 48 in. x 19 in. high [Production] troide shoster pump, 2.0 in. x 36 in. [Production] troide shoster pump, 2.0 in. x 36 in. x 11 ft. w/ washdown motor [Anti-Evisceration 1] table, stainless steel, approx. 24 in. x 48 in. x 19 in. high [Produ	130	inspection station w/ trough, stainless steel, approx. 30 in. x 120 in. [Evisceration 2]
 Chill Line overhead conveyor w/ stainless steel shackles at 12 in. approx. 1100 ft. long [Chill Line] inclined fluted belt conveyor, stainless steel frame, approx. 16 in. x 7 ft. x 48 in. high w/ washdown motor [Packaging] inclined fluted belt conveyor, stainless steel frame, approx. 18 in. x 3 ft. x 80 in. high w/ washdown motor [Packaging] belt conveyor, stainless steel frame, approx. 18 in. x 9 ft. w/ washdown motor [Packaging] a-lane belt conveyor (no belt), approx. 18 in. x 9 ft. w/ washdown motor [Offal] inclined belt conveyor (no belt), approx. 18 in. x 14 ft. w/ washdown motor [Offal] belt conveyor (no belt), approx. 18 in. x 14 ft. w/ washdown motor [Offal] belt conveyor (no belt), approx. 18 in. x 40 ft. w/ washdown motor [Offal] inclined belt conveyor (no belt), approx. 18 in. x 40 ft. w/ washdown motor [Offal] belt conveyor (no belt), approx. 18 in. x 40 ft. w/ washdown motor [Offal] inclined belt conveyor (no belt), approx. 18 in. x 20 ft. w/ washdown motor [Offal] inclined belt conveyor (no belt), approx. 18 in. x 22 ft. w/ washdown motor [Offal] (4) centrifugal pumps, 5 hp ea. [Anti-De-Feathering] (4) centrifugal pumps, 5 hp ea. [Anti-De-Feathering] (4) centrifugal pumps, 5 hp ea. [Anti-De-Feathering] (4) centrifugal pumps, 2 hp [Anti-Evisceration 1] frundfos booster pump, 2 hp [Anti-Evisceration 1] table, stainless steel, approx. 26 in. x 11 ft. w/ washdown motor [Anti-Evisceration 1] table, stainless steel, approx. 24 in. x 48 in. x 19 in. high [Production] work platform, stainless steel, portox. 24 in. x 48 in. x 19 in. high [Production] work platform, stainless steel, approx. 24 in. x 48 in. x 19 in. high [Production] work platform, stainless steel, approx. 24 in. x 48 in. x 19 in. high [Production] work platform, stainless steel, approx. 24 in. x 48 in. x 10 in. high [Production] <li< td=""><td>131</td><td>dual bird chute, stainless steel [Evisceration 2]</td></li<>	131	dual bird chute, stainless steel [Evisceration 2]
 inclined fluted belt conveyor, stainless steel frame, approx. 16 in. x 7 ft. x 48 in. high w/ washdown motor [Packaging] inclined fluted belt conveyor, stainless steel frame, approx. 18 in. x 3 ft. x 80 in. high w/ washdown motor [Packaging] belt conveyor, stainless steel frame, approx. 18 in. x 9 ft. w/ washdown motor [Packaging] inclined belt conveyor (no belt), approx. 18 in. x 14 ft. w/ washdown motor [Offal] inclined belt conveyor (no belt), approx. 18 in. x 14 ft. w/ washdown motor [Offal] belt conveyor (no belt), approx. 18 in. x 14 ft. w/ washdown motor [Offal] inclined belt conveyor (no belt), approx. 18 in. x 41 ft. w/ washdown motor [Offal] inclined belt conveyor (no belt), approx. 18 in. x 41 ft. w/ washdown motor [Offal] inclined belt conveyor (no belt), approx. 18 in. x 40 ft. w/ washdown motor [Offal] inclined belt conveyor (no belt), approx. 18 in. x 40 ft. w/ washdown motor [Offal] inclined belt conveyor (no belt), approx. 18 in. x 22 ft. w/ washdown motor [Offal] inclined belt conveyor (no belt), approx. 18 in. x 22 ft. w/ washdown motor [Offal] inclined belt conveyor (no belt), approx. 18 in. x 22 ft. w/ washdown motor [Offal] (4) centrifugal pumps, 5 hp ea. [Anti-De-Feathering] (4) (4) centrifugal pumps, 5 hp ea. [Anti-De-Feathering] (4) Cast Regenair blower, mod. R93150A [Anti-Evisceration 1] table, stainless steel, approx. 26 in. x 11 ft. w/ washdown motor [Anti-Evisceration 1] table, stainless steel, approx. 24 in. x 48 in. x 19 in. high [Production] tard, stainless steel, approx. 24 in. x 48 in. x 19 in. high [Production] tard, stainless steel, approx. 24 in. x 48 in. x 19 in. high [Production] tard, stainless steel, approx. 24 in. x 48 in. x 19 in. high [Production] tard, stainless steel, approx. 24 in. x 48 in. x 19 in. high [Production] tard wash station, stainless steel, foot oper	131A	Evisceration 2 control panel [Evisceration 2]
 motor [Packaging] inclined fluted belt conveyor, stainless steel frame, approx. 18 in. x 3 ft. x 80 in. high w/ washdown motor [Packaging] belt conveyor, stainless steel frame, approx. 14 in. x 67 in. ea. w/ (2) washdown motors [Packaging] inclined belt conveyor (no belt), approx. 18 in. x 14 ft. w/ washdown motor [Offal] inclined belt conveyor (no belt), approx. 18 in. x 14 ft. w/ washdown motor [Offal] inclined belt conveyor (no belt), approx. 18 in. x 40 ft. w/ washdown motor [Offal] belt conveyor (no belt), approx. 18 in. x 40 ft. w/ washdown motor [Offal] inclined belt conveyor (no belt), approx. 18 in. x 40 ft. w/ washdown motor [Offal] inclined belt conveyor (no belt), approx. 18 in. x 40 ft. w/ washdown motor [Offal] inclined belt conveyor (no belt), approx. 18 in. x 22 ft. w/ washdown motor [Offal] inclined belt conveyor (no belt), approx. 18 in. x 22 ft. w/ washdown motor [Offal] inclined belt conveyor (no belt), approx. 18 in. x 22 ft. w/ washdown motor [Offal] inclined belt conveyor (no belt), approx. 18 in. x 22 ft. w/ washdown motor [Offal] inclined belt conveyor (no belt), approx. 18 in. x 22 ft. w/ washdown motor [Offal] inclined belt conveyor (no belt), approx. 18 in. x 22 ft. w/ washdown motor [Offal] inclined belt conveyor (no belt), approx. 18 in. x 22 ft. w/ washdown motor [Offal] inclined belt conveyor (no belt), approx. 18 in. x 20 in. x 36 in. yoen top [Offal] inclined belt conveyor (no belt), approx. 18 in. x 21 ft. w/ washdown motor [Offal] inclined belt conveyor (no belt), approx. 18 in. x 22 ft. w/ washdown motor [Offal] intop [Offal]<!--</td--><td>132</td><td>Chill Line overhead conveyor w/ stainless steel shackles at 12 in. approx. 1100 ft. long [Chill Line]</td>	132	Chill Line overhead conveyor w/ stainless steel shackles at 12 in. approx. 1100 ft. long [Chill Line]
 motor [Packaging] belt conveyor, stainless steel frame, approx. 18 in. x 9 ft. w/ washdown motor [Packaging] 3-lane belt conveyor (no belt), approx. 18 in. x 14 ft. w/ washdown motor [Offal] inclined belt conveyor (no belt), approx. 18 in. x 14 ft. w/ washdown motor [Offal] belt conveyor (no belt), approx. 18 in. x 14 ft. w/ washdown motor [Offal] inclined belt conveyor (no belt), approx. 18 in. x 14 ft. w/ washdown motor [Offal] inclined belt conveyor (no belt), approx. 18 in. x 14 ft. w/ washdown motor [Offal] inclined belt conveyor (no belt), approx. 18 in. x 20 ft. w/ washdown motor [Offal] vacuum system w/ diaphragm pump, (2) tanks, stainless steel trough and (2) pneumatic gates [Offal recting belt conveyor (no belt), approx. 18 in. x 22 ft. w/ washdown motor [Offal] REC Ind. Tank, mod. 1070-IMP, ser. no. 5225.001.A, stainless steel, approx. 6 ft. dia. X 64 in., open top [Offal] (4) centrifugal pumps, 5 hp ea. [Anti-De-Feathering] (4) centrifugal pumps, 5 hp ea. [Anti-De-Feathering] (4) Pentair Wellmate pressure tank, mod. WM0330 Classic GC (2014), 328 L cap. ea. [Anti-De-Feathering] Uve Receiving/Chill Line/Evisceration 1 PLC control panel [Anti-De-Feathering] Uve Receiving/Chill Line/Evisceration 1] Barnes sump pump, 0.5 hp [Anti-Evisceration 1] table, stainless steel, approx. 20 in. x 16 in. x 11 ft. w/ washdown motor [Anti-Evisceration 1] table, stainless steel, approx. 20 in. x 48 in. x 19 in. high [Production] work platform, stainless steel, [Production] table, stainless steel, approx. 24 in. x 48 in. x 19 in. high [Production] work platform, stainless steel, approx. 24 in. x 72 in. high (Production] work platform, stainless steel, approx. 24 in. x 10 in. high [Production] work platform, stainless steel, approx. 24 in. x 10 in. high [Production] work platform, stainless steel, ap	133	inclined fluted belt conveyor, stainless steel frame, approx. 16 in. x 7 ft. x 48 in. high w/ washdown motor [Packaging]
 3-lane belt conveyor, stainless steel frame, approx. 14 in. x 67 in. ea. w/ (2) washdown motors [Packaging] inclined belt conveyor (no belt), approx. 18 in. x 14 ft. w/ washdown motor [Offal] inclined belt conveyor (no belt), approx. 18 in. x 14 ft. w/ washdown motor [Offal] belt conveyor (no belt), approx. 18 in. x 40 ft. w/ washdown motor [Offal] inclined belt conveyor (no belt), approx. 18 in. x 40 ft. w/ washdown motor [Offal] inclined belt conveyor (no belt), approx. 18 in. x 40 ft. w/ washdown motor [Offal] inclined belt conveyor (no belt), approx. 18 in. x 22 ft. w/ washdown motor [Offal] REC Ind. Tank, mod. 1070-IMP, ser. no. 5225.001.A, stainless steel, approx. 6 ft. dia. X 64 in., open top [Offal] (4) centrifugal pumps, 5 hp ea. [Anti-De-Feathering] (4) centrifugal pumps, 5 hp ea. [Anti-De-Feathering] (4) centrifugal pumps, 5 hp ea. [Anti-De-Feathering] Gast Regenair blower, mod. R9315QA [Anti-Evisceration 1] Gast Regenair blower, mod. R9315QA [Anti-Evisceration 1] Barnes sump pump, 0.5 hp [Anti-Evisceration 1] table, stainless steel, approx. 16 in. x 11 ft. w/ washdown motor [Anti-Evisceration 1] table, stainless steel, approx. 20 in. x 36 in. [Production] work platform, stainless steel, approx. 24 in. x 48 in. x 19 in. high [Production] tray cart, stainless steel, approx. 24 in. x 48 in. x 11 in. high [Production] work platform, stainless steel, approx. 24 in. x 72 in. high c/w s/s locker [Production] work platform, stainless steel, approx. 24 in. x 72 in. high c/w s/s locker [Production] work platform, stainless steel, approx. 24 in. x 6 ft. x 6 in. high [Production] work platform, stainless steel, approx. 24 in. x 6 in. high [Production] work platform, stainless steel, approx. 24 in. x 6 in. high [Production] work platform, stainless steel, approx. 24 in. x 6 in. high [Production]	135	inclined fluted belt conveyor, stainless steel frame, approx. 18 in. x 3 ft. x 80 in. high w/ washdown motor [Packaging]
[Packaging] 140 inclined belt conveyor (no belt), approx. 18 in. x 14 ft. w/ washdown motor [Offal] 141 inclined belt conveyor (no belt), approx. 18 in. x 14 ft. w/ washdown motor [Offal] 142 belt conveyor (no belt), approx. 18 in. x 40 ft. w/ washdown motor [Offal] 143 inclined belt conveyor (no belt), approx. 18 in. x 40 ft. w/ washdown motor [Offal] 144 vacuum system w/ diaphragm pump, (2) tanks, stainless steel trough and (2) pneumatic gates [Offal] 145 inclined belt conveyor (no belt), approx. 18 in. x 22 ft. w/ washdown motor [Offal] 146 REC Ind. Tank, mod. 1070-IMP, ser. no. 5225.001.A, stainless steel, approx. 6 ft. dia. X 64 in., open top [Offal] 147 (4) centrifugal pumps, 5 hp ea. [Anti-De-Feathering] 148 (4) Pentair Wellmate pressure tank, mod. WM0330 Classic GC (2014), 328 L cap. ea. [Anti-De-Feathering] 149 Live Receiving/Chill Line/Evisceration 1 PLC control panel [Anti-De-Feathering] 149 Gast Regenair blower, mod. R9315QA [Anti-Evisceration 1] 149E Grundfos booster pump, 0.5 hp [Anti-Evisceration 1] 149F Barnes sump pump, 0.5 hp [Anti-Evisceration 1] 149F belt conveyor (no belt), approx. 20 in. x 36 in. r10 m. high [Production] 152 knife wash stn., stainless steel, approx. 24 in. x 48 in. x 11 in. high [Production]	136	belt conveyor, stainless steel frame, approx. 18 in. x 9 ft. w/ washdown motor [Packaging]
 inclined belt conveyor (no belt), approx. 18 in. x 14 ft. w/ washdown motor [Offal] belt conveyor (no belt), approx. 18 in. x 6 ft. w/ washdown motor [Offal] inclined belt conveyor (no belt), approx. 18 in. x 40 ft. w/ washdown motor [Offal] vacuum system w/ diaphragm pump, (2) tanks, stainless steel trough and (2) pneumatic gates [Offal] REC Ind. Tank, mod. 1070-IMP, ser. no. 5225.001.A, stainless steel, approx. 6 ft. dia. X 64 in., open top [Offal] (4) Pentair Wellmate pressure tank, mod. WM0330 Classic GC (2014), 328 L cap. ea. [Anti-De-Feathering] (4) Pentair Wellmate pressure tank, mod. WM0330 Classic GC (2014), 328 L cap. ea. [Anti-De-Feathering] Live Receiving/Chill Line/Evisceration 1 PLC control panel [Anti-De-Feathering] Gast Regenair blower, mod. R9315QA [Anti-Evisceration 1] Barnes sump pump, 0.5 hp [Anti-Evisceration 1] Barnes sump pump, 0.5 hp [Anti-Evisceration 1] table, stainless steel, approx. 20 in. x 36 in. [Production] work platform, stainless steel, approx. 24 in. x 48 in. x 19 in. high [Production] tray cart, stainless steel, approx. 24 in. x 48 in. x 19 in. high [Production] tray cart, stainless steel, approx. 31 in. x 78 in. x 10 in. high [Production] work platform, stainless steel, approx. 31 in. x 78 in. x 10 in. high [Production] work platform, stainless steel, approx. 31 in. x 78 in. x 10 in. high [Production] work platform, stainless steel, approx. 31 in. x 78 in. x 10 in. high [Production] work platform, stainless steel, approx. 32 in. x 40 in. x 16 in. high [Production] work platform, stainless steel, approx. 24 in. x 61 in. x 19 in. high [Production] work platform, stainless steel, approx. 31 in. x 78 in. x 10 in. high [Production] work platform, stainless steel, approx. 24 in. x 61 in. high [Production] work platform, stainless steel, approx. 26 in. x 10 in. high [Production]	137	
 belt conveyor (no belt), approx. 18 in. x 6 ft. w/ washdown motor [Offal] inclined belt conveyor (no belt), approx. 18 in. x 40 ft. w/ washdown motor [Offal] vacuum system w/ diaphragm pump, (2) tanks, stainless steel trough and (2) pneumatic gates [Offal] inclined belt conveyor (no belt), approx. 18 in. x 22 ft. w/ washdown motor [Offal] REC Ind. Tank, mod. 1070-IMP, ser. no. 5225.001.A, stainless steel, approx. 6 ft. dia. X 64 in., open top [Offal] (4) centrifugal pumps, 5 hp ea. [Anti-De-Feathering] (4) Pentair Wellmate pressure tank, mod. WM0330 Classic GC (2014), 328 L cap. ea. [Anti-De-Feathering] Live Receiving/Chill Line/Evisceration 1 PLC control panel [Anti-De-Feathering] Gast Regenair blower, mod. R9315QA [Anti-Evisceration 1] Barnes sump pump, 0.5 hp [Anti-Evisceration 1] Barnes sump pump, 0.5 hp [Anti-Evisceration 1] belt conveyor (no belt), approx. 16 in. x 11 ft. w/ washdown motor [Anti-Evisceration 1] table, stainless steel, approx. 20 in. x 36 in. [Production] work platform, stainless steel, approx. 24 in. x 48 in. x 19 in. high [Production] tay cart, stainless steel, approx. 24 in. x 48 in. x 11 in. high [Production] tary cart, stainless steel, foot operated [Production] work platform, stainless steel, foot operated [Production] work platform, stainless steel, approx. 31 in. x 72 in. high c/w s/s locker [Production] work platform, stainless steel, approx. 32 in. [Production] work platform, stainless steel, approx. 32 in. x 20 in. high [Production] work platform, stainless steel, approx. 32 in. x 10 in. high [Production] work platform, stainless steel, approx. 32 in. [Production] work platform, stainless steel, approx. 32 in. x 72 in. high c/w s/s locker [Production] work platform, stainless steel, approx. 32 in. [Production] work platform, stainless steel, approx. 32 in. x	140	inclined belt conveyor (no belt), approx. 18 in. x 14 ft. w/ washdown motor [Offal]
 inclined belt conveyor (no belt), approx. 18 in. x 40 ft. w/ washdown motor [Offal] vacuum system w/ diaphragm pump, (2) tanks, stainless steel trough and (2) pneumatic gates [Offal] inclined belt conveyor (no belt), approx. 18 in. x 22 ft. w/ washdown motor [Offal] REC Ind. Tank, mod. 1070-IMP, ser. no. 5225.001.A, stainless steel, approx. 6 ft. dia. X 64 in., open top [Offal] (4) centrifugal pumps, 5 hp ea. [Anti-De-Feathering] (4) centrifugal pumps, 5 hp ea. [Anti-De-Feathering] (4) centrifugal pumps, 5 hp ea. [Anti-De-Feathering] (4) Pentair Wellmate pressure tank, mod. WM0330 Classic GC (2014), 328 L cap. ea. [Anti-De-Feathering] Live Receiving/Chill Line/Evisceration 1 PLC control panel [Anti-De-Feathering] Gast Regenair blower, mod. R9315QA [Anti-Evisceration 1] Gast Regenair blower, mod. R9315QA [Anti-Evisceration 1] Barnes sump pump, 0.5 hp [Anti-Evisceration 1] Barnes sump pump, 0.5 hp [Anti-Evisceration 1] table, stainless steel, approx. 20 in. x 36 in. [Production] knife wash stn., stainless steel, [Production] work platform, stainless steel, [Production] work platform, stainless steel [Production] bird wash station, stainless steel [Production] toray cart, stainless steel, approx. 31 in. x 78 in. x 10 in. high [Production] work platform, stainless steel, approx. 34 in. x 92 in. Production] work platform, stainless steel, approx. 36 in. x 12 ft. x 6 in. high [Production] work platform, stainless steel, approx. 24 in. x 6 ft. x 6 in. high [Production] work platform, stainless steel, approx. 24 in. x 6 ft. x 16 in. high [Production] work platform, stainless steel, approx. 24 in. x 6 ft. x 6 in. high [Production] work platform, stainless steel, approx. 24 in. x 6 ft. x 16 in. high [Production] work platform, stainless steel, approx. 24 in. x 6 ft. x 16 in. high [Vaduction]	141	inclined belt conveyor (no belt), approx. 18 in. x 14 ft. w/ washdown motor [Offal]
 vacuum system w/ diaphragm pump, (2) tanks, stainless steel trough and (2) pneumatic gates [Offa] inclined belt conveyor (no belt), approx. 18 in. x 22 ft. w/ washdown motor [Offal] REC Ind. Tank, mod. 1070-IMP, ser. no. 5225.001.A, stainless steel, approx. 6 ft. dia. X 64 in., open top [Offal] (4) Centrifugal pumps, 5 hp ea. [Anti-De-Feathering] (4) Pentair Wellmate pressure tank, mod. WM0330 Classic GC (2014), 328 L cap. ea. [Anti-De-Feathering] Live Receiving/Chill Line/Evisceration 1 PLC control panel [Anti-De-Feathering] Gast Regenair blower, mod. R9315QA [Anti-Evisceration 1] Gast Regenair blower, mod. R9315QA [Anti-Evisceration 1] Grundfos booster pump, 2 hp [Anti-Evisceration 1] Barnes sump pump, 0.5 hp [Anti-Evisceration 1] Barnes sump pump, 0.5 hp [Anti-Evisceration 1] table, stainless steel, approx. 20 in. x 36 in. [Production] knife wash stn., stainless steel, [Production] work platform, stainless steel, approx. 24 in. x 48 in. x 19 in. high [Production] tray cart, stainless steel, approx. 24 in. x 48 in. x 19 in. high [Production] bird wash station, stainless steel, [Production] work platform, stainless steel, approx. 18 in. x 78 in. x 10 in. high [Production] storage cage, s/s, approx. 24 in. x 60 in. x 72 in. high c/w s/s locker [Production] work platform, stainless steel, approx. 24 in. x 6 in. high [Production] work platform, stainless steel, approx. 24 in. x 6 in. high [Production] work platform, stainless steel, approx. 24 in. x 6 in. high [Production] work platform, stainless steel, approx. 24 in. x 78 in. high c/w s/s locker [Production] work platform, stainless steel, approx. 24 in. x 6 in. high [Production] work platform, stainless steel, approx. 24 in. x 6 in. high [Production] work platform, stainless steel, approx. 24 in. x 6 in. high [Production] work pla	142	belt conveyor (no belt), approx. 18 in. x 6 ft. w/ washdown motor [Offal]
 inclined belt conveyor (no belt), approx. 18 in. x 22 ft. w/ washdown motor [Offal] REC Ind. Tank, mod. 1070-IMP, ser. no. 5225.001.A, stainless steel, approx. 6 ft. dia. X 64 in., open top [Offal] (4) centrifugal pumps, 5 hp ea. [Anti-De-Feathering] (4) centrifugal pumps, 5 hp ea. [Anti-De-Feathering] (4) Pentair Wellmate pressure tank, mod. WM0330 Classic GC (2014), 328 L cap. ea. [Anti-De-Feathering] Live Receiving/Chill Line/Evisceration 1 PLC control panel [Anti-De-Feathering] (5) Gast Regenair blower, mod. R9315QA [Anti-Evisceration 1] (7) Gast Regenair blower, mod. R9315QA [Anti-Evisceration 1] (8) Grundfos booster pump, 2 hp [Anti-Evisceration 1] (9) Gast Regenair blower, mod. R9315QA [Anti-Evisceration 1] (149F Barnes sump pump, 0.5 hp [Anti-Evisceration 1] (149F Barnes sump pump, 0.5 hp [Anti-Evisceration 1] (149F Barnes sump pump, 0.5 hp [Anti-Evisceration 1] (150 kinfe wash stn., stainless steel, [Production] (151 table, stainless steel, approx. 20 in. x 36 in. [Production] (152 knife wash stn., stainless steel, [Production] (153 work platform, stainless steel, approx. 24 in. x 48 in. x 19 in. high [Production] (154 work platform, stainless steel, approx. 24 in. x 48 in. x 11 in. high [Production] (155 tray cart, stainless steel, foot operated [Production] (156 inspection station, stainless steel, foot operated [Production] (158 storage cage, s/s, approx. 24 in. x 60 in. x 72 in. high c/w s/s locker [Production] (159 wash trough, stainless steel, approx. 36 in. x 12 ft. x 6 in. high [Production] (159 wash trough, stainless steel, approx. 24 in. x 6 in. high [Production] (159 work platform, stainless steel, approx. 24 in. x 6 in. high [Production] (159 work platform, stainless steel, approx. 24 in. x 6 in. high [Production] (150 work platform, stainless steel, approx. 24	143	inclined belt conveyor (no belt), approx. 18 in. x 40 ft. w/ washdown motor [Offal]
 REC Ind. Tank, mod. 1070-IMP, ser. no. 5225.001.A, stainless steel, approx. 6 ft. dia. X 64 in., open top [Offal] (4) centrifugal pumps, 5 hp ea. [Anti-De-Feathering] (4) Pentair Wellmate pressure tank, mod. WM0330 Classic GC (2014), 328 L cap. ea. [Anti-De-Feathering] Live Receiving/Chill Line/Evisceration 1 PLC control panel [Anti-De-Feathering] Gast Regenair blower, mod. R9315QA [Anti-Evisceration 1] Gast Regenair blower, mod. R9315QA [Anti-Evisceration 1] Grundfos booster pump, 2 hp [Anti-Evisceration 1] Barnes sump pump, 0.5 hp [Anti-Evisceration 1] Barnes sump pump, 0.5 hp [Anti-Evisceration 1] table, stainless steel, approx. 20 in. x 36 in. [Production] table, stainless steel, approx. 20 in. x 36 in. [Production] work platform, stainless steel, [Production] tray cart, stainless steel, approx. 24 in. x 48 in. x 19 in. high [Production] tray cart, stainless steel [Production] bird wash station, stainless steel, foot operated [Production] work platform, stainless steel, approx. 31 in. x 78 in. x 10 in. high [Production] work platform, stainless steel, approx. 18 in. x 92 in. [Production] work platform, stainless steel, approx. 18 in. x 12 ft. x 6 in. high [Production] work platform, stainless steel, approx. 24 in. x 6 ft. x 6 in. high [Production] work platform, stainless steel, approx. 24 in. x 6 ft. x 6 in. high [Production] work platform, stainless steel, approx. 18 in. x 92 in. [Production] work platform, stainless steel, approx. 24 in. x 6 ft. x 6 in. high [Production] work platform, stainless steel, approx. 24 in. x 6 ft. x 6 in. high [Production] work platform, stainless steel, approx. 24 in. x 6 ft. x 6 in. high [Production] work platform, stainless steel, approx. 24 in. x 6 ft. x 6 in. high w stainless steel trough [Production] work platform, stainless steel, approx. 2	144	vacuum system w/ diaphragm pump, (2) tanks, stainless steel trough and (2) pneumatic gates [Offal
top [Offal]147(4) centrifugal pumps, 5 hp ea. [Anti-De-Feathering]148(4) Pentair Wellmate pressure tank, mod. WM0330 Classic GC (2014), 328 L cap. ea. [Anti-De-Feathering]149Live Receiving/Chill Line/Evisceration 1 PLC control panel [Anti-De-Feathering]149Gast Regenair blower, mod. R9315QA [Anti-Evisceration 1]149EGrundfos booster pump, 2 hp [Anti-Evisceration 1]149FBarnes sump pump, 0.5 hp [Anti-Evisceration 1]149Hbelt conveyor (no belt), approx. 16 in. x 11 ft. w/ washdown motor [Anti-Evisceration 1]151table, stainless steel, approx. 20 in. x 36 in. [Production]152knife wash stn., stainless steel, [Production]153work platform, stainless steel, approx. 24 in. x 48 in. x 19 in. high [Production]154work platform, stainless steel [Production]155tray cart, stainless steel [Production]156inspection station, stainless steel [Production]158storage cage, s/s, approx. 24 in. x 60 in. x 72 in. high c/w s/s locker [Production]159wash trough, stainless steel, approx. 28 in. x 12 ft. x 6 in. high [Production]160work platform, stainless steel, approx. 24 in. x 6 ft. x 6 in. high [Production]161work platform, stainless steel, approx. 24 in. x 12 ft. x 6 in. high [Production]162work platform, stainless steel, approx. 24 in. x 6 ft. x 6 in. high [Production]158storage cage, s/s, approx. 24 in. x 60 in. x 12 ft. x 6 in. high [Production]164table, stainless steel, approx. 22 in. x 6 ft. x 16 in. high w/ stainless steel trough [Production]165work platform, s	145	inclined belt conveyor (no belt), approx. 18 in. x 22 ft. w/ washdown motor [Offal]
 (4) Pentair Wellmate pressure tank, mod. WM0330 Classic GC (2014), 328 L cap. ea. [Anti-De-Feathering] Live Receiving/Chill Line/Evisceration 1 PLC control panel [Anti-De-Feathering] Gast Regenair blower, mod. R9315QA [Anti-Evisceration 1] Gast Regenair blower, mod. R9315QA [Anti-Evisceration 1] Grundfos booster pump, 2 hp [Anti-Evisceration 1] Barnes sump pump, 0.5 hp [Anti-Evisceration 1] Barnes sump pump, 0.5 hp [Anti-Evisceration 1] table, stainless steel, approx. 20 in. x 36 in. [Production] table, stainless steel, approx. 20 in. x 36 in. [Production] work platform, stainless steel, approx. 24 in. x 48 in. x 19 in. high [Production] tray cart, stainless steel, approx. 24 in. x 48 in. x 11 in. high [Production] tray cart, stainless steel [Production] tray cart, stainless steel [Production] bird wash station, stainless steel [Production] work platform, stainless steel, approx. 31 in. x 78 in. x 10 in. high [Production] work platform, stainless steel, approx. 18 in. x 92 in. [Production] work platform, stainless steel, approx. 36 in. x 12 ft. x 6 in. high [Production] work platform, stainless steel, approx. 24 in. x 6 ft. x 16 in. high [Production] work platform, stainless steel, approx. 24 in. x 6 ft. x 16 in. high [Production] work platform, stainless steel, approx. 24 in. x 6 ft. x 16 in. high [Production] work platform, stainless steel, approx. 24 in. x 6 ft. x 16 in. high [Production] work platform, stainless steel, approx. 24 in. x 6 ft. x 16 in. high w/ stainless steel trough [Production] work platform, stainless steel, approx. 22 in. x 6 ft. x 16 in. high w/ stainless steel trough [Production] work platform, stainless steel, approx. 22 in. x 6 ft. x 16 in. high w/ stainless steel trough [Production] table, stainless steel [Production] table, stainless steel, approx. 5 ft.	146	
Feathering]149Live Receiving/Chill Line/Evisceration 1 PLC control panel [Anti-De-Feathering]149CGast Regenair blower, mod. R9315QA [Anti-Evisceration 1]149EGrundfos booster pump, 2 hp [Anti-Evisceration 1]149FBarnes sump pump, 0.5 hp [Anti-Evisceration 1]149Hbelt conveyor (no belt), approx. 16 in. x 11 ft. w/ washdown motor [Anti-Evisceration 1]151table, stainless steel, approx. 20 in. x 36 in. [Production]152knife wash stn., stainless steel, [Production]153work platform, stainless steel, approx. 24 in. x 48 in. x 19 in. high [Production]154work platform, stainless steel, approx. 24 in. x 48 in. x 11 in. high [Production]155tray cart, stainless steel [Production]156inspection station, stainless steel [Production]157bird wash station, stainless steel [Production]158work platform, stainless steel, approx. 31 in. x 78 in. x 10 in. high [Production]159wash trough, stainless steel, approx. 18 in. x 92 in. [Production]160work platform, stainless steel, approx. 24 in. x 6 in. high [Production]161work platform, stainless steel, approx. 24 in. x 6 in. high [Production]158storage cage, s/s, approx. 24 in. x 72 in. high c/w s/s locker [Production]161work platform, stainless steel, approx. 26 in. x 12 ft. x 6 in. high [Production]162work platform, stainless steel, approx. 22 in. x 6 ft. x 16 in. high w/ stainless steel trough [Production]163hopper, stainless steel, approx. 22 in. x 6 ft. x 16 in. high w/ stainless steel trough [Production]164table, s	147	(4) centrifugal pumps, 5 hp ea. [Anti-De-Feathering]
 149 Live Receiving/Chill Line/Evisceration 1 PLC control panel [Anti-De-Feathering] 149C Gast Regenair blower, mod. R9315QA [Anti-Evisceration 1] 149E Grundfos booster pump, 2 hp [Anti-Evisceration 1] 149F Barnes sump pump, 0.5 hp [Anti-Evisceration 1] 149H belt conveyor (no belt), approx. 16 in. x 11 ft. w/ washdown motor [Anti-Evisceration 1] 151 table, stainless steel, approx. 20 in. x 36 in. [Production] 152 knife wash stn., stainless steel, [Production] 153 work platform, stainless steel, approx. 24 in. x 48 in. x 19 in. high [Production] 154 tray cart, stainless steel, approx. 24 in. x 48 in. x 11 in. high [Production] 155 tray cart, stainless steel [Production] 156 inspection station, stainless steel [Production] 157 bird wash station, stainless steel, foot operated [Production] 158 storage cage, s/s, approx. 24 in. x 60 in. x 72 in. high c/w s/s locker [Production] 159 wash trough, stainless steel, approx. 36 in. x 12 ft. x 6 in. high [Production] 160 work platform, stainless steel, approx. 24 in. x 61 in. x 61 in. high [Production] 161 work platform, stainless steel, approx. 24 in. x 61 in. high [Production] 162 work platform, stainless steel, approx. 24 in. x 61 in. x 12 ft. x 6 in. high [Production] 163 hopper, stainless steel, approx. 24 in. x 61 in. x 61 in. high [Production] 164 table, stainless steel [Production] 163 hopper, stainless steel [Production] 164 table, stainless steel, approx. 20 in. x 64 in. w/ drain and casters [Production] 	148	(4) Pentair Wellmate pressure tank, mod. WM0330 Classic GC (2014), 328 L cap. ea. [Anti-De-
 149 Live Receiving/Chill Line/Evisceration 1 PLC control panel [Anti-De-Feathering] 149C Gast Regenair blower, mod. R9315QA [Anti-Evisceration 1] 149E Grundfos booster pump, 2 hp [Anti-Evisceration 1] 149F Barnes sump pump, 0.5 hp [Anti-Evisceration 1] 149H belt conveyor (no belt), approx. 16 in. x 11 ft. w/ washdown motor [Anti-Evisceration 1] 151 table, stainless steel, approx. 20 in. x 36 in. [Production] 152 knife wash stn., stainless steel, [Production] 153 work platform, stainless steel, approx. 24 in. x 48 in. x 19 in. high [Production] 154 tray cart, stainless steel, approx. 24 in. x 48 in. x 11 in. high [Production] 155 tray cart, stainless steel [Production] 156 inspection station, stainless steel [Production] 157 bird wash station, stainless steel, foot operated [Production] 158 storage cage, s/s, approx. 24 in. x 60 in. x 72 in. high c/w s/s locker [Production] 159 wash trough, stainless steel, approx. 36 in. x 12 ft. x 6 in. high [Production] 160 work platform, stainless steel, approx. 24 in. x 61 in. x 61 in. high [Production] 161 work platform, stainless steel, approx. 24 in. x 61 in. high [Production] 162 work platform, stainless steel, approx. 24 in. x 61 in. x 12 ft. x 6 in. high [Production] 163 hopper, stainless steel, approx. 24 in. x 61 in. x 61 in. high [Production] 164 table, stainless steel [Production] 163 hopper, stainless steel [Production] 164 table, stainless steel, approx. 20 in. x 64 in. w/ drain and casters [Production] 		Feathering]
 Grundfos booster pump, 2 hp [Anti-Evisceration 1] Barnes sump pump, 0.5 hp [Anti-Evisceration 1] Barnes sump pump, 0.5 hp [Anti-Evisceration 1] belt conveyor (no belt), approx. 16 in. x 11 ft. w/ washdown motor [Anti-Evisceration 1] table, stainless steel, approx. 20 in. x 36 in. [Production] knife wash stn., stainless steel, [Production] work platform, stainless steel, approx. 24 in. x 48 in. x 19 in. high [Production] tray cart, stainless steel, approx. 24 in. x 48 in. x 11 in. high [Production] tray cart, stainless steel [Production] bird wash station, stainless steel [Production] work platform, stainless steel, approx. 31 in. x 78 in. x 10 in. high [Production] storage cage, s/s, approx. 24 in. x 60 in. x 72 in. high c/w s/s locker [Production] work platform, stainless steel, approx. 18 in. x 92 in. [Production] work platform, stainless steel, approx. 24 in. x 6 ft. x 6 in. high [Production] work platform, stainless steel, approx. 22 in. x 6 ft. x 16 in. high w/ stainless steel trough [Production] table, stainless steel [Production] table, stainless steel [Production] table stainless steel [Production] work platform, stainless steel, approx. 20 in. x 6 ft. x 18 in. high [Production] table stainless steel, approx. 20 in. x 64 in. w/ drain and casters [Production] 	149	Live Receiving/Chill Line/Evisceration 1 PLC control panel [Anti-De-Feathering]
 H49F Barnes sump pump, 0.5 hp [Anti-Evisceration 1] H49H belt conveyor (no belt), approx. 16 in. x 11 ft. w/ washdown motor [Anti-Evisceration 1] table, stainless steel, approx. 20 in. x 36 in. [Production] knife wash stn., stainless steel, [Production] work platform, stainless steel, approx. 24 in. x 48 in. x 19 in. high [Production] tray cart, stainless steel, approx. 24 in. x 48 in. x 11 in. high [Production] tray cart, stainless steel [Production] bird wash station, stainless steel [Production] work platform, stainless steel [Production] bird wash station, stainless steel, approx. 31 in. x 78 in. x 10 in. high [Production] work platform, stainless steel, approx. 31 in. x 78 in. x 10 in. high [Production] work platform, stainless steel, approx. 31 in. x 78 in. x 10 in. high [Production] work platform, stainless steel, approx. 36 in. x 12 ft. x 6 in. high [Production] work platform, stainless steel, approx. 24 in. x 6 ft. x 16 in. high [Production] work platform, stainless steel, approx. 22 in. x 6 ft. x 16 in. high w/ stainless steel trough [Production] table, stainless steel [Production] table, stainless steel [Production] table, stainless steel, approx. 5 ft. x 6 ft. x 18 in. high [Production] table, stainless steel, approx. 20 in. x 64 in. w/ drain and casters [Production] 	149C	Gast Regenair blower, mod. R9315QA [Anti-Evisceration 1]
149Hbelt conveyor (no belt), approx. 16 in. x 11 ft. w/ washdown motor [Anti-Evisceration 1]151table, stainless steel, approx. 20 in. x 36 in. [Production]152knife wash stn., stainless steel, [Production]153work platform, stainless steel, approx. 24 in. x 48 in. x 19 in. high [Production]154work platform, stainless steel, approx. 24 in. x 48 in. x 11 in. high [Production]155tray cart, stainless steel [Production]156inspection station, stainless steel [Production]157bird wash station, stainless steel, foot operated [Production]158work platform, stainless steel, approx. 31 in. x 78 in. x 10 in. high [Production]159wash trough, stainless steel, approx. 18 in. x 92 in. [Production]160work platform, stainless steel, approx. 24 in. x 6 in. high [Production]161work platform, stainless steel, approx. 24 in. x 6 in. high [Production]162work platform, stainless steel, approx. 18 in. x 92 in. [Production]163hopper, stainless steel, approx. 24 in. x 6 ft. x 6 in. high [Production]164table, stainless steel [Production]163hopper, stainless steel [Production]164table, stainless steel, approx. 5 ft. x 6 ft. x 18 in. high [Production]165trough, stainless steel, approx. 20 in. x 64 in. w/ drain and casters [Production]	149E	Grundfos booster pump, 2 hp [Anti-Evisceration 1]
149Hbelt conveyor (no belt), approx. 16 in. x 11 ft. w/ washdown motor [Anti-Evisceration 1]151table, stainless steel, approx. 20 in. x 36 in. [Production]152knife wash stn., stainless steel, [Production]153work platform, stainless steel, approx. 24 in. x 48 in. x 19 in. high [Production]154work platform, stainless steel, approx. 24 in. x 48 in. x 11 in. high [Production]155tray cart, stainless steel [Production]156inspection station, stainless steel [Production]157bird wash station, stainless steel, foot operated [Production]158work platform, stainless steel, approx. 31 in. x 78 in. x 10 in. high [Production]159wash trough, stainless steel, approx. 18 in. x 92 in. [Production]160work platform, stainless steel, approx. 24 in. x 6 in. high [Production]161work platform, stainless steel, approx. 24 in. x 6 in. high [Production]162work platform, stainless steel, approx. 18 in. x 92 in. [Production]163hopper, stainless steel, approx. 24 in. x 6 ft. x 6 in. high [Production]164table, stainless steel [Production]163hopper, stainless steel [Production]164table, stainless steel, approx. 5 ft. x 6 ft. x 18 in. high [Production]165trough, stainless steel, approx. 20 in. x 64 in. w/ drain and casters [Production]	149F	Barnes sump pump, 0.5 hp [Anti-Evisceration 1]
 table, stainless steel, approx. 20 in. x 36 in. [Production] knife wash stn., stainless steel, [Production] work platform, stainless steel, approx. 24 in. x 48 in. x 19 in. high [Production] tray cart, stainless steel, approx. 24 in. x 48 in. x 11 in. high [Production] tray cart, stainless steel [Production] tray cart, stainless steel [Production] bird wash station, stainless steel, foot operated [Production] work platform, stainless steel, approx. 31 in. x 78 in. x 10 in. high [Production] work platform, stainless steel, approx. 31 in. x 78 in. x 10 in. high [Production] work platform, stainless steel, approx. 36 in. x 12 in. high (Production] work platform, stainless steel, approx. 36 in. x 12 ft. x 6 in. high [Production] work platform, stainless steel, approx. 24 in. x 6 ft. x 16 in. high w/ stainless steel trough [Production] work platform, stainless steel, approx. 22 in. x 6 ft. x 16 in. high w/ stainless steel trough [Production] table, stainless steel, approx. 5 ft. x 6 ft. x 18 in. high [Production] trough, stainless steel, approx. 20 in. x 64 in. w/ drain and casters [Production] 		
 knife wash stn., stainless steel, [Production] work platform, stainless steel, approx. 24 in. x 48 in. x 19 in. high [Production] work platform, stainless steel, approx. 24 in. x 48 in. x 11 in. high [Production] tray cart, stainless steel [Production] inspection station, stainless steel [Production] bird wash station, stainless steel, foot operated [Production] work platform, stainless steel, approx. 31 in. x 78 in. x 10 in. high [Production] storage cage, s/s, approx. 24 in. x 60 in. x 72 in. high c/w s/s locker [Production] work platform, stainless steel, approx. 36 in. x 12 ft. x 6 in. high [Production] work platform, stainless steel, approx. 24 in. x 6 ft. x 16 in. high [Production] work platform, stainless steel, approx. 22 in. x 6 ft. x 16 in. high w/ stainless steel trough [Production] table, stainless steel [Production] table, stainless steel, approx. 5 ft. x 6 ft. x 18 in. high [Production] 		
 work platform, stainless steel, approx. 24 in. x 48 in. x 19 in. high [Production] work platform, stainless steel, approx. 24 in. x 48 in. x 11 in. high [Production] tray cart, stainless steel [Production] inspection station, stainless steel [Production] bird wash station, stainless steel [Production] work platform, stainless steel, approx. 31 in. x 78 in. x 10 in. high [Production] storage cage, s/s, approx. 24 in. x 60 in. x 72 in. high c/w s/s locker [Production] work platform, stainless steel, approx. 18 in. x 92 in. [Production] work platform, stainless steel, approx. 36 in. x 12 ft. x 6 in. high [Production] work platform, stainless steel, approx. 24 in. x 6 ft. x 16 in. high w/ stainless steel trough [Production] work platform, stainless steel, approx. 22 in. x 6 ft. x 16 in. high w/ stainless steel trough [Production] table, stainless steel [Production] table, stainless steel, approx. 20 in. x 64 in. w/ drain and casters [Production] 		
 work platform, stainless steel, approx. 24 in. x 48 in. x 11 in. high [Production] tray cart, stainless steel [Production] inspection station, stainless steel [Production] bird wash station, stainless steel, foot operated [Production] work platform, stainless steel, approx. 31 in. x 78 in. x 10 in. high [Production] storage cage, s/s, approx. 24 in. x 60 in. x 72 in. high c/w s/s locker [Production] wash trough, stainless steel, approx. 18 in. x 92 in. [Production] work platform, stainless steel, approx. 36 in. x 12 ft. x 6 in. high [Production] work platform, stainless steel, approx. 24 in. x 6 ft. x 6 in. high [Production] work platform, stainless steel, approx. 22 in. x 6 ft. x 16 in. high w/ stainless steel trough [Production] hopper, stainless steel [Production] table, stainless steel, approx. 5 ft. x 6 ft. x 18 in. high [Production] trough, stainless steel, approx. 20 in. x 64 in. w/ drain and casters [Production] 		
 tray cart, stainless steel [Production] inspection station, stainless steel [Production] bird wash station, stainless steel, foot operated [Production] work platform, stainless steel, approx. 31 in. x 78 in. x 10 in. high [Production] storage cage, s/s, approx. 24 in. x 60 in. x 72 in. high c/w s/s locker [Production] wash trough, stainless steel, approx. 18 in. x 92 in. [Production] work platform, stainless steel, approx. 36 in. x 12 ft. x 6 in. high [Production] work platform, stainless steel, approx. 24 in. x 6 ft. x 6 in. high [Production] work platform, stainless steel, approx. 22 in. x 6 ft. x 16 in. high w/ stainless steel trough [Production] hopper, stainless steel [Production] hopper, stainless steel, approx. 5 ft. x 6 ft. x 18 in. high [Production] table, stainless steel, approx. 20 in. x 64 in. w/ drain and casters [Production] 		
 156 inspection station, stainless steel [Production] 157 bird wash station, stainless steel, foot operated [Production] 158 work platform, stainless steel, approx. 31 in. x 78 in. x 10 in. high [Production] 158 storage cage, s/s, approx. 24 in. x 60 in. x 72 in. high c/w s/s locker [Production] 159 wash trough, stainless steel, approx. 18 in. x 92 in. [Production] 160 work platform, stainless steel, approx. 36 in. x 12 ft. x 6 in. high [Production] 161 work platform, stainless steel, approx. 24 in. x 6 ft. x 6 in. high [Production] 162 work platform, stainless steel, approx. 22 in. x 6 ft. x 16 in. high w/ stainless steel trough [Production] 163 hopper, stainless steel [Production] 164 table, stainless steel, approx. 20 in. x 64 in. w/ drain and casters [Production] 		
 bird wash station, stainless steel, foot operated [Production] work platform, stainless steel, approx. 31 in. x 78 in. x 10 in. high [Production] storage cage, s/s, approx. 24 in. x 60 in. x 72 in. high c/w s/s locker [Production] wash trough, stainless steel, approx. 18 in. x 92 in. [Production] work platform, stainless steel, approx. 36 in. x 12 ft. x 6 in. high [Production] work platform, stainless steel, approx. 24 in. x 6 ft. x 6 in. high [Production] work platform, stainless steel, approx. 24 in. x 6 ft. x 16 in. high [Production] work platform, stainless steel, approx. 22 in. x 6 ft. x 16 in. high w/ stainless steel trough [Production] hopper, stainless steel [Production] table, stainless steel, approx. 5 ft. x 6 ft. x 18 in. high [Production] trough, stainless steel, approx. 20 in. x 64 in. w/ drain and casters [Production] 		
 work platform, stainless steel, approx. 31 in. x 78 in. x 10 in. high [Production] storage cage, s/s, approx. 24 in. x 60 in. x 72 in. high c/w s/s locker [Production] wash trough, stainless steel, approx. 18 in. x 92 in. [Production] work platform, stainless steel, approx. 36 in. x 12 ft. x 6 in. high [Production] work platform, stainless steel, approx. 24 in. x 6 ft. x 6 in. high [Production] work platform, stainless steel, approx. 24 in. x 6 ft. x 16 in. high [Production] work platform, stainless steel, approx. 22 in. x 6 ft. x 16 in. high w/ stainless steel trough [Production] hopper, stainless steel [Production] table, stainless steel, approx. 5 ft. x 6 ft. x 18 in. high [Production] trough, stainless steel, approx. 20 in. x 64 in. w/ drain and casters [Production] 		
 storage cage, s/s, approx. 24 in. x 60 in. x 72 in. high c/w s/s locker [Production] wash trough, stainless steel, approx. 18 in. x 92 in. [Production] work platform, stainless steel, approx. 36 in. x 12 ft. x 6 in. high [Production] work platform, stainless steel, approx. 24 in. x 6 ft. x 6 in. high [Production] work platform, stainless steel, approx. 22 in. x 6 ft. x 16 in. high w/ stainless steel trough [Production] hopper, stainless steel [Production] table, stainless steel, approx. 5 ft. x 6 ft. x 18 in. high [Production] trough, stainless steel, approx. 20 in. x 64 in. w/ drain and casters [Production] 		
 159 wash trough, stainless steel, approx. 18 in. x 92 in. [Production] 160 work platform, stainless steel, approx. 36 in. x 12 ft. x 6 in. high [Production] 161 work platform, stainless steel, approx. 24 in. x 6 ft. x 6 in. high [Production] 162 work platform, stainless steel, approx. 22 in. x 6 ft. x 16 in. high w/ stainless steel trough [Production] 163 hopper, stainless steel [Production] 164 table, stainless steel, approx. 5 ft. x 6 ft. x 18 in. high [Production] 166 trough, stainless steel, approx. 20 in. x 64 in. w/ drain and casters [Production] 		
 160 work platform, stainless steel, approx. 36 in. x 12 ft. x 6 in. high [Production] 161 work platform, stainless steel, approx. 24 in. x 6 ft. x 6 in. high [Production] 162 work platform, stainless steel, approx. 22 in. x 6 ft. x 16 in. high w/ stainless steel trough [Production] 163 hopper, stainless steel [Production] 164 table, stainless steel, approx. 5 ft. x 6 ft. x 18 in. high [Production] 166 trough, stainless steel, approx. 20 in. x 64 in. w/ drain and casters [Production] 		
 161 work platform, stainless steel, approx. 24 in. x 6 ft. x 6 in. high [Production] 162 work platform, stainless steel, approx. 22 in. x 6 ft. x 16 in. high w/ stainless steel trough [Production] 163 hopper, stainless steel [Production] 164 table, stainless steel, approx. 5 ft. x 6 ft. x 18 in. high [Production] 166 trough, stainless steel, approx. 20 in. x 64 in. w/ drain and casters [Production] 		
 work platform, stainless steel, approx. 22 in. x 6 ft. x 16 in. high w/ stainless steel trough [Production] hopper, stainless steel [Production] table, stainless steel, approx. 5 ft. x 6 ft. x 18 in. high [Production] trough, stainless steel, approx. 20 in. x 64 in. w/ drain and casters [Production] 		
 hopper, stainless steel [Production] table, stainless steel, approx. 5 ft. x 6 ft. x 18 in. high [Production] trough, stainless steel, approx. 20 in. x 64 in. w/ drain and casters [Production] 		work platform, stainless steel, approx. 22 in. x 6 ft. x 16 in. high w/ stainless steel trough
 table, stainless steel, approx. 5 ft. x 6 ft. x 18 in. high [Production] trough, stainless steel, approx. 20 in. x 64 in. w/ drain and casters [Production] 	163	
166 trough, stainless steel, approx. 20 in. x 64 in. w/ drain and casters [Production]		
	100	

TCL Asset Group Inc.

Auction of Surplus Assets to Ongoing Operations of Maple Leaf Foods

Online Auction: Wednesday, January 24

168 169 171 172 173	Description sorting table, stainless steel, approx. 60 in. x 62 in. w/ drain [Production] work platform, stainless steel, approx. 30 in. x 30 in. x 15 in. high [Production] table, stainless steel, approx. 30 in. x 30 in. [Production] wash trough, stainless steel, approx. 72 in. [Production] hanging station, stainless steel, approx. 48 in. x 72 in. x 16 in. deep [Production] (2) hanging carousels, stainless steel [Production] (2) hanging carousels, stainless steel [Production] (2) hanging carousels, stainless steel [Production]
168 169 171 172 173	 work platform, stainless steel, approx. 30 in. x 30 in. x 15 in. high [Production] table, stainless steel, approx. 30 in. x 30 in. [Production] wash trough, stainless steel, approx. 72 in. [Production] hanging station, stainless steel, approx. 48 in. x 72 in. x 16 in. deep [Production] (2) hanging carousels, stainless steel [Production] (2) hanging carousels, stainless steel [Production]
169 171 172 173	 table, stainless steel, approx. 30 in. x 30 in. [Production] wash trough, stainless steel, approx. 72 in. [Production] hanging station, stainless steel, approx. 48 in. x 72 in. x 16 in. deep [Production] (2) hanging carousels, stainless steel [Production] (2) hanging carousels, stainless steel [Production]
171 172 173	 wash trough, stainless steel, approx. 72 in. [Production] hanging station, stainless steel, approx. 48 in. x 72 in. x 16 in. deep [Production] (2) hanging carousels, stainless steel [Production] (2) hanging carousels, stainless steel [Production]
172 173	 hanging station, stainless steel, approx. 48 in. x 72 in. x 16 in. deep [Production] (2) hanging carousels, stainless steel [Production] (2) hanging carousels, stainless steel [Production]
173	(2) hanging carousels, stainless steel [Production](2) hanging carousels, stainless steel [Production]
	(2) hanging carousels, stainless steel [Production]
	(2) hanging carousels, stainless steel [Production]
174	
	(2) nanging calouseis, stanness steer (Production)
	(2) hanging carousels, stainless steel [Production]
	work platform, stainless steel, approx. 31 in. x 60 in x 16 in. high [Production]
	work platform, stainless steel, approx. 30 in. x 112 in x 20 in. high [Production]
	work platform, stainless steel, approx. 30 in. x 60 in x 16 in. high [Production]
	tray cart, stainless steel [Production]
	tray wash station, stainless steel, approx. 13 ft. x 94 in. x 26 in deep (excluding trays) [Production]
101	
184	table, stainless steel, approx. 25 in. x 28 in. x 43 in. high [Production]
	trough, stainless steel, approx. 22 in. x 48 in., perforated [Production]
	(2) tables, stainless steel [Production]
	(2) platforms. stainless steel, approx. 44 in. x 44 in. w/ drains [Production]
	work platform, stainless steel, diamond plate, approx. 29 in. x 81 in. x 13 in. high [Production]
	work platform, stainless steel, diamond plate, approx. 29 in. x 81 in. x 13 in. high [Production]
	(4) carts, stainless steel (damaged) [Production]
	misc. poly tubs w/ lids, approx. 12 in. x 21 in. x 8 in. deep [Production]
	(7) MonsterCombo poly totes w/ lids, approx. 36 in. x 42 in. x 22 in. deep [Production]
	hand wash sink, stainless steel, 3-stn., touchless operation [Production]
	Nella hand wash sink, stainless steel, foot operated [Production]
	Nella hand wash sink, stainless steel, foot operated [Production]
	hand wash sink, stainless steel, 3-stn., touchless operation [Production]
	Koch hand wash sink, stainless steel, foot operated, wall mounted [Production]
	Nella hand wash sink, stainless steel, foot operated [Production]
	Nella hand wash sink, stainless steel, foot operated [Production]
	Nella hand wash sink, stainless steel, foot operated [Production]
	FRC skimmer tank, stainless steel c/w associated pumps and valves [DAP]
	filter, stainless steel [DAP]
	Gorman Rupp self-priming centrifugal pump, mod. 10 Series w/ motor [DAP]
	Barnes sump pump, 0.5 hp [DAP]
	mixer [DAP]
	(2) stainless steel tanks [DAP]
	Fulton vertical multi-port fuel fired steam boiler, mod. VMP60, CRN M68505 (2009), LNG, 23920000
	btuh w/ Fulton burner c/w blowdown tank w/ booster pump [Yard]
209	L'Hoir vertical tank, stainless steel, 461670 gal. cap. w/ maintenance hatch [Yard]
	(spare) Emerson ammonia compressor, mod. 6RA4-3000-TSE-800, ser. no. 21L60478R [Refrigeration Area]
217	Sullair air compressor, mod. 18091A, ser. no. 200809300118, 25 hp w/ WS controller (may require repair) [Refrigeration Area]



	Online Auction: wednesday, January 24
Lot	Description
217B	discharge conveyor, approx. 16 ft. x 12 in. stainless steel frame [MLF Bradford Plant - 65 Reagens
	Industrial Pkwy, Bradford, ON]
218	Sullair air dryer [Refrigeration Area]
219	Champion air compressor, 10 hp, tank mounted [Refrigeration Area]
220	Champion air compressor, 10 hp, tank mounted [Refrigeration Area]
221	Sullair air dryer, mod. SRHT [Refrigeration Area]
222	Sullair air compressor, mod. ST510RD-7.5-AC, ser. no. 202201110028 (2022), 8.5 hp, tank mounted
	w/ air dryer [Refrigeration Area]
223	air compressor, 15 hp, tank mounted [Anti-De-Feathering]
224	Comairco rotary lobe blower mod. 60JRA, ser. no. 2105532161 [Anti-De-Feathering]
225	Universal RAI rotary lobe blower mod. 59URAY, ser. no. 0003905150 [Anti-De-Feathering]
226	work bench, approx. 30 in. x 60 in. w/ casters c/w 6 in. bench vice [Anti-De-Feathering]
227	work bench, approx. 24 in. x 37 in. c/w grinder and 6 in. bench vice [Anti-De-Feathering]
228	TruHone knife sharpener, mod. LC, ser. no. 236342 [Anti-De-Feathering]
229	Canox AC/DC welder, mod. Sparkler [Anti-De-Feathering]
229A	Dewalt cut-off saw [Warehouse]
229B	Badder blade sharpener, mod. BA-1761, ser. no. 105, 120 volts, 1 phase, 60 Hz [Warehouse]
230	work bench, approx. 29 in. x 75 in. c/w 6 in. bench vice [Refrigeration Area]
230A	workbench approx. 10 ft. x 30 in. [Warehouse]
231	work bench w/ stainless steel top, approx. 31 in. x 92 in. c/w 3 in. bench vice and storage cabinets
	[Refrigeration Area]
232	Coffing 3-ton electric chain hoist (excluding beam) [Refrigeration Area]
234	drum handler hoist attachment [Refrigeration Area]
235	bulk bag hoist attachment, stainless steel [Refrigeration Area]
236	tank w/lid, stainless steel, approx. 26 in. dia. X 30 in. c/w Delta metering pump [Refrigeration Area]
237	Ballymore warehouse ladder, approx. 100 in. w/ casters [Refrigeration Area]
238	Kleton warehouse ladder, approx. 48 in. w/ casters [Refrigeration Area]
239	manual lift truck [Refrigeration Area]
240	drum handling hand truck [Refrigeration Area]
241	hand truck [Refrigeration Area]
242	drum handling hand truck [Refrigeration Area]
243	Relius Elite pallet truck, 5500 lbs. cap. [Refrigeration Area]
244	BT Lifter pallet truck [Refrigeration Area]
245	chemical storage cage w/ floor, approx. 6 ft. x 18 ft. [Refrigeration Area]
246A	misc. spare parts [Warehouse]
246B	misc. spare parts incl. rollers, gearmotor, and conveyor belting [Warehouse]
246C	misc. spare parts chains and links [Warehouse]
246D	Ez-Tork pneumatic actuator valve, mod. EZD-125-B [Warehouse]
246E	misc. spare parts vacuum chamber filters/grease filters [Warehouse]
246F	misc. spare parts for PGI [Warehouse]
248	racking, approx. 9 ft. x 42 in. x 10 ft. high (excluding contents) [Refrigeration Area]
249	racking, approx. 16 ft. x 28 in. x 10 ft. high (excluding contents) [Refrigeration Area]
250A	(4 sec.) pallet racking, approx. 36 ft. x 18 in. x 12 ft. high (excluding contents) [Warehouse]
250B	(4 sec.) pallet racking, approx. 36 ft. x 18 in. x 12 ft. high (excluding contents) [Warehouse]
253	hand truck [Refrigeration Area]

	Online Addion. Wednesday, January 24
Lot	Description
256	Yale walk-behind pallet truck, mod. MPW50-EN24T2748, ser. no. C802N06393M, 5000 lbs. cap.,24V
	electric [Shipping/Receiving]
257	BT walk-behind pallet truck, mod. LWE200, ser. no. 988666, 4500 lbs. cap.,24V electric
	[Shipping/Receiving]
258	BT walk-behind pallet truck, mod. LWE200, 4500 lbs. cap.,24V electric (requires repair)
	[Shipping/Receiving]
258A	Yale walkie stacker, mod. MSW040SEN24TE077, ser. no. C820N04274F, w/ EnForcer SCR battery
	charger, model ES1-12-550B, 20 volts, 50Hz, 1 Phase [MLF Bradford Plant - 65 Reagens Industrial
	Pkwy, Bradford, ON]
259	General Battery 24V charger, mod. LittleGiant [Shipping/Receiving]
260	Oldham Hawker 24V charger [Shipping/Receiving]
261	BT Matic Point 24V charger [Shipping/Receiving]
262	manual lift truck [Shipping/Receiving]
267	Schaefer wall fan, approx. 32 in. dia. [Production]
268	AirMaster wall fan, approx. 28 in. dia. [Production]
269	Schaefer wall fan, approx. 32 in. dia. [Production]
270	pedestal fan, approx. 24 in. dia. [Production]
272	pedestal fan, approx. 24 in. dia. [Production]
274	AirMaster wall fan, approx. 26 in. dia. [Production]
275	wall fan, approx. 24 in. dia. [Production]
275A	(8) ExtremeAir drum fans, approx. 42 in. [Yard]
276	2008 Freightliner highway tractor, VIN 1FUJC5CV39HAG0376, 448751 km w/ Mercedes Benz 12.8 L,
	410 hp, 1900 rpm diesel eng., Allison 4000RDS automatic transmission, BusinessClass M2 cab,
	tandem axle [Yard]
277	2008 Freightliner highway tractor, VIN 1FUJCVX9HAG0374, 515429 km w/ Mercedes Benz 12.8 L,
	410 hp, 1900 rpm diesel eng., Allison 4000RDS automatic transmission, BusinessClass M2 cab,
	tandem axle [Yard]
278	NaviStar 8100 4x2 highway tractor, VIN 1HSHBAHR0SH697915, 1024431 km w/ Cummins M11
	diesel eng., Spicer 10-spd transmission, single axle (requires repair) [Yard]
279	NaviStar 8100 4x2 highway tractor, VIN 1HSHBAHR7SH643012, 1599832 km w/ Cummins M11
	diesel eng., International 9-spd transmission, single axle (requires repair) [Yard]
280	truck scale, approx. 10 ft. x 80 ft., 80000 kg cap. w/ Cardinal 225 Navigator digital weight indicator
2004	[Yard]
280A	Ford vacuum truck, mod. LN8000, VIN 1FDYR80U4EVA47046, approx. 189,806 km, diesel engine,
	two-speed axle, w/Pressvac vacuum system, and Cusco Industries tank ser. no.91.7089 (may require
2005	repair) [Outside]
280B	D and C Roussy Industries trailer, approx. 53 ft., tandem rear axle, wood floor, wood sidewalls,
2000	aluminum roof, swing doors, VIN 2R1B3T3C6K1098636 [Outside]
280C	Utility semi trailer, approx. 53 ft., tandem rear axle, e-track, roll up door, VIN 1UYVS2481SM6105,
201	w/ thermo king reefer unit, mod. SB-III [Outside]
281	(4) cafeteria tables w/ partitions c/w (15) stackable chairs and (4) benches [1st Floor]
283	Nella refrigerator, mod. MBF80004GR (2019), stainless steel [1st Floor]
286	(8) full door lockers [1st Floor] (48) half door lockers c/w hansh [1st Floor]
287	(48) half door lockers c/w bench [1st Floor]
288	(40) half door lockers c/w benches [1st Floor]
289	(82) half door lockers c/w bench [1st Floor]
	www.managingvourassets.com 5 of 6

Auction of Surplus Assets to Ongoing Operations of Maple Leaf Foods

Online Auction: Wednesday, January 24

	omme Auction. Weanesday, sandary 24
Lot	Description
290	(6) cafeteria tables w/ partitions c/w (30) stackable chairs [1st Floor]
292	Danby microwave oven [1st Floor]
293	(3) Rousseau 2-door wall cabinets [1st Floor]
296	(6) cafeteria tables w/ partitions c/w (18) stackable chairs [2nd Floor]
297	(3) desks w/ chairs [2nd Floor]
298	contents of office (furnishings only) [2nd Floor]
300	contents of office (furnishings only) [2nd Floor]
302	LG portable air conditioner [2nd Floor]
303	Danby mini-fridge [2nd Floor]
304	Frigidaire fridge/freezer [2nd Floor]
305	Frigidaire oven/range [2nd Floor]
306	Frigidaire dish washer [2nd Floor]
307	dining set [2nd Floor]
308	Beaumark fridge/freezer [2nd Floor]
309	LG smart inverter magnetron microwave oven [2nd Floor]
310	2-door storage cabinet [2nd Floor]
312	2-door storage cabinet [2nd Floor]
313	2-door storage cabinet [2nd Floor]
314	2-door storage cabinet [2nd Floor]
315	2-door storage cabinet [2nd Floor]
316	2-door storage cabinet [2nd Floor]
317	2-door storage cabinet [2nd Floor]
318	2-door storage cabinet [2nd Floor]
319	storage cabinet [2nd Floor]
320	(10) full door lockers [2nd Floor]
321	(10) half door lockers [2nd Floor]

Important Information:

All assets are sold AS IS, WHERE IS. Please review the catalog and read all LOT Descriptions carefully. Buyer's Premium is 18%. HST is 13%. Sale is conducted and payable in USD Funds. Payment is due by Thursday, January 25th at 4:00 PM ET.

THIS CATALOG IS MEANT ONLY AS A GUIDE. E & OE

For shipping and transportation/rigging services please contact:

Darren Chapman National Rigging and Transportation 905-704-9011 darren@nationalrigging.com ALL VISITORS TO THE SITE MUST ADHERE TO ALL HEALTH & SAFETY MEASURES



www.managingyourassets.com 905-660-1367