	Auction Day 1 – Pet
Lot	Description
102	GSE stainless digital platform scale, mod 465, s/n 147601, 22" x 28", with mobile
	stand, 100 lb. cap. [Packaging Warehouse]
103	Western stainless digital platform scale, mod
	M-1, s/n 4042, 18" x 18", with stainless
	mobile stand, 100 lb. cap. [Packaging
	Warehouse]
104	Mettler/Toledo stainless digital platform
	scale, mod PTHK, s/n 54010FJ, 18" x 18",
	with stainless mobile stand, 100 lb. cap.
405	[Packaging Warehouse]
105	[LOT] (2) Allen Bradley power-flex AC drives,
106	(1) 3 hp, (1) 0.5 hp [Packaging Warehouse]
100	[LOT] (3) Allen Bradley power-flex AC drives,
107	(1) 2 hp, (2) 2 hp [Packaging Warehouse] [LOT] (2) ELO color monitors, touch screen
107	[Packaging Warehouse]
108	[LOT] (2) Aydin 17" color monitors, touch
100	screen [Packaging Warehouse]
109	[LOT] (3) Automation Product level detectors,
	mod CL 10DJ [Packaging Warehouse]
110	Emerson micro-motion transmitter sensor,
	mod 2700C12BBCEZZ, s/n 3407701
	[Packaging Warehouse]
111	[LOT] (3) Emerson stainless vortex flow
	meter, 1-1/2" [Packaging Warehouse]
112	Micro-motion stainless mass flow sensor,
	mod DL065S2426C, s/n 12020371, 1"
	[Packaging Warehouse]
113	Micro-motion stainless mass flow sensor,
	mod DL065S2426C, s/n 12020370, 1"
114	[Packaging Warehouse]
114	Emerson stainless mass flow sensor, mod T025T621SQ8MEZZZZ, s/n 12142130
	[Packaging Warehouse]
115	Emerson pressure transmitter sensor, mod
110	2088G1S22A131B4C6Q4, s/n 2150632
	[Packaging Warehouse]
	[Lackaging Traionouse]

Lot	Description
118	Waukesha stainless positive displacement pump, mod 130 U, s/n 73567, 3" [Packaging Warehouse]
119	Waukesha stainless positive displacement pump, mod 130 U, s/n 80350, 3" [Packaging Warehouse]
120	Fristam stainless centrifugal pump, mod FPR 742-170, s/n 3641, 2" x 2", with 7.5 hp motor [Packaging Warehouse]
121	Fristam stainless centrifugal pump, mod FPR 742-170, s/n 1503059, 2" x 2", with 5 hp motor [Packaging Warehouse]
122	Fristam stainless centrifugal pump, mod FPR 3532-140, with 7.5 hp motor [Packaging Warehouse]
123	Stafsjo 316 stainless pneumatic gate valve, mod HGL025UOOY50, s/n 93632, 10" [Packaging Warehouse]
124	Stafsjo 316 stainless pneumatic gate valve, mod HGL025UOOY50, 10" [Packaging Warehouse]
125	[LOT] (2) 316 stainless pneumatic gate valve, mod HGL015UOOY50, 6" [Packaging Warehouse]
126	NVB blower unit, mod 1755T304, with 3 hp motor [Packaging Warehouse]
127	NVB blower unit, mod 1755T304, with 3 hp motor [Packaging Warehouse]
128	NVB blower unit, mod 1755T304, with 3 hp motor [Packaging Warehouse]
129	Ainsworth 250 hp motor, 447T frame, 575 v, 3 ph, 1780 rpm [Packaging Warehouse]
130	Lesson 200 hp motor, 447TS frame, 575 v, 3 ph [Packaging Warehouse]
131	U.S. Motor 150 hp motor, 445T frame, 575 v, 3 ph, 1780 rpm [Packaging Warehouse]

Lot	Description
132	Westinghouse 100 hp motor, 405TS frame, 575 v, 3 ph, 3600 rpm [Packaging Warehouse]
133	WEG 50 hp motor, 324/T6 frame, 575 v, 3 ph, 1775 rpm [Packaging Warehouse]
134	WEG 60 hp motor, 364STS frame, 575 v, 3 ph, 3560 rpm [Packaging Warehouse]
135	[LOT] (6) stainless motor, (1) 7.5 hp, (2) 5 hp, (2) 2 hp, (1) 1-1/2 hp [Packaging Warehouse]
136	Blower Engineering rotary blower, mod TLRB70DLP, s/n 97706409, 70 cfm capacity [Packaging Warehouse]
137	Schenck rotary valve, mod MD 40, s/n 1100350769-020-1, with motor [Packaging Warehouse]
138	Schenck rotary valve, mod MD 40, s/n 1100350769-020-3, with motor [Packaging Warehouse]
139	Schenck rotary valve, mod MD 40, s/n 1100350769-020-2, with motor [Packaging Warehouse]
140	Kice rotary valve, mod V BOST, s/n 33816, 18 x 12 x 12 [Packaging Warehouse]
143	Stainless incline screw auger, 15'4" I x 16" auger, with 5 hp motor, mobile [Meat Grinding Area]
144	Weiler stainless meat grinder, mod 1609, s/n 16253, 150 hp, 575 v, (2) pallet with blades and die plate, (2016) [Meat Grinding Area]
145	Stainless incline screw auger, 180" I x 16" diameter auger, with 5 hp motor [Meat Grinding Area]
146	CFS stainless emulsifier, mod ECOCUT 225, s/n 67522, 150 kw hp, 575 v, with stainless table, with cutting knife, die, plate wall mount with tooling, (2010) [Meat Grinding Area]







	Auction Day 1 - Pet F
Lot	Description
147	Waukesha stainless positive displacement pump, mod 130 U, s/n 466845, 3" x 3", with 3 hp motor on stainless stand [Meat Grinding Area]
148	Vertical jacketed slurry stainless holding tank, with SPX agitator, top mount, 63" straight side, cone bottom, 61" diameter, 15" cone bottom, with stainless platform stairway [Meat Grinding Area]
149	Waukesha stainless positive displacement pump, mod 130 U, s/n 604659, 3" x 3", with 10 hp motor on stainless stand [Meat Grinding Area]
150	[LOT] (3) Viking centrifugal pump, mod K127A, 2" x 2", (2) with 5 hp motor, (1) without motor [Meat Grinding Area]
151	Fristam stainless centrifugal pump, mod FT202-115, s/n 75923, with 5 hp motor on stainless frame [Meat Grinding Area]
152	Stainless tote unloader structure, 114"h x 120"l x 4' deep, with catwalk 131'l x 32" w x 5' h with 7 steps [Meat Grinding Area]
153	Waukesha stainless positive displacement pump, mod 130 U, s/n 890019, with 7.5 hp motor on stainless stand, 3" x 3" [Meat Grinding Area]
154	Fristam stainless centrifugal pump, mod FT 202-15, s/n 973521, with 5 hp motor on stainless frame, 2" x2" [Meat Grinding Area]
155	Vertical stainless holding tank, 5'h x 52" diameter, single wall, with Fristam centrifugal pump, mod FT 401-185, s/n 81963, with 5 hp motor [Meat Grinding Area]
156	Hycor stainless roto-strainer, mod 1113197000, s/n 20804, with basket, 12"w x 26" diameter [Meat Grinding Area]
156A	Lightnin mixer, mod. SPX X5P25, s/s [Meat Grinding Area]

Lot	Description Description
156B	tank, approx. 99" x 84" dia., bottom discharge w/ agitator c/w Ttuthill pump and Micromotion mass flow sensor [Meat Grinding Area]
157	[LOT] Eriez magnets and magnet traps, incl.; (4) magnets, (2) magnet traps 3" x 3", (2) magnets [Meat Grinding Area]
158	Micro-motion stainless mass flow sensor, mod DS065S113SC, s/n 226509 [Meat Grinding Area]
159	Micro-motion stainless mass flow sensor, mod CMF200M352NQRAEZZZ, s/n 14231328, 2" [Meat Grinding Area]
160	Micro-motion stainless mass flow sensor, mod CHF100M339NQBHEZZZ, s/n 14045102, 1" [Meat Grinding Area]
161	[LOT] (25+) pneumatic actuator valve, various sizes [Meat Grinding Area]
162	[LOT] (250'+) stainless piping in grinding room, various sizes [Meat Grinding Area]
163	Jib hoist, 1300 lbs. cap., with coffin chain hoist [Meat Grinding Area]
164	[LOT] (5) stainless mobile tote, 30" x 51" x 30" deep [Meat Grinding Area]
165	[LOT] (5) stainless mobile tote, 30" x 51" x 30" deep [Meat Grinding Area]
165A	(2) SS work platforms, (1) 48", and (1) 40" [Meat Grinding Area]
166A	[LOT] CFS Slicing and Packaging Line, incl: (1) CFS Megaslicer, S/N. 4044602712, (1) CFS Checkweigher, Model Check 3000, (1) CFS Slicing Loader, Model Shingle Loader, S/N. 4040860366, (1) CFS Thermoformer Form Fill and Seal Packaging Machine, Model PowerPak NT, S/N. 44300101 (SUBJECT TO CONFIRMATION) [SEPARATE LOCATION- Mississauga, Ontario]

Lot	Description
169	Markem-imaje ink jet printer, mod 9030, s/n US10140193, (2010) [Packaging Line 3]
170	Markem-imaje ink jet printer, mod 9030, s/n US10290293, mobile [Packaging Line 3)
172	MAC rotary valve, with 1 hp motor [Packaging Line 3]
172A	MAC blower unit, mod GACMPA0190, s/n S243881, with 10 hp motor (located on 2nd floor, Packaging Line 3)
174	NATO labeler, model 8460 SE, s/n 60801, with incline conveyor, 67"l x 34"w [Packaging Line 3]
175	Power roller belt conveyor to palletizer, 102'l x 44"w [Palletizing Line 3]
175A	3 door control cabinet [Packaging Area]
176	Von Gal palletizer, mod GPLX 4840 RH, s/n 2071, with infeed chain conveyor slip sheet inserter, 16'l x 36" discharge conveyor [Palletizing Line 3]
180	Markem-imaje inkjet printer, mod 9030, s/n US10290292 [Packaging Line 4)
182	MAC rotary valve, with 1 hp motor [Packaging Line 4]
182A	MAC blower unit, mod GACMPA0190, s/n S247852, with 10 hp motor (located on 2nd floor, Packaging Line 4]
184	NATO labeler, model 8460 SE, s/n IH400116, mobile [Packaging Line 4]
185	Inclined alignment conveyor, 34"w x 124"l [Packaging Line 4]
186	Power roller belt conveyor to palletizer, 153'l x 24"w [Palletizing Line 4]
186A	3 door control cabinet [Packaging Area]
187	Premier Tech robotic palletizer, includdes Fanuc robot, mod M410IB160, (2010), 39"w x 39'l discharge conveyor, with 14"l x 43"w roller conveyor [Palletizer 4]







	Auction Day 1 – Pet
Lot	Description
190	Thiele bag sealer, mod SEALER, s/n
	4600R1292, with adjustable height, mobile,
	(2007) [Packaging Line 6]
191	Bosch bag sealer, mod TFT, s/n 0721785,
	adjustable height, mobile [Packaging Line 6]
192	Domino inkjet printer, mod DPX 500, s/n
	0372, digital color touch screen [Packaging
	Line 6]
193	Incline belt conveyor, 68"l x 33"w [Packaging
	Line 6]
194	Protec Flowmaster conveyor belt, 62'l x
	28"w, (3) curve conveyor, (1) straight
	conveyor, (2) roller conveyor with bag width
405	guide [Packaging Area]
195	MAC rotary valve, with 1 hp motor
1054	[Packaging Area, 2nd Floor]
195A	MAC blower unit, mod GACMPA0190, s/n
	S248904, with 10 hp motor (located above
196	2nd floor) [Packaging Area] 3 door control cabinet, with (17) Allen
190	Bradley power flex 40 variable frequency
	drive, 1 hp, CPU 53414B controller module,
	(4) DDI 353-00, 24v AC in module, (5) ACD
	020-00 analog out module, (1) DRA 350-00
	relay out module [Packaging Area]
197	Power roller belt conveyor incline to
	palletizer, 127'l x 22"w [Palletizing Area]
200	Thiele bag sealer, mod SEALER, s/n
	4600R1286, with adjustable height, mobile
	[Packaging Line 7]
201	Bosch plastic bag sealer, mod TFT, s/n
	0727581, adjustable height, mobile
	[Packaging Line 7]
202	Domino ink jet printer, mod DPX 500, s/n
	0822350324, digital color touchscreen
	[Packaging Line 7]
203	Incline belt conveyor, 66"I x 30"w [Packaging
	Line 7]

Lot	Description
204	Protec flowmaster conveyor belt, 57'l x 27"w,
	(3) curve conveyor, (2) roller conveyor with
	bag width guide [Packaging Line 7]
205	MAC rotary valve, with 1 hp motor
	[Packaging Line 7]
205A	MAC blower unit, mod GACMPA0190, s/n
	S247850, with 10 hp motor [Located on 2nd
	Floor, Packaging Line 7)
206	4 door control cabinet, with (20) Allen
	Bradley power flex 40 variable frequency
	drive, 2 hp, CPU 53414B module, (6)
	ACO20-00 analog out module, (1) DRA 840-
	00 relay out module, (1) CPS 11420 VAC
	module, (1) NOE 7701 ethernet module, (3)
	ODI 35000 24 VAC in module [Packaging
	Area]
207	Power roller belt incline conveyor to robot
	palletizer, 235'l x 24"w [Packaging Line 7]
209	Fanuc robotic bag system, mod R31B, s/n
	13931165, with Parsons 2 lane weigh scale
	filler, mod EM4II, s/n 469P-1 (located on
	mezzanine), 2 lane bag conveyor, control
	panel, (1) 20"w x 112"l belt conveyor, (1)
	20"w x 120"l discharge conveyor, (1) 16'w x
	16'l belt conveyor with guide (mfg 2013)
211	[Packaging Line 8]
211	Bosch bag sealer, mod TFT, s/n 1029304,
040	adjustable height, mobile [Packaging Line 8]
212	Thiele bag sealer, mod SEALER, s/n
	4600R1287, adjustable height, mobile,
040	(2007) [Packaging Line 8]
213	Domino inkjet printer, mod DPX 1500, s/n
	20699, digital color touchscreen [Packaging
044	Line 8)
214	Markem-Imaje inkjet printer, mod 9030, s/n
	US13400476 [Packaging Line 8]

Lot	Description
215	[LOT] (2) interior conveyor, (1) 8'l x 33" bag guide, (1) 81"l x 28" diverter belt conveyor [Packaging Line 8]
216	MAC rotary valve, with 1 hp motor [Packaging Line 8]
216A	MAC blower unit, mod GACMPA0190, s/n S247847, with 10 hp motor [Located on 2nd Floor, Packaging Line 8]
216B	Blower, model AF-15, 10 hp [located on 2nd Floor, Packaging Line 8]
217	2 door control cabinet, with (8) Allen Bradley power flex 40P variable frequency drive, (7) 2 hp, (1) 10 hp, Allen Bradley 1606 power supply, (11) Allen Bradley kinet 6200 control module, (2) Allen Bradley power supply servo drive, (4) Allen Bradley slot filler (located on mezzanine) [Packaging Line 8]
218	Power roller belt conveyor to robot palletizer, 310'l x 24"w [Packaging Line 8]
219	Fanuc robot palletizer, mod M410IB160, s/n 201406, with pallet infeed push type, hand controller, roller conveyor discharge [Palletizing Line 8]
220	Thiele bag filler system, mod Bag Placer, s/n 7115C45, with (2) Parsons weigh filler, bag turner, bag infeed conveyor (2007) [Packaging Line 9]
221	[LOT] (3) conveyors, (1) 216"I x 30"w bag guide belt conveyor, (1) 51"I x 20"w bag tip conveyor, (1) 106"I x 18"w incline conveyor [Packaging Line 9]
222	Thiele bag sealer, mod Sealer, s/n 4600R1293, adjustable height, mobile, (2007) [Packaging Line 9]
223	Mettler/Toledo high speed check weigher, mod CHECKMATE 2, s/n 12582, with 105"l x 20"w discharge belt conveyor [Packaging Line 9]







	Auction Day 1 – Pet
Lot	Description
224	MAC rotary valve, with 1 hp motor
	[Packaging Line 9
225	MAC blower unit, mod GACMPA0190, s/n
	S243880, with 10 hp motor [Packaging Line
	9]
226	Power roller belt conveyor to palletizer, 226'l
007	x 24"w [Palletizing Line 9]
227	Von Gal palletizer, (2012) [Palletizing Line 9]
229	Fox pallet stretch wrapper, mod CIPLUS, s/n
000	707139 [Palletizing Area]
230	NATO labeler, mod M8460 SE, mobile
230A	[Packaging Area] [LOT] 2 door control cabinet, with (10) Allen
230A	Bradley power flex 525 variable frequency
	drive, 2 hp [Packaging Area]
230B	[LOT] 2 door control cabinet, with (18) Allen
2300	Bradley power flex 525 variable frequency
	drive, 2 hp [Packaging Area]
230C	[LOT] 2 door control cabinet, with Allen
	Bradley Logix 575 CPU module, (2) ethernet
	IP module, (7) DC input module, (2) DC out
	module, (2) Aydin display monitor [Packaging
	Area]
231	Fanuc robot palletizer, mod M410IB160,
	package line (disassembled) [Palletizing
	Area]
234	Straub tape magazine [Packaging Area]
235	Straub tape magazine [Packaging Area]
236	Straub tape magazine [Packaging Area]
237	Econo-lift pallet lift, 48" x 48", 4500 lbs. cap.
	[Packaging Area]
238	Econo-lift pallet lift, 48" x 48", 4500 lbs. cap.
	[Packaging Area]
239	Econo-lift pallet lift, 48" x 48", 4500 lbs. cap.
	[Packaging Area]
240	Econo-lift pallet lift, 48" x 48", 4500 lbs. cap.
	[Packaging Area]

Lot	Description
241	Econo-lift pallet lift, 48" x 48", 4500 lbs. cap. [Packaging Area]
242	Flexicon bulk bag handling system, mod 67547, s/n 362910, with stainless hopper, rotary valve dust collector system, Kito jib arm with 2 ton electric chain hoist, 4000 lbs. cap. [Back Warehouse]
245	Schenck stainless holding bin, 253"l total, 137"l straight side, 116"l cone bottom, 94" diameter on load cell [Package Mezzanine]
246	Schenck stainless holding bin, 21'5"l total, 11'5"l straight side, 10'l cone bottom (located on 2nd floor above packaging) [Package Mezzanine]
247	Prosysco stainless holding bin, 58" straight side, 10' cone bottom, 8' diameter on load cell, asset no. 63164 [Packaging Area, 2nd Floor]
248	Prosysco stainless holding bin, 58" straight side, 10' cone bottom, 8' diameter on load cell [Packaging Area, 2nd Floor]
249	Prosysco stainless holding bin, 58" straight side, 10' cone bottom, 8' diameter on load cell [Packaging Area, 2nd Floor]
250	Prosysco stainless holding bin, 58" straight side, 10' cone bottom, 8' diameter on load cell, asset no. 36316 [Packaging Area, 2nd Floor]
253	[LOT] (4) stainless product hopper bins, 67"h x 5'w x 5'l, bottom slide gate, mobile [Packaging Area, 2nd Floor]
254	[LOT] (5) steel product hopper bins, 67"h x 5'w x 5'l, bottom slide gate, bin no. 1, 3, 8, 9, 10 [Packaging Area, 2nd Floor]
255	[LOT] (4) steel product hopper bins, 67"h x 5'w x 5'l, bottom slide gate, bin no. 4, 5, 6, 7 [Packaging Area, 2nd Floor]

Lot	Description
256	[LOT] (2) mobile dump chutes [Packaging Area, 2nd Floor]
257	[LOT] (2) MAC rotary diversion valves, mod 30PT45, 4" [Packaging Area]
258	Pallet jack, 4500 lbs. cap. [Packaging Area, 2nd Floor]
259	10 step safety ladder [Packaging Area, 2nd Floor, Roof]
260	(5) Stainless cyclone collectors [Packaging Roof]
261	(4) Stainless cyclone collectors [Packaging Roof]
262	(9) Andco diverter valves, mod. COPT48 w/ Andco dust ignition proof actuator, mod. 3112A 0.4TPS [Packaging Roof]
262A	(3) Andco diverter valves, mod. COPT48 w/ Andco dust ignition proof actuator, mod. 3112A 0.4TPS [Packaging Roof]
262B	(3) Andco diverter valves, mod. COPT48 w/ Andco dust ignition proof actuator, mod. 3112A 0.4TPS [Packaging Roof]
262C	(3) Andco diverter valves, mod. COPT48 w/ Andco dust ignition proof actuator, mod. 3112A 0.4TPS [Packaging Roof]
262D	(3) Andco diverter valves, mod. COPT48 w/ Andco dust ignition proof actuator, mod. 3112A 0.4TPS [Packaging Roof]
262E	2019 Howden Twin Steam Turbine with 3.2MW Generator. This equipment was originally purchased for 1.8 million. The equipment was scheduled to be used for a Biomass project, but the project has been cancelled. This equipment is brand new, and has never been installed. (SUBJECT TO CONFIRMATION) [SEPARATE LOCATION-Vaughan, Ontario]







	Auction Day 1 - Fet I
Lot	Description
263	ADM stainless mix tank, mod CV, s/n 50218,
	dome top, dish bottom, stainless legs, 400
	gal. cap., (2007) [Dryer Area]
264	ARO diaphragm pump, 2" x 2" [Dryer Area]
265	ADM stainless mix tank, s/n 7005-A1, with
	lightning agitator, 48" straight side, 35"
	diameter, 225 gal. cap., (2007) [Dryer Area]
266	ADM stainless mix tank, s/n 7005-A2, with
	lightning agitator, 48" straight side, 35"
	diameter, 225 gal. cap., (2007) [Dryer Area]
267	ADM stainless mix tank, s/n 7005-A3, with
	lightning agitator, 48" straight side, 35"
000	diameter, 225 gal. cap., (2007) [Dryer Area]
268	ADM stainless mix tank, s/n 7005-A4, with
	lightning agitator, 48" straight side, 35"
200	diameter, 225 gal. cap., (2007) [Dryer Area]
269	ADM stainless mix tank, s/n 7005-A5, with
	lightning agitator, 48" straight side, 35"
270	diameter, 225 gal. cap., (2007) [Dryer Area] ADM stainless mix tank, s/n 7005-A6, with
270	lightning agitator, 48" straight side, 35"
	diameter, 225 gal. cap., (2007) [Dryer Area]
271	ADM stainless mix tank, s/n 145141, with
211	lightning agitator, 48" straight side, 35"
	diameter, 225 gal. cap., (2007) [Dryer Area]
272	ADM stainless mix tank, s/n 145141, with
	lightning agitator, 50" straight side, 37"
	diameter, 260 gal. cap., (2015) [Dryer Area]
273	ADM stainless mix tank, s/n 17024-4, with
	lightning agitator, 50" straight side, 37"
	diameter, 260 gal. cap., (2007) [Dryer Area]
274	ADM stainless mix tank, s/n 17024-3, with
	lightning agitator, 50" straight side, 37"
	diameter, 260 gal. cap., (2007) [Dryer Area]
275	ADM stainless mix tank, s/n 17024-2, with
	lightning agitator, 50" straight side, 37"
	diameter, 260 gal. cap., (2015) [Dryer Area]

Lot	Description
276	ADM stainless mix tank, s/n 17074, with lightning agitator, 28" straight side, 40"
	diameter, 200 gal. cap. [Dryer Area]
277	[LOT] (4) Fristam stainless centrifugal
	pumps, 2" x 2", (2) 10 hp motor, (2) 7.5 hp motor [Dryer Area]
278	[LOT] (12) centrifugal pumps, dye fit [Dryer
	Area]
279	[LOT] (14) pneumatic actuator valves,
	various sizes, with 200'+ stainless pipe work
	(pit area only) [Dryer Area]
280	Proctor Schwartz dryer with discharge, screw
	auger conveyor, oscillating belt conveyor
	infeed 62'l x 16'w x 100"h [Dryer Area]
281	Proctor Schwartz dryer with discharge, screw
	auger conveyor, oscillating belt conveyor
	infeed 50'l x 16'w x 100"h [Dryer Area]
282	Proctor Schwartz dryer with discharge, screw
	auger conveyor, oscillating belt conveyor
	infeed 62'l x 16'w x 100"h [Dryer Area]
283	Aero Glide 2 pass dryer, 30'l x 9'w x 125"h
	[Dryer Area]
283A	Hercules dumper, 48" x 36" x 4"h [Dryer
	Area]
284	SFI stainless slurry mix tank, with lightning
	agitator on load cell, 68" straight side, 58"
	diameter, (2007) [Dryer Area]
285	Stainless slurry mix tank, with lightning
	agitator, 63" straight side, 60" diameter
	[Dryer Area]
286	Moyno pump, with 3 hp motor [Dryer Area]
287	Fristam stainless centrifugal pump, with 3 hp
	motor, 2" x 3" [Dryer Area]
288	Waukesha stainless positive displacement
	pump, mod CPPRO130X, s/n 69256, with
	.75 kw motor, 1-1/2" x 1-1/2" [Dryer Area]
289	(2) Moyno pumps, with 2 hp motors [Dryer
1	Area]

Micro-motion stainless mass flow sensor, mod CMF200M352N2BAEZZZ [Dryer Area] Micro-motion stainless mass flow sensor [Dryer Area] (2) Micro-motion mass flow sensors, mod DLO65S24ZSC, s/n 247492,-95 [Dryer Area] Pristam stainless centrifugal pump, with 5 hp motor, 3" x 4" [Dryer Area] ADM stainless slurry mix tank, mod CV, s/n 16397, with top mount lightning agitator on load cell, 66" straight side, 56" diameter, 800 gal cap. [Dryer Area] Pristam stainless centrifugal pump, mod FPR 3532, s/n 713761, with 7.5 hp motor, 2" x 3" [Dryer Area] Moyno pump, with 2 hp motor [Dryer Area] Moyno pump, with 2 hp motor [Dryer Area] Stainless cold water hold tank, 48" straight side, 57" diameter [Dryer Area] Tristam stainless centrifugal pump, mod FPR3532, s/n 713767, with 7.5 hp motor, 2" x 3" [Dryer Area] Aicop stainless plate heat exchanger, mod A6401151-195, s/n 1580, MAWP 150 psi @ 284 deg. F, NAT'L BD no. 924 [Dryer Area] Aicop stainless plate heat exchanger, mod A140X1G145/15, s/n 1563, MAWP 150 psi @ 305 deg. F, NAT'L BD no. 924 [Dryer Area] ADM stainless hot water holding tank, mod CV, s/n 50218B, 66"h straight side, 44" diameter [Dryer Area] ADM stainless hot water holding tank, mod CV, s/n 50218B, 66"h straight side, 44" diameter [Dryer Area] Goulds centrifugal pump, mod 3196, s/n H402, with 5 hp motor [Dryer Area] Goulds centrifugal pump, mod 3196, s/n F424-2, with 5 hp motor [Dryer Area]	Lot	Description
mod CMF200M352N2BAEZZZ [Dryer Area] 292 Micro-motion stainless mass flow sensor [Dryer Area] 293 (2) Micro-motion mass flow sensors, mod DLO65S24ZSC, s/n 247492,-95 [Dryer Area] 295 Fristam stainless centrifugal pump, with 5 hp motor, 3" x 4" [Dryer Area] 296 ADM stainless slurry mix tank, mod CV, s/n 16397, with top mount lightning agitator on load cell, 66" straight side, 56" diameter, 800 gal cap. [Dryer Area] 297 Fristam stainless centrifugal pump, mod FPR 3532, s/n 713761, with 7.5 hp motor, 2" x 3" [Dryer Area] 298 Moyno pump, with 2 hp motor [Dryer Area] 299 Stainless cold water hold tank, 48" straight side, 57" diameter [Dryer Area] 300 Fristam stainless centrifugal pump, mod FPR3532, s/n 713767, with 7.5 hp motor, 2" x 3" [Dryer Area] 301 Aicop stainless plate heat exchanger, mod A6401151-195, s/n 1580, MAWP 150 psi @ 284 deg. F, NAT'L BD no. 924 [Dryer Area] 302 Aicop stainless plate heat exchanger, mod A140X1G145/15, s/n 1563, MAWP 150 psi @ 305 deg. F, NAT'L BD no. 924 [Dryer Area] 303 ADM stainless hot water holding tank, mod CV, s/n 50218B, 66"h straight side, 44" diameter [Dryer Area] 304 Goulds centrifugal pump, mod 3196, s/n H402, with 5 hp motor [Dryer Area] 305 Goulds centrifugal pump, mod 3196, s/n F424-2, with 5 hp motor [Dryer Area]		-
[Dryer Area] (2) Micro-motion mass flow sensors, mod DLO65S24ZSC, s/n 247492,-95 [Dryer Area] Fristam stainless centrifugal pump, with 5 hp motor, 3" x 4" [Dryer Area] ADM stainless slurry mix tank, mod CV, s/n 16397, with top mount lightning agitator on load cell, 66" straight side, 56" diameter, 800 gal cap. [Dryer Area] Fristam stainless centrifugal pump, mod FPR 3532, s/n 713761, with 7.5 hp motor, 2" x 3" [Dryer Area] Moyno pump, with 2 hp motor [Dryer Area] Stainless cold water hold tank, 48" straight side, 57" diameter [Dryer Area] Fristam stainless centrifugal pump, mod FPR3532, s/n 713767, with 7.5 hp motor, 2" x 3" [Dryer Area] Aicop stainless plate heat exchanger, mod A6401151-195, s/n 1580, MAWP 150 psi @ 284 deg. F, NAT'L BD no. 924 [Dryer Area] Aicop stainless plate heat exchanger, mod A140X1G145/15, s/n 1563, MAWP 150 psi @ 305 deg. F, NAT'L BD no. 924 [Dryer Area] ADM stainless hot water holding tank, mod CV, s/n 50218B, 66"h straight side, 44" diameter [Dryer Area] Goulds centrifugal pump, mod 3196, s/n H402, with 5 hp motor [Dryer Area] Goulds centrifugal pump, mod 3196, s/n F424-2, with 5 hp motor [Dryer Area]		mod CMF200M352N2BAEZZZ [Dryer Area]
293 (2) Micro-motion mass flow sensors, mod DLO65S24ZSC, s/n 247492,-95 [Dryer Area] 295 Fristam stainless centrifugal pump, with 5 hp motor, 3" x 4" [Dryer Area] 296 ADM stainless slurry mix tank, mod CV, s/n 16397, with top mount lightning agitator on load cell, 66" straight side, 56" diameter, 800 gal cap. [Dryer Area] 297 Fristam stainless centrifugal pump, mod FPR 3532, s/n 713761, with 7.5 hp motor, 2" x 3" [Dryer Area] 298 Moyno pump, with 2 hp motor [Dryer Area] 299 Stainless cold water hold tank, 48" straight side, 57" diameter [Dryer Area] 300 Fristam stainless centrifugal pump, mod FPR3532, s/n 713767, with 7.5 hp motor, 2" x 3" [Dryer Area] 301 Aicop stainless plate heat exchanger, mod A6401151-195, s/n 1580, MAWP 150 psi @ 284 deg. F, NAT'L BD no. 924 [Dryer Area] 302 Aicop stainless plate heat exchanger, mod A140X1G145/15, s/n 1563, MAWP 150 psi @ 305 deg. F, NAT'L BD no. 924 [Dryer Area] 303 ADM stainless hot water holding tank, mod CV, s/n 50218B, 66"h straight side, 44" diameter [Dryer Area] 304 Goulds centrifugal pump, mod 3196, s/n H402, with 5 hp motor [Dryer Area] 305 Goulds centrifugal pump, mod 3196, s/n F424-2, with 5 hp motor [Dryer Area]	292	Micro-motion stainless mass flow sensor
DLO65S24ZSC, s/n 247492,-95 [Dryer Area] Fristam stainless centrifugal pump, with 5 hp motor, 3" x 4" [Dryer Area] ADM stainless slurry mix tank, mod CV, s/n 16397, with top mount lightning agitator on load cell, 66" straight side, 56" diameter, 800 gal cap. [Dryer Area] Fristam stainless centrifugal pump, mod FPR 3532, s/n 713761, with 7.5 hp motor, 2" x 3" [Dryer Area] Moyno pump, with 2 hp motor [Dryer Area] Stainless cold water hold tank, 48" straight side, 57" diameter [Dryer Area] Fristam stainless centrifugal pump, mod FPR3532, s/n 713767, with 7.5 hp motor, 2" x 3" [Dryer Area] Aicop stainless plate heat exchanger, mod A6401151-195, s/n 1580, MAWP 150 psi @ 284 deg. F, NAT'L BD no. 924 [Dryer Area] Aicop stainless plate heat exchanger, mod A140X1G145/15, s/n 1563, MAWP 150 psi @ 305 deg. F, NAT'L BD no. 924 [Dryer Area] ADM stainless hot water holding tank, mod CV, s/n 50218B, 66"h straight side, 44" diameter [Dryer Area] Goulds centrifugal pump, mod 3196, s/n H402, with 5 hp motor [Dryer Area] Goulds centrifugal pump, mod 3196, s/n F424-2, with 5 hp motor [Dryer Area]		[Dryer Area]
295 Fristam stainless centrifugal pump, with 5 hp motor, 3" x 4" [Dryer Area] 296 ADM stainless slurry mix tank, mod CV, s/n 16397, with top mount lightning agitator on load cell, 66" straight side, 56" diameter, 800 gal cap. [Dryer Area] 297 Fristam stainless centrifugal pump, mod FPR 3532, s/n 713761, with 7.5 hp motor, 2" x 3" [Dryer Area] 298 Moyno pump, with 2 hp motor [Dryer Area] 299 Stainless cold water hold tank, 48" straight side, 57" diameter [Dryer Area] 300 Fristam stainless centrifugal pump, mod FPR3532, s/n 713767, with 7.5 hp motor, 2" x 3" [Dryer Area] 301 Aicop stainless plate heat exchanger, mod A6401151-195, s/n 1580, MAWP 150 psi @ 284 deg. F, NAT'L BD no. 924 [Dryer Area] 302 Aicop stainless plate heat exchanger, mod A140X1G145/15, s/n 1563, MAWP 150 psi @ 305 deg. F, NAT'L BD no. 924 [Dryer Area] 303 ADM stainless hot water holding tank, mod CV, s/n 50218B, 66"h straight side, 44" diameter [Dryer Area] 304 Goulds centrifugal pump, mod 3196, s/n H402, with 5 hp motor [Dryer Area] 305 Goulds centrifugal pump, mod 3196, s/n F424-2, with 5 hp motor [Dryer Area]	293	(2) Micro-motion mass flow sensors, mod
motor, 3" x 4" [Dryer Area] ADM stainless slurry mix tank, mod CV, s/n 16397, with top mount lightning agitator on load cell, 66" straight side, 56" diameter, 800 gal cap. [Dryer Area] Fristam stainless centrifugal pump, mod FPR 3532, s/n 713761, with 7.5 hp motor, 2" x 3" [Dryer Area] Moyno pump, with 2 hp motor [Dryer Area] Stainless cold water hold tank, 48" straight side, 57" diameter [Dryer Area] Fristam stainless centrifugal pump, mod FPR3532, s/n 713767, with 7.5 hp motor, 2" x 3" [Dryer Area] Aicop stainless plate heat exchanger, mod A6401151-195, s/n 1580, MAWP 150 psi @ 284 deg. F, NAT'L BD no. 924 [Dryer Area] Aicop stainless plate heat exchanger, mod A140X1G145/15, s/n 1563, MAWP 150 psi @ 305 deg. F, NAT'L BD no. 924 [Dryer Area] ADM stainless hot water holding tank, mod CV, s/n 50218B, 66"h straight side, 44" diameter [Dryer Area] Goulds centrifugal pump, mod 3196, s/n H402, with 5 hp motor [Dryer Area] Goulds centrifugal pump, mod 3196, s/n F424-2, with 5 hp motor [Dryer Area]		DLO65S24ZSC, s/n 247492,-95 [Dryer Area]
motor, 3" x 4" [Dryer Area] ADM stainless slurry mix tank, mod CV, s/n 16397, with top mount lightning agitator on load cell, 66" straight side, 56" diameter, 800 gal cap. [Dryer Area] Fristam stainless centrifugal pump, mod FPR 3532, s/n 713761, with 7.5 hp motor, 2" x 3" [Dryer Area] Moyno pump, with 2 hp motor [Dryer Area] Stainless cold water hold tank, 48" straight side, 57" diameter [Dryer Area] Fristam stainless centrifugal pump, mod FPR3532, s/n 713767, with 7.5 hp motor, 2" x 3" [Dryer Area] Aicop stainless plate heat exchanger, mod A6401151-195, s/n 1580, MAWP 150 psi @ 284 deg. F, NAT'L BD no. 924 [Dryer Area] Aicop stainless plate heat exchanger, mod A140X1G145/15, s/n 1563, MAWP 150 psi @ 305 deg. F, NAT'L BD no. 924 [Dryer Area] ADM stainless hot water holding tank, mod CV, s/n 50218B, 66"h straight side, 44" diameter [Dryer Area] Goulds centrifugal pump, mod 3196, s/n H402, with 5 hp motor [Dryer Area] Goulds centrifugal pump, mod 3196, s/n F424-2, with 5 hp motor [Dryer Area]	295	Fristam stainless centrifugal pump, with 5 hp
ADM stainless slurry mix tank, mod CV, s/n 16397, with top mount lightning agitator on load cell, 66" straight side, 56" diameter, 800 gal cap. [Dryer Area] 297 Fristam stainless centrifugal pump, mod FPR 3532, s/n 713761, with 7.5 hp motor, 2" x 3" [Dryer Area] 298 Moyno pump, with 2 hp motor [Dryer Area] 299 Stainless cold water hold tank, 48" straight side, 57" diameter [Dryer Area] 300 Fristam stainless centrifugal pump, mod FPR3532, s/n 713767, with 7.5 hp motor, 2" x 3" [Dryer Area] 301 Aicop stainless plate heat exchanger, mod A6401151-195, s/n 1580, MAWP 150 psi @ 284 deg. F, NAT'L BD no. 924 [Dryer Area] 302 Aicop stainless plate heat exchanger, mod A140X1G145/15, s/n 1563, MAWP 150 psi @ 305 deg. F, NAT'L BD no. 924 [Dryer Area] 303 ADM stainless hot water holding tank, mod CV, s/n 50218B, 66"h straight side, 44" diameter [Dryer Area] 304 Goulds centrifugal pump, mod 3196, s/n H402, with 5 hp motor [Dryer Area] 305 Goulds centrifugal pump, mod 3196, s/n F424-2, with 5 hp motor [Dryer Area]		
load cell, 66" straight side, 56" diameter, 800 gal cap. [Dryer Area] 297 Fristam stainless centrifugal pump, mod FPR 3532, s/n 713761, with 7.5 hp motor, 2" x 3" [Dryer Area] 298 Moyno pump, with 2 hp motor [Dryer Area] 299 Stainless cold water hold tank, 48" straight side, 57" diameter [Dryer Area] 300 Fristam stainless centrifugal pump, mod FPR3532, s/n 713767, with 7.5 hp motor, 2" x 3" [Dryer Area] 301 Aicop stainless plate heat exchanger, mod A6401151-195, s/n 1580, MAWP 150 psi @ 284 deg. F, NAT'L BD no. 924 [Dryer Area] 302 Aicop stainless plate heat exchanger, mod A140X1G145/15, s/n 1563, MAWP 150 psi @ 305 deg. F, NAT'L BD no. 924 [Dryer Area] 303 ADM stainless hot water holding tank, mod CV, s/n 50218B, 66"h straight side, 44" diameter [Dryer Area] 304 Goulds centrifugal pump, mod 3196, s/n H402, with 5 hp motor [Dryer Area] 305 Goulds centrifugal pump, mod 3196, s/n F424-2, with 5 hp motor [Dryer Area]	296	
gal cap. [Dryer Area] Pristam stainless centrifugal pump, mod FPR 3532, s/n 713761, with 7.5 hp motor, 2" x 3" [Dryer Area] Moyno pump, with 2 hp motor [Dryer Area] Stainless cold water hold tank, 48" straight side, 57" diameter [Dryer Area] Fristam stainless centrifugal pump, mod FPR3532, s/n 713767, with 7.5 hp motor, 2" x 3" [Dryer Area] Aicop stainless plate heat exchanger, mod A6401151-195, s/n 1580, MAWP 150 psi @ 284 deg. F, NAT'L BD no. 924 [Dryer Area] Aicop stainless plate heat exchanger, mod A140X1G145/15, s/n 1563, MAWP 150 psi @ 305 deg. F, NAT'L BD no. 924 [Dryer Area] ADM stainless hot water holding tank, mod CV, s/n 50218B, 66"h straight side, 44" diameter [Dryer Area] Goulds centrifugal pump, mod 3196, s/n H402, with 5 hp motor [Dryer Area] Goulds centrifugal pump, mod 3196, s/n F424-2, with 5 hp motor [Dryer Area]		16397, with top mount lightning agitator on
gal cap. [Dryer Area] Pristam stainless centrifugal pump, mod FPR 3532, s/n 713761, with 7.5 hp motor, 2" x 3" [Dryer Area] Moyno pump, with 2 hp motor [Dryer Area] Stainless cold water hold tank, 48" straight side, 57" diameter [Dryer Area] Fristam stainless centrifugal pump, mod FPR3532, s/n 713767, with 7.5 hp motor, 2" x 3" [Dryer Area] Aicop stainless plate heat exchanger, mod A6401151-195, s/n 1580, MAWP 150 psi @ 284 deg. F, NAT'L BD no. 924 [Dryer Area] Aicop stainless plate heat exchanger, mod A140X1G145/15, s/n 1563, MAWP 150 psi @ 305 deg. F, NAT'L BD no. 924 [Dryer Area] ADM stainless hot water holding tank, mod CV, s/n 50218B, 66"h straight side, 44" diameter [Dryer Area] Goulds centrifugal pump, mod 3196, s/n H402, with 5 hp motor [Dryer Area] Goulds centrifugal pump, mod 3196, s/n F424-2, with 5 hp motor [Dryer Area]		load cell, 66" straight side, 56" diameter, 800
Fristam stainless centrifugal pump, mod FPR 3532, s/n 713761, with 7.5 hp motor, 2" x 3" [Dryer Area] 298 Moyno pump, with 2 hp motor [Dryer Area] 299 Stainless cold water hold tank, 48" straight side, 57" diameter [Dryer Area] 300 Fristam stainless centrifugal pump, mod FPR3532, s/n 713767, with 7.5 hp motor, 2" x 3" [Dryer Area] 301 Aicop stainless plate heat exchanger, mod A6401151-195, s/n 1580, MAWP 150 psi @ 284 deg. F, NAT'L BD no. 924 [Dryer Area] 302 Aicop stainless plate heat exchanger, mod A140X1G145/15, s/n 1563, MAWP 150 psi @ 305 deg. F, NAT'L BD no. 924 [Dryer Area] 303 ADM stainless hot water holding tank, mod CV, s/n 50218B, 66"h straight side, 44" diameter [Dryer Area] 304 Goulds centrifugal pump, mod 3196, s/n H402, with 5 hp motor [Dryer Area] 305 Goulds centrifugal pump, mod 3196, s/n F424-2, with 5 hp motor [Dryer Area]		
3532, s/n 713761, with 7.5 hp motor, 2" x 3" [Dryer Area] 298 Moyno pump, with 2 hp motor [Dryer Area] 299 Stainless cold water hold tank, 48" straight side, 57" diameter [Dryer Area] 300 Fristam stainless centrifugal pump, mod FPR3532, s/n 713767, with 7.5 hp motor, 2" x 3" [Dryer Area] 301 Aicop stainless plate heat exchanger, mod A6401151-195, s/n 1580, MAWP 150 psi @ 284 deg. F, NAT'L BD no. 924 [Dryer Area] 302 Aicop stainless plate heat exchanger, mod A140X1G145/15, s/n 1563, MAWP 150 psi @ 305 deg. F, NAT'L BD no. 924 [Dryer Area] 303 ADM stainless hot water holding tank, mod CV, s/n 50218B, 66"h straight side, 44" diameter [Dryer Area] 304 Goulds centrifugal pump, mod 3196, s/n H402, with 5 hp motor [Dryer Area] 305 Goulds centrifugal pump, mod 3196, s/n F424-2, with 5 hp motor [Dryer Area]	297	
298 Moyno pump, with 2 hp motor [Dryer Area] 299 Stainless cold water hold tank, 48" straight side, 57" diameter [Dryer Area] 300 Fristam stainless centrifugal pump, mod FPR3532, s/n 713767, with 7.5 hp motor, 2" x 3" [Dryer Area] 301 Aicop stainless plate heat exchanger, mod A6401151-195, s/n 1580, MAWP 150 psi @ 284 deg. F, NAT'L BD no. 924 [Dryer Area] 302 Aicop stainless plate heat exchanger, mod A140X1G145/15, s/n 1563, MAWP 150 psi @ 305 deg. F, NAT'L BD no. 924 [Dryer Area] 303 ADM stainless hot water holding tank, mod CV, s/n 50218B, 66"h straight side, 44" diameter [Dryer Area] 304 Goulds centrifugal pump, mod 3196, s/n H402, with 5 hp motor [Dryer Area] 305 Goulds centrifugal pump, mod 3196, s/n F424-2, with 5 hp motor [Dryer Area]		
Stainless cold water hold tank, 48" straight side, 57" diameter [Dryer Area] 300 Fristam stainless centrifugal pump, mod FPR3532, s/n 713767, with 7.5 hp motor, 2" x 3" [Dryer Area] 301 Aicop stainless plate heat exchanger, mod A6401151-195, s/n 1580, MAWP 150 psi @ 284 deg. F, NAT'L BD no. 924 [Dryer Area] 302 Aicop stainless plate heat exchanger, mod A140X1G145/15, s/n 1563, MAWP 150 psi @ 305 deg. F, NAT'L BD no. 924 [Dryer Area] 303 ADM stainless hot water holding tank, mod CV, s/n 50218B, 66"h straight side, 44" diameter [Dryer Area] 304 Goulds centrifugal pump, mod 3196, s/n H402, with 5 hp motor [Dryer Area] 305 Goulds centrifugal pump, mod 3196, s/n F424-2, with 5 hp motor [Dryer Area]		[Dryer Area]
side, 57" diameter [Dryer Area] Fristam stainless centrifugal pump, mod FPR3532, s/n 713767, with 7.5 hp motor, 2" x 3" [Dryer Area] Aicop stainless plate heat exchanger, mod A6401151-195, s/n 1580, MAWP 150 psi @ 284 deg. F, NAT'L BD no. 924 [Dryer Area] Aicop stainless plate heat exchanger, mod A140X1G145/15, s/n 1563, MAWP 150 psi @ 305 deg. F, NAT'L BD no. 924 [Dryer Area] ADM stainless hot water holding tank, mod CV, s/n 50218B, 66"h straight side, 44" diameter [Dryer Area] ADM Goulds centrifugal pump, mod 3196, s/n H402, with 5 hp motor [Dryer Area] Goulds centrifugal pump, mod 3196, s/n F424-2, with 5 hp motor [Dryer Area]	298	Moyno pump, with 2 hp motor [Dryer Area]
Fristam stainless centrifugal pump, mod FPR3532, s/n 713767, with 7.5 hp motor, 2" x 3" [Dryer Area] 301 Aicop stainless plate heat exchanger, mod A6401151-195, s/n 1580, MAWP 150 psi @ 284 deg. F, NAT'L BD no. 924 [Dryer Area] 302 Aicop stainless plate heat exchanger, mod A140X1G145/15, s/n 1563, MAWP 150 psi @ 305 deg. F, NAT'L BD no. 924 [Dryer Area] 303 ADM stainless hot water holding tank, mod CV, s/n 50218B, 66"h straight side, 44" diameter [Dryer Area] 304 Goulds centrifugal pump, mod 3196, s/n H402, with 5 hp motor [Dryer Area] 305 Goulds centrifugal pump, mod 3196, s/n F424-2, with 5 hp motor [Dryer Area]	299	Stainless cold water hold tank, 48" straight
FPR3532, s/n 713767, with 7.5 hp motor, 2" x 3" [Dryer Area] Aicop stainless plate heat exchanger, mod A6401151-195, s/n 1580, MAWP 150 psi @ 284 deg. F, NAT'L BD no. 924 [Dryer Area] Aicop stainless plate heat exchanger, mod A140X1G145/15, s/n 1563, MAWP 150 psi @ 305 deg. F, NAT'L BD no. 924 [Dryer Area] ADM stainless hot water holding tank, mod CV, s/n 50218B, 66"h straight side, 44" diameter [Dryer Area] Goulds centrifugal pump, mod 3196, s/n H402, with 5 hp motor [Dryer Area] Goulds centrifugal pump, mod 3196, s/n F424-2, with 5 hp motor [Dryer Area]		side, 57" diameter [Dryer Area]
x 3" [Dryer Area] Aicop stainless plate heat exchanger, mod A6401151-195, s/n 1580, MAWP 150 psi @ 284 deg. F, NAT'L BD no. 924 [Dryer Area] Aicop stainless plate heat exchanger, mod A140X1G145/15, s/n 1563, MAWP 150 psi @ 305 deg. F, NAT'L BD no. 924 [Dryer Area] ADM stainless hot water holding tank, mod CV, s/n 50218B, 66"h straight side, 44" diameter [Dryer Area] Goulds centrifugal pump, mod 3196, s/n H402, with 5 hp motor [Dryer Area] Goulds centrifugal pump, mod 3196, s/n F424-2, with 5 hp motor [Dryer Area]	300	Fristam stainless centrifugal pump, mod
Aicop stainless plate heat exchanger, mod A6401151-195, s/n 1580, MAWP 150 psi @ 284 deg. F, NAT'L BD no. 924 [Dryer Area] Aicop stainless plate heat exchanger, mod A140X1G145/15, s/n 1563, MAWP 150 psi @ 305 deg. F, NAT'L BD no. 924 [Dryer Area] ADM stainless hot water holding tank, mod CV, s/n 50218B, 66"h straight side, 44" diameter [Dryer Area] Goulds centrifugal pump, mod 3196, s/n H402, with 5 hp motor [Dryer Area] Goulds centrifugal pump, mod 3196, s/n F424-2, with 5 hp motor [Dryer Area]		FPR3532, s/n 713767, with 7.5 hp motor, 2"
A6401151-195, s/n 1580, MAWP 150 psi @ 284 deg. F, NAT'L BD no. 924 [Dryer Area] 302 Aicop stainless plate heat exchanger, mod A140X1G145/15, s/n 1563, MAWP 150 psi @ 305 deg. F, NAT'L BD no. 924 [Dryer Area] 303 ADM stainless hot water holding tank, mod CV, s/n 50218B, 66"h straight side, 44" diameter [Dryer Area] 304 Goulds centrifugal pump, mod 3196, s/n H402, with 5 hp motor [Dryer Area] 305 Goulds centrifugal pump, mod 3196, s/n F424-2, with 5 hp motor [Dryer Area]		x 3" [Dryer Area]
284 deg. F, NAT'L BD no. 924 [Dryer Area] 302 Aicop stainless plate heat exchanger, mod A140X1G145/15, s/n 1563, MAWP 150 psi @ 305 deg. F, NAT'L BD no. 924 [Dryer Area] 303 ADM stainless hot water holding tank, mod CV, s/n 50218B, 66"h straight side, 44" diameter [Dryer Area] 304 Goulds centrifugal pump, mod 3196, s/n H402, with 5 hp motor [Dryer Area] 305 Goulds centrifugal pump, mod 3196, s/n F424-2, with 5 hp motor [Dryer Area]	301	
Aicop stainless plate heat exchanger, mod A140X1G145/15, s/n 1563, MAWP 150 psi @ 305 deg. F, NAT'L BD no. 924 [Dryer Area] ADM stainless hot water holding tank, mod CV, s/n 50218B, 66"h straight side, 44" diameter [Dryer Area] Goulds centrifugal pump, mod 3196, s/n H402, with 5 hp motor [Dryer Area] Goulds centrifugal pump, mod 3196, s/n F424-2, with 5 hp motor [Dryer Area]		
A140X1G145/15, s/n 1563, MAWP 150 psi @ 305 deg. F, NAT'L BD no. 924 [Dryer Area] 303 ADM stainless hot water holding tank, mod CV, s/n 50218B, 66"h straight side, 44" diameter [Dryer Area] 304 Goulds centrifugal pump, mod 3196, s/n H402, with 5 hp motor [Dryer Area] 305 Goulds centrifugal pump, mod 3196, s/n F424-2, with 5 hp motor [Dryer Area]		
@ 305 deg. F, NAT'L BD no. 924 [Dryer Area] 303 ADM stainless hot water holding tank, mod CV, s/n 50218B, 66"h straight side, 44" diameter [Dryer Area] 304 Goulds centrifugal pump, mod 3196, s/n H402, with 5 hp motor [Dryer Area] 305 Goulds centrifugal pump, mod 3196, s/n F424-2, with 5 hp motor [Dryer Area]	302	
Area] 303 ADM stainless hot water holding tank, mod CV, s/n 50218B, 66"h straight side, 44" diameter [Dryer Area] 304 Goulds centrifugal pump, mod 3196, s/n H402, with 5 hp motor [Dryer Area] 305 Goulds centrifugal pump, mod 3196, s/n F424-2, with 5 hp motor [Dryer Area]		
ADM stainless hot water holding tank, mod CV, s/n 50218B, 66"h straight side, 44" diameter [Dryer Area] Goulds centrifugal pump, mod 3196, s/n H402, with 5 hp motor [Dryer Area] Goulds centrifugal pump, mod 3196, s/n F424-2, with 5 hp motor [Dryer Area]		
CV, s/n 50218B, 66"h straight side, 44" diameter [Dryer Area] 304 Goulds centrifugal pump, mod 3196, s/n H402, with 5 hp motor [Dryer Area] 305 Goulds centrifugal pump, mod 3196, s/n F424-2, with 5 hp motor [Dryer Area]		
diameter [Dryer Area] 304 Goulds centrifugal pump, mod 3196, s/n H402, with 5 hp motor [Dryer Area] 305 Goulds centrifugal pump, mod 3196, s/n F424-2, with 5 hp motor [Dryer Area]	303	ADM stainless hot water holding tank, mod
304 Goulds centrifugal pump, mod 3196, s/n H402, with 5 hp motor [Dryer Area] 305 Goulds centrifugal pump, mod 3196, s/n F424-2, with 5 hp motor [Dryer Area]		
H402, with 5 hp motor [Dryer Area] Goulds centrifugal pump, mod 3196, s/n F424-2, with 5 hp motor [Dryer Area]		
Goulds centrifugal pump, mod 3196, s/n F424-2, with 5 hp motor [Dryer Area]	304	
F424-2, with 5 hp motor [Dryer Area]		
	305	
	306	Goulds centrifugal pump, mod 3196, s/n
F424-1, with 5 hp motor [Dryer Area]		F424-1, with 5 hp motor [Dryer Area]







	Auction Day 1 – Pet
Lot	Description
307	Waukesha stainless positive displacement
	pump, mod 130U, s/n 20950, with 10 hp
	motor, 3" x 3" [Dryer Area]
308	Tuthill centrifugal pump, with 25 hp motor
	[Dryer Area]
309	[LOT] (8) gear lube pumps [Dryer Area]
310	CE Hydrasieve static screen, s/n 55218
	[Dryer Area]
311	Stainless fish oil holding tank, 65"h straight
	side, 40" diameter, with pump [Dryer Area]
312	Horizon stainless product hopper bin system,
	mod XB6SH88S, s/n 0-7948-001, with (2)
	rotary valve, 86"h x 110"l [Dryer Area]
313	Horizon cyclone dust collector system, with
	(2) rotary valves [Dryer Area]
314	Incline screw auger conveyor, 30'l x 16"
	diameter [Dryer Area]
315	[LOT] (10) Seepex cavity pumps, with 3/4 hp
	motor, (10) pneumatic valve, (5) micro-
040	motion mass flow sensor [Dryer Area]
316	[LOT] (10) Seepex cavity pumps, with 3/4 hp
	motor, (10) pneumatic valve, (5) micro-
047	motion mass flow sensor [Dryer Area]
317	Sutorbilt blower unit, mod GDGAMAA, s/n
	S170735, with 100 hp motor, muffler
	silencer, skid mount [Cooling Area, 2nd
318	Floor] MAC rotary valve, with 3 hp motor [Cooling
310	Area, 2nd Floor]
319	FNS stainless screw auger conveyor, with
319	slide gate, 219"l x 14" diameter [Cooling
	Area, 2nd Floor
320	Sutorbilt blower unit, mod GDGAMMA, s/n
020	S170737, with 100 hp motor, muffler
	silencer, skid mount [Cooling Area, 2nd
	Floor]
321	MAC rotary valve, with 3 hp motor [Cooling
	Area, 2nd Floor]
<u> </u>	,=

Lot	Description
322	Stainless screw auger conveyor, with slide gate, 219"l x 14" diameter [Cooling Area, 2nd Floor]
323	Sutorbilt blower unit, mod GDGAMMA, s/n S170736, with 100 hp motor, muffler silencer, skid mount [Cooling Area, 2nd Floor]
324	MAC rotary valve [Cooling Area, 2nd Floor]
325	Stainless screw auger conveyor, 219"l x 14" diameter [Cooling Area, 2nd Floor]
326	NYB 30 GI fan unit, mod 404 D-H, with Buther exhaust piping dock work, rotary valve, cooling system (located on mezzanine) [Cooling Area, 2nd Floor]
327	NYB 30 GI fan unit, mod 404 D-H, with Buther exhaust piping dock work, rotary valve, cooling system (located on mezzanine) [Cooling Area, 2nd Floor]
328	NYB 30 GI fan unit, mod 404 D-H, with Buther exhaust piping dock work, rotary valve, cooling system (located on mezzanine) [Cooling Area, 2nd Floor]
329	(3) MAC pneumatic diverter valves, mod 60PT45, s/n 1100239705 020 [Cooling Area, 2nd Floor]
332	Schenck blower unit, mod 520, s/n 1100328099-030-3, with 75 hp motor, muffler silencer, skid mount [Tower, 2nd Floor]
333	Schenck blower unit, mod 520, s/n 1100328099-030-2, with 75 hp motor, muffler silencer, skid mount [Tower, 2nd Floor]
334	Schenck blower unit, mod 520, s/n 1100328099-030-1, with 75 hp motor, muffler silencer, skid mount [Tower, 2nd Floor]
335	Acadia dry feed system, 24'l x 8'w x 88" deep top mount screw auger stainless screen conveyor [Tower, 2nd Floor]

Lot	Description
336	Acadia dry feed system, 24'l x 8'w x 88" deep top mount screw auger stainless screen
	conveyor [Tower, 2nd Floor]
336A	Acadia dry feed system, 24'l x 8'w x 88" deep
	top mount screw auger stainless screen
	conveyor [Tower, 2nd Floor]
337	Tuthill blower unit, mod 45094612, s/n
	2774881205, with 75 hp motor, muffler
200	silencer, skid mount [Tower, 2nd Floor]
338	(2) Horizon collection hopper bin on load
	cells, 156"h x 12'l x 5'w, with 12"w x 6'l screw
	auger, discharge, stainless [Tower, 2nd
340	Floor]
340	(2) Incline screw auger conveyors, 14'l x 20"
342	diameter [Tower, 2nd Floor]
342	[LOT] (3) Merrick feed systems, stainless auger feeder and hopper, 56"h x 33"
	diameter [Tower, 3rd Floor]
343	Twin City fan unit, s/n 1452144711, with 125
343	hp motor, size 365w, type BCN5W [Tower,
	3rd Floor]
344	Rotary valve, with 3 hp motor [Tower, 3rd
	Floor
345	Rotary valve, with 3 hp motor [Tower, 3rd
	Floor]35
346	Rotary valve, with 3 hp motor [Tower, 3rd
	Floor]
347	Seepex cavity pump, with 1.5 hp motor, 1-
	1/2" x 1-1/2" [Tower, 3rd Floor]
348	Rice Lake stainless hopper bin on load cell,
	mod 480 PLUS, 58"l x 30"w x 36" deep,
	mobile [Tower, 3rd Floor]
349	[LOT] (3) screw auger conveyor, 33'l x 18"
	diameter [Tower, 3rd Floor]
350	[LOT] (4) screw auger conveyor, (1) 12'l x
	14" diameter, (3) 14'l x 14" diameter [Tower,
	3rd Floor]







	Auction Day 1 – Pet
Lot	Description
351	Lift-rite pallet jack, 5000 lbs. cap. [Tower, 3rd
	Floor]
352	SCTAB hydraulic hoist, 1000 lbs. cap.,
	mobile [Tower, 3rd Floor]
353	[LOT] (2) mobile floor fan unit, (1) 38"
	diameter, (1) 44" diameter [Tower, 3rd Floor]
354	[LOT] (3) fiberglass ladder, 9 step [Tower,
	3rd Floor]
355	[LOT] (1) electric chain hoist, (1) electric
050	cable winch, 700 lbs. cap. [Tower, 3rd Floor]
356	[LOT] (5) ladders (located on floors 5 & 6)
257	[Tower, 3rd Floor]
357	Sweco vibrator separator, mod XS480686T,
358	s/n 325104A0206, 48" [Tower, 5th Floor] Sweco vibrator separator, mod XS480686T,
330	s/n A0105, 48" [Tower, 5th Floor]
359	Sweco vibrator separator, s/n 4415-A893,
000	48" [Tower, 5th Floor]
360	Sweco vibrator separator, s/n 615171A0704,
	48" [Tower, 5th Floor]
361	Sweco vibrator separator, 48" [Tower, 5th
	Floor]
362	Sweco vibrator separator, 48" [Tower, 5th
	Floor]
363	Lift-mate engine hoist, 1000 lbs. cap., mobile
224	[Tower, 5th Floor]
364	Jacobson hammer mill, mod P240 DTF, s/n
205	23122, with 50 hp motor [Milling Area]
365	Jacobson hammer mill, mod P240 DTF, s/n
200	33123, with 50 hp motor [Milling Area]
366	Champion hammer mill, mod 11.5 X44, s/n
367	436551, with 60 hp motor [Milling Area] Champion hammer mill, mod 11.5 X44, s/n
301	136550, with 60 hp motor [Milling Area]
368	Sutorbilt blower unit with 125 hp motor,
	muffler silencer, skid mount [Milling Area]
	manor onorious, ona mount [mining / nou]

Lot	Description
369	Roots blower unit, mod 88, with 125 hp
	motor, muffler silencer, skid mount [Milling
	Area]
370	Roots blower unit, mod 88, with 125 hp
	motor, muffler silencer, skid mount [Milling
074	Area]
371	Blower Engineering blower unit, mod T80,
	s/n 16803304, with 125 hp motor, muffler
372	silencer, skid mount [Milling Area]
3/2	[LOT] (4) chute with Eriez magnet [Milling Area]
373	[LOT] (4) rotary valves [Milling Area]
374	Fair Bank floor scale, mod H90, 1000 lbs.
374	cap., 48" x 48" [Milling Area]
375	Great Western stainless frame sifter, mod
373	222, s/n 2868, 48" x 40" x 38" (above
	hammer mill) [Milling Area]
376	Great Western stainless frame sifter, mod
	222, 48" x 40" x 38" (above hammer mill)
	[Milling Area]
377	Great Western stainless frame sifter, mod
	222, 48" x 40" x 38" (above hammer mill)
	[Milling Area]
378	Great Western stainless frame sifter, 48" x
	40" x 38" (above hammer mill) [Milling Area]
379	[LOT] (4) Eriez magnets [Milling Area]
380	[LOT] (4) Rotary valves [Milling Area]
381	Prater hammer mill, mod G09 SF, s/n 2800,
	with 100 hp motor [Milling Area]
382	Bliss hammer mill, mod ELIMINATOR, with
000	100 hp motor [Milling Area]
383	[LOT] (2) Eriez magnets [Milling Area]
384	Hopper scale on load cell, 8' x 10' x 115"
	deep, with read out, stainless table, touch
	screen, table scale 20" x 20" [Milling Area]

Lot	Description
385	Hopper scale on load cell, 7' x 5' x 99" deep, stainless table, touch screen, table scale 20" x 20" [Milling Area]
386	Feldmeir vertical stainless silo with top mount agitator, manway door, 25'h x 118" diameter [Tank Farm]
387	Waukesha stainless positive displacement pump, mod 220, s/n 46871717, with 11.5 kw motor [Tank Farm]
388	Feldmeir vertical stainless silo, manway open, 22'h x 8' diameter [Tank Farm]
389	Greenheck fan unit, mod 49CSWX10CCWUB075, s/n 15305764, 595 rpm [Tank Farm]
390	Greenheck fan unit, mod 49CSWX10CCWUB075, s/n 1530762, 595 rpm [Tank Farm]
391	Greenheck fan unit, mod 49CSWX10CCWUB075, s/n 1530763, 595 rpm [Tank Farm]
392	Greenheck fan unit, mod 49CSWX10CCWUB075, s/n 15305761, 595 rpm [Tank Farm]
393	Greenheck fan unit, mod S4CSWX10CWTHB25, s/n 15305763 595 rpm [Tank Farm]
394	Rice Lake above ground truck scale, mod E28115T-10007R, 80'l x 10'w (5) section, digital read out, 80,000 kg x 10 kg, 176,000 lb. x 20 lb. max [Tank Farm]
396	Comp Air fixed feed water cooled air compressor, mod 600C, s/n C11W236AK2803, with 108.4 kw motor [Boiler Area]
397	Comp Air air compressor, mod C75SR, s/n C65A2148ASPP1891, with 87.6 kw motor [Boiler Area]







Contact Contact
Rand discharge tank [Boiler Area] 398A Atlas Copco oil-free air compressor, model ZR 145, s/n. ATF. 072740, 174 hp (SUBJECT TO CONFIRMATION) [SEPARATE LOCATION- Mississauga, Ontario] 399 Circ-u-latic water tube steam boiler, mod TRC59C3Y2L3008, s/n 21108, gas, 40,000 BTU/hr., 540 sq. ft. heating surface [Boiler Area] 400 Vapor Air water tube steam boiler, gas, 40,000 BTU/hr., 540 sq. ft. heating surface [Boiler Area] 401 Vapor Air water tube steam boiler, gas,
Atlas Copco oil-free air compressor, model ZR 145, s/n. ATF. 072740, 174 hp (SUBJECT TO CONFIRMATION) [SEPARATE LOCATION- Mississauga, Ontario] 399 Circ-u-latic water tube steam boiler, mod TRC59C3Y2L3008, s/n 21108, gas, 40,000 BTU/hr., 540 sq. ft. heating surface [Boiler Area] 400 Vapor Air water tube steam boiler, gas, 40,000 BTU/hr., 540 sq. ft. heating surface [Boiler Area] 401 Vapor Air water tube steam boiler, gas,
ZR 145, s/n. ATF. 072740, 174 hp (SUBJECT TO CONFIRMATION) [SEPARATE LOCATION- Mississauga, Ontario] 399 Circ-u-latic water tube steam boiler, mod TRC59C3Y2L3008, s/n 21108, gas, 40,000 BTU/hr., 540 sq. ft. heating surface [Boiler Area] 400 Vapor Air water tube steam boiler, gas, 40,000 BTU/hr., 540 sq. ft. heating surface [Boiler Area] 401 Vapor Air water tube steam boiler, gas,
(SUBJECT TO CONFIRMATION) [SEPARATE LOCATION- Mississauga, Ontario] 399 Circ-u-latic water tube steam boiler, mod TRC59C3Y2L3008, s/n 21108, gas, 40,000 BTU/hr., 540 sq. ft. heating surface [Boiler Area] 400 Vapor Air water tube steam boiler, gas, 40,000 BTU/hr., 540 sq. ft. heating surface [Boiler Area] 401 Vapor Air water tube steam boiler, gas,
[SEPARATE LOCATION- Mississauga, Ontario] 399 Circ-u-latic water tube steam boiler, mod TRC59C3Y2L3008, s/n 21108, gas, 40,000 BTU/hr., 540 sq. ft. heating surface [Boiler Area] 400 Vapor Air water tube steam boiler, gas, 40,000 BTU/hr., 540 sq. ft. heating surface [Boiler Area] 401 Vapor Air water tube steam boiler, gas,
Ontario] Ontario] Circ-u-latic water tube steam boiler, mod TRC59C3Y2L3008, s/n 21108, gas, 40,000 BTU/hr., 540 sq. ft. heating surface [Boiler Area] Vapor Air water tube steam boiler, gas, 40,000 BTU/hr., 540 sq. ft. heating surface [Boiler Area] Vapor Air water tube steam boiler, gas, 40,000 BTU/hr., 540 sq. ft. heating surface [Boiler Area]
399 Circ-u-latic water tube steam boiler, mod TRC59C3Y2L3008, s/n 21108, gas, 40,000 BTU/hr., 540 sq. ft. heating surface [Boiler Area] 400 Vapor Air water tube steam boiler, gas, 40,000 BTU/hr., 540 sq. ft. heating surface [Boiler Area] 401 Vapor Air water tube steam boiler, gas,
TRC59C3Y2L3008, s/n 21108, gas, 40,000 BTU/hr., 540 sq. ft. heating surface [Boiler Area] Vapor Air water tube steam boiler, gas, 40,000 BTU/hr., 540 sq. ft. heating surface [Boiler Area] Vapor Air water tube steam boiler, gas,
BTU/hr., 540 sq. ft. heating surface [Boiler Area] Vapor Air water tube steam boiler, gas, 40,000 BTU/hr., 540 sq. ft. heating surface [Boiler Area] Vapor Air water tube steam boiler, gas,
Area] Vapor Air water tube steam boiler, gas, 40,000 BTU/hr., 540 sq. ft. heating surface [Boiler Area] Vapor Air water tube steam boiler, gas,
400 Vapor Air water tube steam boiler, gas, 40,000 BTU/hr., 540 sq. ft. heating surface [Boiler Area] 401 Vapor Air water tube steam boiler, gas,
40,000 BTU/hr., 540 sq. ft. heating surface [Boiler Area] Vapor Air water tube steam boiler, gas,
[Boiler Area] 401 Vapor Air water tube steam boiler, gas,
401 Vapor Air water tube steam boiler, gas,
, , ,
40,000 BTU/hr., 540 sq. ft. heating surface
[Boiler Area] 402 Pentair water softener system. FW 150 psi
402 Pentair water softener system, FW 150 psi @ 150 deg. F [Boiler Area]
403 Grundfos vertical pump, with 5 hp motor
Glundios vertical pump, with 5 np motor
404 Justrite flammable storage cabinet, 15 gal.
cap. [Boiler Area]
405 MAC dust collector system, with NYB
B13557105 blower unit [Boiler Area]
406 Daus blower unit, mod SPENCER, s/n
95305852, with 10 hp motor, size RB30
[Packaging Area]
407 Daus blower unit, mod SPENCER, with 10
hp motor, size RB30 [Packaging Area]
408 Deltech air hold tank, mod. 820, s/n
809402273, 8'h x 36" diameter, horizontal
tank 66"l x 24" diameter [Packaging Area]
408A (1) IdealFabmatic air hold tank, s/n AR3, 7'h
x 28" diameter, (1) SteelFab air hold tank, s/n
91056, 7'h x 32" diameter [Packaging Area]
409 Sihi vacuum pump, s/n CA166008801, with
20 hp motor [Packaging Area]

Lot	Description
410	Sihi vacuum pump, s/n CA1678002880, with 20 hp motor [Packaging Area]
411	MAC rotary valve, mod J10X8X8, s/n 153165C24710, with 1/2 hp motor, stainless hopper [Packaging Area]
412	MAC rotary valve, mod J10X8X8, s/n 153165C24712, with 1/2 hp motor, stainless hopper [Packaging Area]
413	[LOT] (2) control cabinet, (1) with Allen Bradley panel view plus 1000 touch screen, (3) compact logix L24ER ethernet/IP module, (1) Airanger XPL, (1) Milltronic A010, (1) BIC II monitor, (1) with (4) CPSI420 module, (4) CRA 93100 module, (9) DAI 530/00 115 vac in, (5) DRA 840/00 relay out, (3) DAO 842/00 115 vac out, (3) ACO 020/00 analog out, (6) AVI 030/00 analog in [Packaging Area]
414	Allen Bradley 20 section motor control center, mod 2100, with (25) variable frequency drive 2 hp, (24) bucket starter switch [Packaging Area]
415	Allen Bradley section motor control center, mod 2100, with (5) power flex variable frequency drive, (51) starter switch [Packaging Area]
417	[LOT] (5) control cabinet, with CPU module, VAC, relay, analog, (1) with Honeywell multiple supply control [Packaging Area]
418	[LOT] 2 section pushback pallet rack, with 24 position, (18) 95" cross bar, (3) 54"w x 16'8" upright, (3) 16'8" post leg, (24) 91"l rail [Back Warehouse]
419	6 section pushback pallet rack, with 104 pallet position, (21) 16'8" x 54"w upright, (72) 20'7" rails, (108) 8' cross bar [Back Warehouse]

Lot	Description
420	4 section pushback pallet rack, with 65 pallet position, (10) 16'8"h x 54"w upright, (12) 54" cross bar, (36) 8' cross bar, (42) 147" rail [Back Warehouse]
421	4 section pushback pallet rack, with 84 pallet position, (10) 16'8"h x 54"w upright, (15) 54" cross bar, (45) 8' cross bar, (42) 197" rail [Back Warehouse]
422	4 section pushback pallet rack, with 24 pallet position, (15) 16'8"h x 54"w upright, (5) 16'8" post leg, (48) 97" rail, (36) 8' cross bar [Back Warehouse]
423	[LOT] 2 section pallet rack, with (3) 16'8" x 44"w upright, (12) 8' cross bar, wire shelving [Back Warehouse]
423A	3 Section pushback pallet rack,
424	Allen Bradley 8 section motor control center, with (25) bucket starter switch, (8) blank [Back Warehouse]
425	Allen Bradley 16 section motor control center, with (6) power flex variable frequency drive, (66) bucket starter switch [Back Warehouse]
426	Allen Bradley 8 section motor control center, with (33) bucket starter switch, (10) blank [Back Warehouse]
427	CV Tech controller for fire suppression system, (6) HRD interceptor 8 channel box, (2) battery, (4) barrier [Back Warehouse]
428	Allen Bradley 14 section motor control center, mod 2100, with (16) power flex variable frequency drive, (46) bucket starter switch [Dryer Area]
429	Allen Bradley 18 section motor control center, mod 2100, with (16) power flex variable frequency drive, (47) bucket starter switch [Dryer Area]







	Auction Day 1 - Pet i
Lot	Description
430	Allen Bradley 12 section motor control
	center, mod 2100, with (12) power flex
	variable frequency drive, (40) bucket starter
	switch [Dryer Area]
431	Allen Bradley variable frequency drive, mod
	Power Flex, 250 hp [Dryer Area]
432	Allen Bradley 12 section motor control
	center, mod 2100, with (6) Power Flex
	variable frequency drive, (1) main shut off
	switch, (41) bucket starter switch, (9) blank
	[Dryer Area]
433	Allen Bradley 2 control cabinet, mod 7005,
	with Power Flex variable frequency drive,
	300 hp, main shut off switch [Dryer Area]
434	Allen Bradley 2 control cabinet, mod 7005,
	with Power Flex variable frequency drive,
	300 hp, main shut off switch [Dryer Area]
435	Allen Bradley 2 control cabinet, mod 7005,
	with Power Flex 7005 variable frequency
	drive, 350 hp [Dryer Area]
436	Siemens control cabinet, mod
	6SE72323FG003AB2, s/n 6SE728LBHN1,
	with variable frequency drive, 200 hp [Dryer
	Area]
437	Siemens control cabinet, mod
	6SE72323FG003AB2, s/n 6SE728LBHO1,
	with variable frequency drive, 200 hp [Dryer
400	Area]
438	Siemens control cabinet, mod
	6SE72323FG003ABB2, s/n 6SE728LBHM1,
	with variable frequency drive, 200 hp [Dryer
439	Allen Pradley central achinet, with Denel
439	Allen Bradley control cabinet, with Panel
	View plus 1000 touch screen, Allen Bradley
	LOGIX556, CPU module, (2) ethernet relay
	in and out module, analog in-out [Dryer Area]

Lot	Description
440	Allen Bradley 17 section motor control
	center, with (21) Power Flex variable
	frequency drive, (66) bucket starter switch,
	(2) blank [Dryer Area]
441	[LOT] (4) control cabinets, with Modicon
	Quantum CPU controller relay module [Dryer
442	Area] Control cabinet, with (4) Allen Bradley Power
772	Flex 40 2 hp variable frequency drive
	[Packaging Area]
443	Control cabinet, with (3) Power Flex 2 hp
	variable frequency drive, compact LogixL23E
	CPU module [Packaging Area]
444	2 door control cabinet, with (7) Power Flex 2
	hp variable frequency drive, Logix 5561 CPU
	module [Packaging Area]
445	Allen Bradley control cabinet, mod 700S,
	with Power Flex 700S variable frequency
	drive [Packaging Warehouse]
446	Allen Bradley Power Flex 700S, mod 700S,
	s/n 590559, variable frequency drive
44=	[Packaging Warehouse]
447	Allen Bradley motor control center, with (3)
	Power Flex 525 variable frequency drive,
440	main shut off switch [Packaging Warehouse]
448	[LOT] Allen Bradley electric automation
	sensor, variable frequency drive, module, (4)
449	pallet [Packaging Warehouse] [LOT] Electric automation relays, breakers,
449	ballast, sensor, touch screen, variable
	frequency drive (approx ten pallets)
	[Packaging Warehouse]
450	Emerson stainless control cabinet, with (2)
	variable frequency drive, (1) Commander XK,
	(1) Unidrive SP [Packaging Warehouse]
451	[LOT] (10) stainless control cabinets
	[Packaging Warehouse]

Lot	Description
452	Allis Chalmer motor, s/n 142712, 100 hp, 575 v, 3 ph, 1770 rpm [Packaging Warehouse]
453	Lesson motor, s/n 77144, 100 hp, 575 v, 3
	ph, 405TS frame, 3565 rpm [Packaging
	Warehouse]
454	Duke motor, 60 hp, 575 v, 3 ph, 1800 rpm
455	[Packaging Warehouse]
455	CGE motor, 75 hp, 575 v, 3 ph, 1780 rpm
450	[Packaging Warehouse]
456	Westinghouse motor, 75 hp, 575 v, 3 ph,
	365T frame, 1775 rpm [Packaging Warehouse]
457	US Motor motor, 75 hp, 575 v, 3 ph, 365T
437	frame, 3555 rpm [Packaging Warehouse]
458	Westinghouse motor, 40 hp, 575 v, 3 ph,
450	324TS frame, 3650 rpm [Packaging
	Warehouse]
459	[LOT] (2) electric motors, (1) 30 hp, (1) 25 hp
	[Packaging Warehouse]
460	[LOT] (4) motors, 20 hp [Packaging
	Warehouse]
461	[LOT] (9) Assorted electric motors, 7.5 to 10
	hp (Fristam motor not included) [Packaging
	Warehouse]
462	[LOT] (25) motors, various hp, 5 hp, 3 hp, 2
100	hp, and fractional hp [Packaging Warehouse]
463	Fristam stainless centrifugal pump, mod FPR
	731-175, s/n 80459, 2 hp motor, 1-1/2" x 3",
464	plus spare motor [Packaging Warehouse]
404	Flygt stainless vertical sump pump, mod 2720390, s/n 2242 [Packaging Warehouse]
465	[LOT] (4) Thompson poly pumps, mod
400	DB11PFE, 2-1/2" x 1-1/2" [Packaging
	Warehouse]
466	Seepex cavity pump, mod 00612, s/n
'''	866792, with 3 hp motor [Packaging
	Warehouse]





Auction Day 1 - Pet
Description
Seepex cavity pump, mod 00612, s/n
865609, with 3 hp motor [Packaging
Warehouse]
[LOT] (2) DPX pneumatic actuator valves,
with 3 way ball valve [Packaging Warehouse]
Velderflex metering pump, mod 10, with .5
hp motor [Packaging Warehouse]
Barnes sump pump, with 1.5 hp motor
[Packaging Warehouse]
Aurora centrifugal pump, 1-1/2" x 2"
[Packaging Warehouse]
Sumitomo cyclone gear, mod SPH1286 D14,
125 hp, 750 rpm, 62580 lb. torque, 13.89
ratio [Packaging Warehouse]
SEW gear motor, with 5 hp motor [Packaging
Warehouse]
SEW gear motor, with 7.5 hp motor
[Packaging Warehouse]
[LOT] (2) gear motors, with 10 hp motor
[Packaging Warehouse]
[LOT] (2) SEW gear drives, with 10 hp motor
[Packaging Warehouse]

Lot	Description
477	Nuttall worm gear, mod DM80, 3000.1 ratio [Packaging Warehouse]
478	[LOT] (8) gear drives [Packaging Warehouse]
479	[LOT] (2) gear drives, (1) Falk, (1) Sumitomo [Packaging Warehouse]
480	[LOT] (3) Dodge gear drives [Packaging Warehouse]
481	[LOT] (5) gear drives [Packaging Warehouse]
482	[LOT] (2) Fisher actuator valve [Packaging Warehouse]
483	[LOT] (7) blower fan units [Packaging Warehouse]
484	Lightnin mixer, with blades and motor [Packaging Warehouse]
485	[LOT] fire suppression system for cyclone dust collector, extinguisher, electric box, hose, clamps [Packaging Warehouse]
486	Greenheck fan unit [Packaging Warehouse]
487	Nordson hot melt gluer, mod Pro Blue 7, s/n SAO5D18272 [Packaging Warehouse]

Lot	Description
488	Nordson hot melt gluer, mod Pro Blue 7, s/n SAO5T27204 [Packaging Warehouse]
489	Nordson hot melt gluer, mod Pro Blue 7 [Packaging Warehouse]
490	Video Jet inkjet printer, mod Excel 1701, s/n 196H03020, mobile [Packaging Warehouse]
491	Video Jet inkjet printer, mod Excel 1701, s/n 194H231015, mobile [Packaging Warehouse]
492	[LOT] (4) Domino inkjet printer, mod 3 Series Plus, touch screen [Packaging Warehouse]
493	[LOT] Emulsifier parts, spring, gasket, electrical [Packaging Warehouse]
496	[LOT] Hammer mill screen [Packaging Warehouse]
497	Prater spare parts: blade, plate [Packaging Warehouse]
498	Jacobson spare parts: blade, spacer, bar wear [Packaging Warehouse]
499	Champion spare parts: shaft, pin [Packaging Warehouse]
500	Bliss spare parts: screen, blade, spacer [Packaging Warehouse]

AUCTIONEER CONTACT INFO:

TCL Asset Group Inc.

905-660-1367

www.managingyourassets.com

RIGGER FOR THIS SALE:

NATIONAL RIGGING & TRANSPORTATION

Darren Chapman

905-704-9011

darren@nationalrigging.com

- ALL VISITORS TO THE SITE MUST ADHERE TO ALL HEALTH & SAFETY MEASURES
- ALL ITEMS ARE SOLD "AS IS, WHERE IS"
- SALE CONDUCTED AND PAYABLE IN U.S. DOLLARS
- BUYER'S PREMIUM: 18% SALES TAX: 13%
- THIS CATALOG IS MEANT ONLY AS A GUIDE. E & OE



