

**NATIONAL RIGGING TRANSPORTATION**  
**CONTACT: DARREN CHAPMAN**  
**TEL: 905-704-9011**  
**EMAIL: DARREN@NATIONALRIGGING.COM**

| Lot # | Description   | Fee            |
|-------|---|----------------|
| 101   | (2) Bunting stainless 3 in magnetic flow trap [1st Flr Main Shipping Area] (Tagged as Lots 101 and 102)   | Please contact |
| 117   | SPX 2.5 in stainless positive displacement pump, model 060 UI, ser. no 415645-13, with 5 hp motor, mounted on stainless frame [1st Flr Main Shipping Area]  | Please contact |
| 128   | Rittal laser, model KB40B13757 [1st Flr Main Shipping Area]   | Please contact |
| 135   | Pick Heating Process Unit with Moyno EB2A SSE3 #7427602 with 0.5 HP Stainless Steel Tank, 11.5 ft Diameter 15 ft Deep, Cone Bottom 3 ft. [1st Flr Main Shipping Area]   | Please contact |
| 150   | Vegetable stainless receiving hopper conveyor bunker type, approx 10 ft w x 24 in h x 4 ft deep tapering hopper, 14 ft L incline with 2 in flight rubber belt, bottom chute, 2hp. [1st Flr Vegetable Receiving Dept]  | \$ 2,250.00    |
| 156   | Ram Jet Marathon Equipment Stationary cardboard compactor mod. no. RJ 225 ser. no. 51402977 rated @ 56 second cycle time, 51000 lbs max force @ 2.0 cu. yard rating, 31 psi max ram pressure, 10hp, 575v, 3ph/60hz [1st Flr Vegetable Receiving Dept]   | \$ 1,250.00    |
| 157   | MTC Low lift tote dumper mod. no. LE ser. no. 1040199 4000 lb. cap, with 10hp powerpack, approx 60 in dump height capacity, 6 in reach @ 45 deg dump angle, HD stainless construction, low level loading, push hold down button push operators ft control, welded wire side guard. [1st Flr Potato & Carrot Peel Line]  | \$ 1,250.00    |
| 158   | Stainless receiving hopper with side buffer, approx 14 in dia x 9 ft l ss screw auger bottom discharge, 3hp/1720 rpm [1st Flr Potato & Carrot Peel Line]  | \$ 1,250.00    |
| 159   | Dewatering / destoner wash tank system include 24 in w x 15 ft l x 14 ft h elevating conveyor with stainless flighted flat wire belt, 4 ft w x 6 ft L x 4 ft h wash tank, with feed flume and debris incline flighted conveyor, plus 15hp/1765rpm recirculation centrifugal pump, side incline flighted conveyor, stainless [1st Flr Potato & Carrot Peel Line] | \$ 1,250.00    |
| 160   | Brush washer with screw continuous washing / scrubbing machine, 6 brush rollers, spray bar, approx 4000 lbs/hr capacity, 9 ft l x 36 in dia x 65 in h and 14 in dia screw feed/discharge, drain pan and screened chute, with protective mesh screen, stainless [1st Flr Potato & Carrot Peel Line]  | \$ 1,250.00    |
| 161   | Thermoplastic hopper elevator conveyor approx 24 in w x 13 ft l x 14 ft h with flighted modular belt @ 12 in oc x 1-1/2 in flight, 8 ft L x 4 ft w x 4 ft h tapering hopper, 1hp/1700rpm drive motor, bottom drain pan, stainless [1st Flr Potato & Carrot Peel Line]   | \$ 650.00      |
| 162   | Starr Weigh table conveyor 3 ft w x 6 ft l x 2 ft h, with rubber v-belt, flintec - SB145KLB-CUC3 load cells, level sensor, pneumatic discharge system to steam peeler receiving hopper, stainless [1st Flr Potato & Carrot Peel Line]   | \$ 450.00      |

**NATIONAL RIGGING TRANSPORTATION**  
**CONTACT: DARREN CHAPMAN**  
**TEL: 905-704-9011**  
**EMAIL: DARREN@NATIONALRIGGING.COM**

|      |   |             |
|------|---|-------------|
| 163  | GMF Gouda steam peeler mod. no. Sepa-Strator SRS 500E ser. no. SRS 500-090 complete with rotary peeling vessel MAWP @ 262psi / 408 deg F, approx 132 gallons max volume, with receiving hopper, approx 5 ft dia x 8 ft h expansion vessel, carbon steel, NBN -99, 2002, approx 40 in x 40 in x 30 in h discharge hopper, incline after washer screw auger, approx 12 in dia x 14 ft l x 15 ft h with steam shower spray bar, grill top protective cover, HD stainless frame support, pneumatic controlled gate, 2 door stainless control panel with AB SLC-5/05, (3) AB Powerflex AC drives, HP varies from 15/10, 7.5/6 and 5/3 -high/low [1st Flr Potato & Carrot Peel Line]  | \$ 2,500.00 |
| 164  | Abrasive peeler continuous washing feeling machine, 4 brush and 4 abrasive rollers, approx 4000 lbs/hr capacity, 9 ft l x 36 in dia x 65 in h and 14 in dia screw feed/discharge, drain pan and screened chute, with protective mesh screen, stainless [1st Flr Potato & Carrot Peel Line]  | \$ 1,250.00 |
| 164A | Bulk Lot Includes Lots 157 to 164 (WINNER WILL BE DETERMINED BASED ON SUM OF BIDS ON LOTS 157 TO 164 VS BID ON BULK LOT 164A - SUBJECT TO CONFIRMATION)   | \$ 9,850.00 |
| 217  | Dutch Tech Source hot water blancher #3 mod. no. 01.000x3.500 approx 55 in dia x 153 in l shell, with approx 20 in dia x 11.5 ft l perforated auger screw x 12 in pitch, (4) 24 in x 24 in inspection manway with hinged lift up enclosure, Ferris wheel discharge, blanching and discharge set up at 62.5hz/200 def F to 2.04 minutes blanching time, discharge at 65 hz 2 1.96 minutes discharge time, main shaft /discharge shaft @ 4.58 rpm, 95lbs blanched output per 100lbs fresh produce, with expansion vessel, hot and cold cip, recirculation and discharge pump, 0.75hp auger drive, stainless main control panel with AB processor,HMI, AC drives, chart recorder, CIP drain manifold, associated process controls, 575v, 60hz, Built 2017 [1st Flr Carrot blanchers] | \$ 2,750.00 |
| 218  | Andritz hydrosieve mod. no. 5 54 2 36 1 ser. no. 98 42 approx 48 in w static screen water separator, all stainless headbox, recirculation tank and framing support, approx capacity @ 80m3/hr, 7.5hp recirculation pump, front splash cover [1st Flr Carrot blanchers]  | \$ 1,250.00 |
| 219  | Cornell 4 in hydro-food pump mod. no. 4NMP-F5K ser. no. 106607 7.5hp with stainless vortex hopper [1st Flr Carrot blanchers]  | \$ 250.00   |
| 220  | Dutch Tech Source hot water blancher #4 mod. no. 01.000x3.500 approx 55 in dia x 153 in l shell, with approx 20 in dia x 11.5 ft l perforated auger screw x 12 in pitch, (4) 24 in x 24 in inspection manway with hinged lift up enclosure, ferris wheel discharge, blanching and discharge set up at 62.5hz/200 def F to 2.04 minutes blanching time, discharge at 65 hz 2 1.96 minutes discharge time, main shaft /discharge shaft @ 4.58 rpm, 95lbs blanched output per 100lbs fresh produce, with expansion vessel, hot and cold cip, recirculation and discharge pump, 0.75hp auger drive, stainless main control panel with AB processor,HMI, AC drives, chart recorder, CIP drain manifold, associated process controls, 575v, 60hz, Built 2017 [1st Flr Carrot blanchers] | \$ 2,750.00 |

**NATIONAL RIGGING TRANSPORTATION**  
**CONTACT: DARREN CHAPMAN**  
**TEL: 905-704-9011**  
**EMAIL: DARREN@NATIONALRIGGING.COM**

|     |  |                |
|-----|--|----------------|
| 221 | Andritz hydrosieve mod. no. 5 54 2 36 1 approx 48 in w static screen water separator, all stainless headbox, recirculation tank and framing support, approx capacity @ 80m <sup>3</sup> /hr, 7.5hp recirculation pump, front splash cover [1st Flr Carrot blanchers]   | \$ 1,250.00    |
| 222 | Cornell 4 in hydro-food pump mod. no. 4NMP-F5K 7.5hp with stainless vortex hopper [1st Flr Carrot blanchers]   | \$ 250.00      |
| 223 | Blancher inspection platform with (2) 10 steps stairways, Hd stainless framing and safety rails, with GRP pultruded yellow grating deck. [1st Flr Carrot blanchers]  | Please contact |
| 255 | APV Crepaco Dairy tank # 1 mod. no. CRN-0H3509.5 ser. no. K-1329 horizontal, jacketed tank, 2,500 to 2500 gallons capacity approx, 80 in dia x 114 in l, 16 in x 20 in MH, with top mount agitator, spray ball, 50psi / 100deg F, -20deg F / 50psi, jacket pressure, RTD, Flintec load cells, (2) 3 in top supply ports, bottom front discharge, pressure gauge, sample port, all stainless, 4 in dia x 12 in h legs support National Board # 9138, built 1995 [1st Flr Dairy Tank Area] | \$ 750.00      |
| 256 | Stainless Process Equipment tank # 2 ser. no. S7103-1 horizontal, jacketed tank, approx from 2,700 to 3000 gallons / 25,000 pound capacity, 85 in dia x 120 in l, top mount agitator with stainless wash down drive motor, spray ball, top feed ports, front bottom discharge, tank instrumentation ports, Flintec load cells on 4 in dia legs supports lifting lugs, all stainless , built 2016 [1st Flr Dairy Tank Area]   | \$ 750.00      |
| 257 | Waukesha positive displacement pump mod. no. 30 ser. no. 2965098 2hp/1740 drive motor, approx 36gpm capacity, 2 in x 2 in , 575v, 2015 [1st Flr Dairy Tank Area]   | \$ 150.00      |
| 276 | Ammonia Heat Exchanger (4) associated with dairy storage tanks including Chil-Con and Refrigeration Products, approx 14 ft l x 12 in dia, 14 ft l x 10 in dia, 9 ft l x 10 in dia, 8 ft l x 12 in dia, MAWP / MAWT from 200 to 250psi, 200 deg F to 400deg F, 1988 and 1995 [1st Flr Dairy Tank Area]  | \$ 1,250.00    |
| 283 | Rubber belt conveyor with magnet approx 30 in w x 120 in l inspection belt conveyor with PVC corrugated side walled belt, Eriez top mount magnetic separator, angle adjustable, Hyd merging bar control to ribbon blender, stainless frame and support [3rd Flr Habitant Pea line]   | \$ 450.00      |
| 330 | Schick starch receiver approx 6 ft dia x 10 ft h straight x 30 in cone bottom, cone top, with discharge aeration fluidized bed disc approx 5 ft dia, 1/2hp rotary valve, 12 in x 14 in side mh, 32 in x 40 in 8 distribution tubes IQC dust filter / collection system, CV tech p/n 11185-30 rupture disc, process instrumentations / sensors, 5 in dia x 70 in h leg supports, stainless (approx capacity @ 10,000lbs of wheat) [3rd Flr Flour & Starch Room]                           | \$ 1,250.00    |
| 331 | Dresser Roots vacuum blower mod. no. 404 Ram ser. no. 1204949849 rotary lobe positive blower, 25hp /1765rpm, inverter duty enclosed inside noise insulated box, 48 in x 40 in x 54 in , 396cfm, 18psi with Ventilator Direct power vent exhaust fan [3rd Flr Flour & Starch Room]  | \$ 450.00      |

**NATIONAL RIGGING TRANSPORTATION**  
**CONTACT: DARREN CHAPMAN**  
**TEL: 905-704-9011**  
**EMAIL: DARREN@NATIONALRIGGING.COM**

|     |   |             |
|-----|---|-------------|
| 332 | Schick wheat receiver approx 6 ft dia x 10 ft h straight x 30 in cone bottom, cone top, with discharge aeration fluidized bed disc approx 5 ft dia, 1/2hp rotary valve, 12 in x 14 in side mh, 32 in x 40 in 8 distribution tubes IQC dust filter / collection system, CV tech p/n 11185-30 rupture disc, process instrumentations / sensors, 5 in dia x 70 in h leg supports, stainless (approx capacity @ 10,000lbs of what) [3rd Flr Flour & Starch Room]              | \$ 1,250.00 |
| 333 | Dresser Roots vacuum blower mod. no. 404 Ram ser. no. 1204949848 rotary lobe positive blower, 25hp /1765rpm, inverter duty enclosed inside noise insulated box, 48 in x 40 in x 54 in , 396cfm, 18psi, with Ventilator Direct power vent exhaust fan [3rd Flr Flour & Starch Room]  | \$ 450.00   |
| 334 | Schick pit flour receiver approx 6 ft dia x 10 ft h straight x 30 in cone bottom, cone top, with discharge aeration fluidized bed disc approx 5 ft dia, 1/2hp rotary valve, 12 in x 14 in side mh, 32 in x 40 in 8 distribution tubes IQC dust filter / collection system, CV tech p/n 11185-30 rupture disc, process instrumentations / sensors, 5 in dia x 70 in h leg supports, stainless (approx capacity @ 10,000lbs of flour) [3rd Flr Flour & Starch Room]         | \$ 1,250.00 |
| 335 | Dresser Roots vacuum blower mod. no. 404 Ram ser. no. 1204949852 rotary lobe positive blower, 25hp /1765rpm, inverter duty enclosed inside noise insulated box, 48 in x 40 in x 54 in , 396cfm, 18psi, with Ventilator Direct power vent exhaust fan [3rd Flr Flour & Starch Room]  | \$ 450.00   |
| 336 | Schick durum flour receiver approx 6 ft dia x 10 ft h straight x 30 in cone bottom, cone top, with discharge aeration fluidized bed disc approx 5 ft dia, 1/2hp rotary valve, 12 in x 14 in side mh, 32 in x 40 in 8 distribution tubes IQC dust filter / collection system, CV tech p/n 11185-30 rupture disc, process instrumentations / sensors, 5 in dia x 70 in h leg supports, stainless (approx capacity @ 10,000lbs of durum flour) [3rd Flr Flour & Starch Room] | \$ 1,250.00 |
| 337 | Dresser Roots vacuum blower mod. no. 404 Ram ser. no. 1304967684 rotary lobe positive blower, 25hp /1765rpm, inverter duty enclosed inside noise insulated box, 48 in x 40 in x 54 in , 396cfm, 18psi, with Ventilator Direct power vent exhaust fan [3rd Flr Flour & Starch Room]  | \$ 450.00   |
| 338 | Use bin work platform approx 42 in w x 18 ft l x 10 ft h with 10 step access stairways, tubular stainless frame and safety rails, with yellow pultruded fiberglass decking [3rd Flr Flour & Starch Room]  | \$ 1,250.00 |
| 342 | Dresser Roots Starch aeration blower mod. no. 33-U-RAI ser. no. 1204950982 rotary lobe positive blower, 7.5hp , inverter duty, enclosed inside noise insulated box, 195cfm, 10psi, 3600 rpm max with Ventilator Direct power vent exhaust fan [3rd Flr Flour & Starch Room]   | \$ 450.00   |
| 343 | Dresser Roots Flour aeration blower mod. no. 33-U-RAI ser. no. 1204950981 rotary lobe positive blower, 7.5hp , inverter duty, enclosed inside noise insulated box, 195cfm, 10psi, 3600 rpm max with Ventilator Direct power vent exhaust fan [3rd Flr Flour & Starch Room]  | \$ 450.00   |

**NATIONAL RIGGING TRANSPORTATION**  
**CONTACT: DARREN CHAPMAN**  
**TEL: 905-704-9011**  
**EMAIL: DARREN@NATIONALRIGGING.COM**

|      |   |                |
|------|---|----------------|
| 353  | East holding stainless tank approx 60 in dia x 75 in h, cone top and bottom, 20 in dia and 16 in mh, with 6 pitched blade turbine agitator, side baffles, heating elements, top mount agitator gear drive, bottom side discharge with legs support, plus installed control valves and fittings within the tank, 7 steps access ladder [3rd Flr Outside of Dry Mix Room] | \$ 750.00      |
| 354  | APV plate-in-frame sterilizer #1 mod. no. SR-6 GLO ser. no. 854-876 para flow with 3 sections, 115 packed 316 ss plates, approx 18 in w x 55 in h, test pressure 210psi, WP 140psi, 4 in dia ports, approx overall dimension @ 24 in w x 65l x 82 in h, 1991 (machine ID 5550150) [3rd Flr Plate Sterilizer #1]   | \$ 900.00      |
| 355  | Hot hold loop 4 pass, 3 in dia x 12 ft l per pass, from plate hex junction to recirculation pump and diverter manifold, included, with connected thermocouples, tubular frame support [3rd Flr Plate Sterilizer #1]   | \$ 1,250.00    |
| 356  | Vertiflo centrifugal pump mod. no. 1420 ser. no. 16-21447-4-1 7.5hp / 1755rpm horizontal end suction , approx 3600gpm, heads up to 275 ft TDH, 250deg F, back full out type, semi open impeller, cast iron, 316 stainless fitted, size 5x4x8 [3rd Flr Plate Sterilizer #1]  | \$ 150.00      |
| 357  | Waukesha positive displacement pump mod. no. 130 U1 ser. no. 1000003250133 stainless, approx 170gpm, 3 in x3 in , 5/1/2017 [3rd Flr Plate Sterilizer #1]  | \$ 150.00      |
| 358  | Micro Motion mass flow meter mod. no. H2200S352NQBAEZZZ ser. no. 14085289 with model 1700R11ABAEZZZ integrated transmitter, 2008 [3rd Flr Plate Sterilizer #1]  | \$ 150.00      |
| 359  | Sterilizer # 1 process instruments including APV series S3A2050601, 2 in No-LL - Neutral, Alfa Laval 2017, air actuated valves, and air actuated with Siemens valve positioner model 73N2F, header pressure control, (first joint disconnect between, hold loop, pumps, plate HEX [3rd Flr Plate Sterilizer #1]   | Please contact |
| 360  | Control panel for #1 with (2) ABB Commander 1900 chart recorders, plus CM30 process controller, stainless cabinet [3rd Flr Plate Sterilizer #1]   | \$ 450.00      |
| 360A | BULK Lot 354 to 360 (WINNER WILL BE DETERMINED BASED ON SUM OF BIDS ON LOTS 354 TO 360 VS BID ON BULK LOT 360A - SUBJECT TO CONFIRMATION)   | \$ 3,000.00    |
| 361  | APV plate-in-frame sterilizer #2 mod. no. R-51 ser. no. 732-115 para flow with 316ss packed plates, approx 18 in w x 55 in h, test pressure 300psi, WP 200psi, 4 in dia ports, approx overall dimension @ 24 in w x 65l x 82 in h, 1991 [3rd Flr Plate Sterilizer #2]   | \$ 1,250.00    |
| 362  | Hot hold loop 4 pass, 3 in dia x 12 ft l per pass, from plate hex junction to recirculation pump and diverter manifold, included, with connected thermocouples, tubular frame support [3rd Flr Plate Sterilizer #2]   | \$ 1,250.00    |
| 363  | Vertiflo centrifugal pump mod. no. 1420 ser. no. 16-22254-4-1 7.5hp / 1755rpm horizontal end suction , approx 3600gpm, heads up to 275 ft TDH, 250deg F, back full out type, semi open impeller, cast iron, 316 stainless fitted, size 5x4x8 [3rd Flr Plate Sterilizer #2]  | \$ 150.00      |
| 364  | Waukesha positive displacement pump mod. no. 130 [3rd Flr Plate Sterilizer #2]  | \$ 150.00      |
| 365  | Micro Motion flow meter mod. no. H2008352NQBAEZZZ ser. no. 14086341 with model 1700R11ABAEZZZ /sn 3102656 integrated transmitter, 2008 [3rd Flr Plate Sterilizer #2]  | \$ 150.00      |

**NATIONAL RIGGING TRANSPORTATION**  
**CONTACT: DARREN CHAPMAN**  
**TEL: 905-704-9011**  
**EMAIL: DARREN@NATIONALRIGGING.COM**

|      |  |                |
|------|--|----------------|
| 366  | Sterilizer # 2 process instruments including APV series S3A2050601, 2 in No-LL - Neutral, Alfa Laval 2017, air actuated valves, and air actuated with Siemens valve positioner model 73N2F, header pressure control, (first joint disconnect between, hold loop, pumps, plate HEX [3rd Flr Plate Sterilizer #2]  | \$ 1,250.00    |
| 367  | Control panel for #2 with (2) ABB Commander 1900 chart recorders, plus CM30 process controller, (1) AB PanelView 1000 HMI, Moore transducer steam controllers, Sola power supply, stainless cabinet [3rd Flr Plate Sterilizer #2]  | \$ 450.00      |
| 367A | Bulk Lot from 361 to 367 (WINNER WILL BE DETERMINED BASED ON SUM OF BIDS ON LOTS 361 TO 367 VS BID ON BULK LOT 367A - SUBJECT TO CONFIRMATION)   | \$ 3,250.00    |
| 368  | APV plate-in-frame sterilizer #3 mod. no. R-51 ser. no. 737-145 para flow with 316ss packed plates, approx 18 in w x 55 in h, test pressure 300psi, WP 200psi, 4 in dia ports, approx dim 2 24 in w x 65 in l x 82 in h, approx 750gpm, 1991 (machine no. 5550170) [3rd Flr Plate Sterilizer #3]   | \$ 1,250.00    |
| 369  | Hot hold loop 4 pass, 3 in dia x 12 ft l per pass, from plate hex junction to recirculation pump and diverter manifold, included, with connected thermocouples, tubular frame support [3rd Flr Plate Sterilizer #3]  | \$ 650.00      |
| 370  | Vertiflo centrifugal pump mod. no. 1420 ser. no. 05-13476-4-1 7.5 / 1765rpm, horizontal end suction, approx 3600gpm, heads up tot 275 ft TDH, 250deg F, back full out type, semi open impeller, cast iron, 316 stainless fitted, size 5 x 4 x 8 [3rd Flr Plate Sterilizer #3]  | \$ 150.00      |
| 371  | Waukesha positive displacement pump mod. no. 130 - U1 ser. no. 100000325-8459 stainless, approx 5hp, 150gpm, 200psi, 3 in x 3 in , 330/575v [3rd Flr Plate Sterilizer #3]  | \$ 150.00      |
| 372  | Micro Motion flow meter mod. no. H2008352NQ8AEZZZZ ser. no. 14086344 with model 1700R11ABEZZZ /sn 3101838 remote transmitter, mounted on the side of control cabinet, 2008(unit no. FM 0052) [3rd Flr Plate Sterilizer #3]   | \$ 150.00      |
| 373  | Sterilizer # 3 process instruments including APV series S3A2050601, 2 in No-LL - Neutral, Alfa Laval 2017, air actuated valves, and air actuated with Siemens valve positioner model 73N2F, header pressure control, (first joint disconnect between, hold loop, pumps, plate HEX) [3rd Flr Plate Sterilizer #3]   | Please contact |
| 374  | Control panel for #3 with (2) ABB Commander 1900 chart recorders, plus CM30 process controller, stainless cabinet [3rd Flr Plate Sterilizer #3]  | \$ 450.00      |
| 374A | Bulk Lot 368 to 374 (WINNER WILL BE DETERMINED BASED ON SUM OF BIDS ON LOTS 368 TO 374 VS BID ON BULK LOT 374A - SUBJECT TO CONFIRMATION)  | \$ 2,750.00    |
| 375  | Tube in shell heat exchanger set and steam system approx 8 in dia x 7 ft l booster HEX with steam trap, thermocouples interconnected HEX and steam system piping / fitment, both stainless and carbon steel /CI from 3 in to 6 in dia with control valves, pressure gages, Flowserve apex 8000 pilot valve / high pressure positioner control valves, within mezzanine behind loop hold #1 to 3 located above Sterilizer #1 (machine ID no. 5550400) [3rd Flr Plate Sterilizer #3] | \$ 450.00      |
| 378  | Hot water supply tank stainless, approx 6 ft dia x 6 ft h straight , cone top / bottom , with 1hp /1725rpm Lightnin mixer, integrated 4 steps inspection ladder, 4 in dia legs support, 20 in dia mh, (12) top ports from 2 in dia x 6 in dia, approx 2 in dia center bottom discharge (located on the mezzanine) [3rd Flr Plate Sterilizer #3]  | \$ 2,250.00    |

**NATIONAL RIGGING TRANSPORTATION**  
**CONTACT: DARREN CHAPMAN**  
**TEL: 905-704-9011**  
**EMAIL: DARREN@NATIONALRIGGING.COM**

|     |   |                |
|-----|---|----------------|
| 379 | Hot water supply tank stainless, approx 6 ft dia x 6 ft h straight , cone top / bottom , 3 loop 2 in dia steam heating tube, integrated 4 steps inspection ladder, 4 in dia legs support, 20 in dia mh, (10) top ports from 2 in dia x 6 in dia, spray ball, approx 6 in dia center bottom discharge (located on the mezzanine) [3rd Flr Plate Sterilizer   | \$ 2,250.00    |
| 387 | 3 Tank CIP System with (4) approx 500 gallons capacity, dome top, 48 in dia x 78 in h CIP tanks, asset no. 10043789, 10043788, 1004387, 18 in dia mh, 316stainless, 10 in dia x 6 ft I HEX, including associated CIP control valves, pipes , fittings, in-line filter, 20hp Waukesha SPX pump, 6 steps inspection ladder, 5 ports diversion manifold, CIP pipe from 1-1/2 to 4 in dia, APV Process control stainless cabinet, 120/24v unit CP-3-09 with chart recorder, AB PanelView HMI, PLC -5/20 processor, (within CIP Pit area only) [3rd Flr Plate Sterilizer #3] | Please contact |
| 395 | (2) AB and SQ-D MCC panels mod. no. model 6 and Centerline Bulletin 2100 Consists of (2) 11 section panels with 21 and 41 disconnect switches, 600A horiz, 300A vert bus ratings, 3ph/60hz, 600VAC /CA SQ-D, 1600A horiz, 300A vert bus ratings, 600VAC, 400A for Allen Bradley, (MCC-3-010, MCC-3-011) (located inside MCC room beside Toilet and Service stair) [3rd Flr Plate Sterilizer #3]   | \$ 1,250.00    |
| 397 | Sort table #3 4 ft w x 5 ft l x 1 ft h, with 8 in w discharge chute fitted with magnetic separator, on approx 8 ft x 9 ft work platform, with yellow Pultruded fiberglass floor deck, stainless frame and safety rails, 3 steps access stairway, plus approx 5000 lbs capacity, 4 ft x4 ft stainless checkered plate deck floor scale with easy access ramp, Rice Lake model CW801-@A digital read out /sn 1501100056, 115vac, 50/60hz [2nd Flr Meat Prep Area]   | \$ 650.00      |
| 398 | Sort table #2 4 ft w x 5 ft l x 1 ft h, with 8 in w discharge chute fitted with magnetic separator plus floor scale, approx 5000 lbs capacity, 4 ft x4 ft stainless checkered plate deck floor scale with easy access ramp, Rice Lake model CW801-@A 2A, digital read out /sn 1670300155 , 115vac, 50/60hz [2nd Flr Meat Prep Area]   | \$ 650.00      |
| 399 | Sort table #1 4 ft w x 5 ft l x 1 ft h, with 8 in w discharge chute fitted with magnetic separator plus floor scale, approx 5000 lbs capacity, 4 ft x4 ft stainless checkered plate deck floor scale with easy access ramp, Rice Lake model CW801-2A, digital read out /sn 1628300036, 115vac, 50/60hz [2nd Flr Meat Prep Area]   | \$ 650.00      |
| 400 | Shared sorting table platform approx 15 ft x 15 ft x 3 ft h work platform, with yellow Pultruded fiberglass floor deck, stainless frame and safety rails, (3) 3 steps access stairways [2nd Flr Meat Prep Area]   | \$ 650.00      |
| 403 | Stainless meat hopper approx 72 in x 72 ft top x 30 in x 24 in bottom x 4 ft h, with magnetic separator flat bars, PPM Technologies model cluster buster, s/n X42617D005, with 3hp drive motor, (13) 2 blade rotary breaker, 16 in x 24 in x 16 in h receiving hopper, on angular slide tract to meat hopper bottom [2nd Flr Meat Prep Area]  | \$ 650.00      |
| 404 | Inspection platform approx 36 in w x 20 ft l total length, x 5 ft h with 6 steps access stairway with yellow pultruded fiberglass floor deck, stainless frame and safety rails [2nd Flr Meat Prep Area]   | Please contact |
| 406 | Fairbanks floor scale mod. no. H90-5200-A ser. no. 70020100008 4 set point, digital read out with 3 ft w x 6 ft l in -ground checkered plates platform deck [2nd Flr Meat Prep Area]  | \$ 150.00      |

**NATIONAL RIGGING TRANSPORTATION**  
**CONTACT: DARREN CHAPMAN**  
**TEL: 905-704-9011**  
**EMAIL: DARREN@NATIONALRIGGING.COM**

|     |   |             |
|-----|---|-------------|
| 407 | Beef dicing stainless control panel 600v, 3ph/60hz, with (2) AB powerflex 70, 5/3hp, automation /electrical wiring components [2nd Flr Meat Prep Area]  | \$ 450.00   |
| 414 | Andritz Sprout Bauer hydrasieve #1 mod. no. 554-2-36 ser. no. 98-11 36 in wide wave pattern static screen with Highland Equipment 36 in x 20 in x 40 in deep discharge hopper - s/n 51913 (1998) approx 36 in x 36 in x 57 in h feedbox with 8 in dia flange discharge port, all stainless [2nd Flr Dewatering & Area]  | \$ 1,450.00 |
| 415 | Rice Lake Floor scale mod. no. CW-90X-A approx 30 in w x 72 in l in -ground with stainless chequered plate deck [2nd Flr Dewatering & Area]   | \$ 750.00   |
| 426 | Andritz Sprout Bauer hydrasieve mod. no. 554-36 approx 30 in w x 2 stage, wave pattern static screen with 30 in x 40 in x 48 in h head box 30w diverter discharge chutes [2nd Flr Dewatering & Area]  | \$ 1,250.00 |
| 428 | Rice Lake Floor scale mod. no. CW-90X-A approx 30 in w x 72 in l in -ground with stainless chequered plate deck [2nd Flr Dewatering & Area]   | \$ 150.00   |
| 429 | MTC dual station drum washer mod. no. FETE ser. no. 940163 hyd vat washing positioner with approx 36 in x 36 in container carriage, latches /hold down , 44 in dump height, dumper tilt, up/down control, 12 in from ground loading height, hyd power pack, HD stainless frame and support [2nd Flr Dewatering & Area]  | \$ 1,500.00 |
| 433 | (5) Stainless soup bowls 44 in dia x 32 in deep with carbon steel bowl dolly [2nd Flr Lyco Blancher Area]   | \$ 180.00   |
| 436 | (5) Stainless soup bowls 44 in dia x 32 in deep with carbon steel bowl dolly [2nd Flr Lyco Blancher Area]   | \$ 180.00   |
| 437 | (5) Stainless soup bowls 44 in dia x 32 in deep with carbon steel bowl dolly [2nd Flr Lyco Blancher Area]   | \$ 180.00   |
| 438 | (5) Stainless soup bowls 44 in dia x 32 in deep with carbon steel bowl dolly [2nd Flr Lyco Blancher Area]   | \$ 180.00   |
| 443 | Airtech Vacuum Regen blower E#3 mod. no. 3BA7620 ser. no. 031320120-02 10hp /3515rpm (inside 2 door stainless cabinet) [2nd Flr Flour Unloading (Emulsion)]   | \$ 650.00   |
| 444 | Norman Liquefier #2 approx 36 in x 36 in x 25 in h, with 30 in h legs support, 24 in x 24 in mh with hinged flip top lid cover, high shear bottom mount agitator,15hp / 1770rpm bottom side mount belt driven drive motor, center bottom side discharge, mh protective grill, all stainless, approx 175 gallons capacity, Waukesha centrifugal recirculation pump mod. no. spx stainless, 2hp /1755rpm, 575v, 3ph/60hz [ Emulsion Liquifying Deck] (tagged as 444 and 445)        | \$ 1,350.00 |
| 446 | Norman Liquefier #3 approx 36 in x 36 in x 25 in h, with 30 in h legs support, 24 in x 24 in mh with hinged flip top lid cover, high shear bottom mount agitator,15hp / 1765rpm bottom side mount belt driven drive motor, center bottom side discharge, mh protective grill, all stainless, approx 175 gallons capacity, Waukesha centrifugal recirculation pump mod. no. spx stainless, 2hp /1755rpm, 575v, 3ph/60hz [2nd Flr Emulsion Liquifying Deck] (tagged as 446 and 447) | \$ 1,350.00 |
| 448 | Shick Overhead hopper receiver 30 in dia x 36 in straight x 15 in cone, integrated dust collector with (4) distribution tube system on load cells with Brabender loss in weight feeder, type FW80/5plus -OHF [2nd Flr Emulsion Liquifying Deck]   | \$ 1,750.00 |

**NATIONAL RIGGING TRANSPORTATION**  
**CONTACT: DARREN CHAPMAN**  
**TEL: 905-704-9011**  
**EMAIL: DARREN@NATIONALRIGGING.COM**

|      |   |                |
|------|---|----------------|
| 449  | Shick Overhead hopper receiver 30 in dia x 36 in straight x 15 in cone, integrated dust collector with (4) distribution tube system on load cells with Brabender loss in weight feeder, type FW80/5plus -OHF [2nd Flr Emulsion Liquifying Deck]   | \$ 1,750.00    |
| 450  | Stainless platform deck (1) 20 ft l x 15 ft w x 2 ft h (1) 10 ft l x 3 ft w x 7 ft h with 3 and 7 steps access stairways, yellow pultruded fiberglass floor deck, HD stainless frame and safety rails (deck in front of liquefier and inspection deck behind) [2nd Flr Emulsion Liquifying Deck]  | Please contact |
| 451  | Rotoclone compact wet scrubber system mod. no. 1655182-003 ser. no. W12001 style WFQ12SS0C, size 12, 10hp /1760rpm, 90deg outlet, 2,800rpm max, with expansion chamber, 575v, 30 in dia x 20 in h plus connected stainless exhaust duct to liquefier #2 and #3 approx 6 in dia to 12 in dia centrifugal outlet [2nd Flr Emulsion Liquifying Deck] | \$ 600.00      |
| 452  | Tawi vacuum easyliifter and scale 90lbs max lift capacity with Gorbels, Conveyerail cross bar gantry system with vacuum pump (located behind hoppers) 2014 plus (1) Rice lake platform scale model CW90X /sn 17032000018 with 30 in x 24 in stainless platform [2nd Flr Emulsion Liquifying Deck]   | \$ 500.00      |
| 452A | Bulk Lot from 444 to 452 (WINNER WILL BE DETERMINED BASED ON SUM OF BIDS ON LOTS 444 TO 452 VS BID ON BULK LOT 452A - SUBJECT TO CONFIRMATION)  | \$ 7,250.00    |
| 457  | Emulsion holding tank #3 jacketed stainless, 50 in dia x 55 in h with 20 in h mh, dome top, cone bottom, level and temp transmitters, 24 in h legs support, center bottom discharge, (4) top and (2) side ports , approx 425 gallons capacity [2nd Flr Homogenizing & Extractor Areas]  | \$ 600.00      |
| 461  | Waukesha centrifugal pump mod. no. W30750 ser. no. 316241 stainless, 7.5hp /1760rpm, 575v, 3ph/60hz [2nd Flr Homogenizing & Extractor Areas]  | \$ 150.00      |
| 463  | Rice Lake SS platform scale mod. no. CW90X-A in-ground , 48 in x48 in with chequered plate deck [2nd Flr Homogenizing & Extractor Areas]  | \$ 150.00      |
| 464  | Rice Lake SS platform scale mod. no. CW801-21 in-ground , 48 in x48 in with chequered plate deck [2nd Flr Homogenizing & Extractor Areas]   | \$ 150.00      |
| 465  | Knud Simonsen Column type barrel dumper mod. no. D5000 ser. no. W89-119 with 25 in x 45 in h barrel holder, 54 ft h dumping height, plus Hayward Gordon mixer, model DCA6-2, s/n 296189-1, 2hp agitator, stainless frame, support and contact parts [2nd Flr Homogenizing & Extractor Areas]  | \$ 750.00      |
| 473  | MTC stainless column barrel dumper mod. no. HLC-1 ser. no. 6886 800lbs capacity High lift dumper with approx 18 in x 25 in barrel holder, with 26 in x 50 in 12 in h barrel roller infeed, 12 in x 18 in x 10 ft h column, 9 ft dump height, stainless (unit no. 5405100) [2nd Flr CBS Platform]  | \$ 650.00      |
| 479  | Waukesha positive displacement pump mod. no. 30 U1 ser. no. 100000-2714755 stainless, 2 in x2 in , 1.5hp, 330/575v, on skid, 2011 [2nd Flr CBS Platform]  | \$ 150.00      |
| 480  | Waukesha positive displacement pump mod. no. 30 U1 ser. no. 1000002714754 stainless, 2 in x2 in , 1.5hp, 330/575v, on skid, 2011 [2nd Flr CBS Platform]   | \$ 150.00      |
| 525  | Fleetwood System Magnet elevator mod. no. type PF 10 ser. no. 24630 stainless clad column with 4 in wide conveyor belt, approx on 6-1/2 x 18 in x 14 ft h from ground to top of head, top mount drive, (id 6402400) [2nd Flr Can Filling Line C]  | \$ 1,500.00    |

**NATIONAL RIGGING TRANSPORTATION**  
**CONTACT: DARREN CHAPMAN**  
**TEL: 905-704-9011**  
**EMAIL: DARREN@NATIONALRIGGING.COM**

|     |  |                |
|-----|--|----------------|
| 526 | (2) C-Line Empty Can Washers 12 in x 14 in x 6 ft with Peco CSI electro arm can stop model C-3855, 115vac, vibratory device with attached can twist [2nd Flr Can Filling Line C]   | \$ 950.00      |
| 527 | (2) D-Line Empty Can Washers 12 in x 14 in x 6 ft with Peco CSI electro arm can stop model C-3855, 115vac, vibratory device with attached can twist (id no. 6402100) [2nd Flr Can Filling Line C]  | \$ 950.00      |
| 529 | Stainless control panels (1) 2 door processor panel, (1) Pneumatic panel for D line [2nd Flr Filling Line D Area]  | \$ 450.00      |
| 531 | Solbern cascade filler mod. no. LFF 103 ser. no. 25053 straight line continuous filler, 58 travelling funnel with lugged chain can conveyor @ approx 6 in pockets, overflow and product containers fitted with process pipework, seamer driven model, approx 1000cpm, but rated for 1400cpm, provided with slide out door cover , all stainless clad and contact parts [2nd Flr Filling Line D Area]   | Please contact |
| 532 | Filler surge tank stainless, 52 in dia x 30 in h, bottom side discharge, 2 and 3 in ports, with 2 in dia hot water coil inside tank, complete with level and temp probe, (1) Rosemount magnetic flow tube with series 8712 transmitter, support platform all stainless with yellow pultruded deck, 10 steps access stairways [2nd Flr Filling Line D Area]   | \$ 1,250.00    |
| 533 | Magnetic elevator stainless clad column with 4 in wide conveyor belt, approx on 6-1/2 x 18 in x 12 ft h from ground to top of head, top mount drive plus (1) in line full can washer, plus suspended inspection platform [2nd Flr Filling Line D Area]   | \$ 2,800.00    |
| 534 | ABS 2 shell cooker #2 211 x 400, 600 CPM, approx 5 ft dia x 15 ft and 12 ft long shell cooker and cooler system with isolation , infeed, cooler to cooker transfer valves, lube manzel, drive assembly, 15hp /1750rpm drive assembly, drop out chute, fitted with discharge paddle, cup feed paddle, shell pressure @ 250psi, WP @ 33lbs, NBN - 535, complete with associated Alpine conveyor with Republic air knives can dryer and control panel with ABB commander 1900 chart recorders, AB HMI [2nd Flr Can Cooker/Coolers #2 & #4]                    | \$ 9,500.00    |
| 535 | FMC shell cooker #4 mod. no. Sterilmatic ser. no. 3656-240-66 211 x 300 & 211 x 400, 550 CPM, approx, 5 ft dia shell cooker and cooler system with isolation infeed, cooler to cooker transfer valves, lube manzel, drive assembly, 15hp /1750rpm drive assembly, drop out chute, fitted with discharge paddle, cup feed paddle, shell pressure @ 250psi, WP @ 33lbs, complete with associated Alpine conveyor with Republic air knives can dryer and control panel with ABB commander 1900 chart recorders , NB 1333 [2nd Flr Can Cooker/Coolers #2 & #4] | \$ 9,500.00    |
| 540 | Quantum Services Inc 4 Lane can washer and drop former P Line washer for 48 /28, 7.5, 10 and 19 oz empty can washers with can twist from can alley and to connecting table top conveyors, catch pan, plus suspended horizontal receiving can conveyor approx 20 ft l [2nd Flr Filling Line P]  | \$ 2,250.00    |

**NATIONAL RIGGING TRANSPORTATION**  
**CONTACT: DARREN CHAPMAN**  
**TEL: 905-704-9011**  
**EMAIL: DARREN@NATIONALRIGGING.COM**

|      |   |             |
|------|---|-------------|
| 541  | Slurry supply tank stainless, approx 85 in dia x 32 in h, dimpled bottom, center bottom discharge, with 18 in x 30 in top mh, 1/2hp lightnin mixer spx, model X5P25/sn 289937-2013, level and temp probe, 4 in and 6 in dia top ports, 4 in dia in line screen filter, with platform, associated sanitary process pipework within the platform plus (1) Rosemount series 8712 magnetic flow tube and transmitter, work /inspection platform with 11 steps access stairways, pultruded fiberglass deck, all stainless frame and support [2nd Flr Filling Line P]   | \$ 1,750.00 |
| 546  | Solbern style cascade filler mod. no. LFF103 straight line continuous filler, 58 travelling funnel with lugged chain conveyor @ approx 6 in pockets, overflow and product containers fitted with process pipework, seamer driven model, approx 1000cpm, but rated for 1400cpm, provided with slide out door cover , all stainless clad and contact parts [2nd Flr Line T Canning Area]  | \$ 1,250.00 |
| 550  | Zilli & Bellini 2 station pocket filler mod. no. MA25 ser. no. MA255802-2002 (2) 25 pockets volumetric multi filler, with 3-1/2 in x 16 ft long thru conveyor, approx 8 ft dia x 5 in h product bowl, with poly / stainless bowl paddles, plus 180 deg table top conveyor stain approx 20 ft long from filler , timing screw, pvc star wheels, stainless contact parts and cladding, plus star wheel parts for no.1,2 and 3, 211 cans on A-frame mobile rack, [2nd Flr Filling Line W]  | \$ 5,250.00 |
| 551  | Flexicon hopper feeder system 30 in dia x 4 ft h with 8 in dia bottom discharge, vibratory device, vortex slide knife gate, [2nd Flr Filling Line W]  | \$ 650.00   |
| 553A | Suspended table top feed conveyor 4-1/2 in x 20 ft long with connecting twist drop, stainless frame, plastic table top belt [2nd Flr Filling Line W]  | \$ 450.00   |
| 554  | Meatball pocket dropper filler 32 pockets with 55 in dia manual height adjust product bowl, timing screw, 1.5hp belt driven gear drive, vibratory device, pull/push button filler and conveyor switches, stainless contact parts and tubular frame support plus extra parts including pucks no.1, 2 and 4 plus puck extension inside stainless cabinet (cabinet not included located) [2nd Flr Filling Line W]  | \$ 1,500.00 |
| 555  | Table top conveyor approx 140 ft total length x 3 in and 4 in wide, from pocket filler to checkweigh station, and checkweigh discharge to filler infeed. With, plastic table top belt, gear drives, stainless frame and supports (includes 180 deg, 90 deg and in s and y in segments) [2nd Flr Filling Line W]   | \$ 2,250.00 |
| 558  | Elmar 28 station piston filler mod. no. RPE-528-I with approx 80 gallons capacity, 30 in dia x 24 in h product fill bowl, 1hp bowl agitator, flow, level and temp probe, quick change nozzle, range capacity from 2 in to 4-1/2 in dia containers, 67oz maximum fill, approx 3-3/4 in dia x 7 in stroke side, with exhaust hood, star wheel infeed /discharge, timing screw for 401 x 411 cans, 5 in x 5 ft , 3hp drive, discharge table top conveyor, all stainless contact parts, claddings and hood, plus (1) dual rotary parts rack and bins mounted on mobile stainless stand. [2nd Flr Filling Line | \$ 1,250.00 |
| 564  | ABS 6 shell cooker cooler 401 x 411 , approx 5 ft dia x 35 ft and 50 ft long shell continuous cooker and cooler system with isolation , infeed, cooler to cooker transfer valves, lube manzel, drive assembly, drive assembly, drop out chute, fitted with discharge paddle, cup feed paddle, shell infeed stripper, shell WP @ 33lbs, NBN - 2802 (reconditioned by Marchant Schmidt Inc) [2nd Flr Cooker Cooler Line   | \$ 9,500.00 |

**NATIONAL RIGGING TRANSPORTATION**  
**CONTACT: DARREN CHAPMAN**  
**TEL: 905-704-9011**  
**EMAIL: DARREN@NATIONALRIGGING.COM**

|      |   |                |
|------|---|----------------|
| 565  | Teledyne Tap Tone can inspection system mod. no. T400 ser. no. 52358 dud detector, Std ANSI - 23-985-111-X, with reject basket, 1hp 1760rpm drive motor, pedestal type user interface /HMI, complete with table top feed conv to full can conveyor to cooker (NOTE: buyer will be responsible for local / federal regulations pertaining to shipping and transport) [2nd Flr Cooker Cooler Line #7]                                 | \$ 2,250.00    |
| 566  | Genmac Hydraflaker flaker /slicer block capacity 10 in x 24 in x 24 in, @ 3 blocks /min, with slice blade on flow through cutting drum @ approx 540rpm, 1/4 in to 1/8 in slice, auto stop, pneumatic ram, 10hp drive, with discharge tank, 304 stainless [2nd Flr Filling Line W]   | \$ 500.00      |
| 567  | Egg mixing tank system stainless, 24 in dia x 30 in h with lightning mixer hyd operated, (2) centrifugal and (1) positive displacement Waukesha pumps, (1) 8 in dia magnet separator, (1) in-line screen filter, associated sanitary pipings, control valves (only within the confine of egg process area) [2nd Flr Cooker Filling Line W]  | \$ 1,250.00    |
| 568  | Demaco pasta extruder system with preconditioning mixer, dual paddle agitator on approx 24 in w x 80 in l x 20 in deep hull, with grill top protective cover complete with 4 rollers sheeter /cutter with 8 fill spout noodle can filler with blower dryer, infeed conveyor plus associated operators interface panel, and approx 50hp main drive motor, all stainless contact parts [2nd Flr Filling Line W]                       | \$ 2,500.00    |
| 568A | (2) Dry ingredient feed hoppers located above pasta extruder consisting of feed hopper with 1hp airlock complete, (1) cyclone feed hopper, with suspended inspection platform with caged access ladder [2nd Flr Filling Line W]   | \$ 2,500.00    |
| 569  | Lyco Blancher #1 mod. no. 8600 ser. no. RDB089713055-1 type 60 in dia x 24 ft l rotary drum /auger, gravity chute feed / discharge 2 way flip top cover, 2 to 60 min retention time , 200lbs capacity per flight, associated steam system, sanitary pipings including valve controls, cip/recirculating pumps, connecting flume tank and control panels for unit #1 (id no. 577-200) [2nd Flr Pea & Bean Blancher Area]             | \$ 9,500.00    |
| 570  | Lyco Blancher #2 mod. no. 8600 ser. no. RDB089713055 type 60 in dia x 24 ft l rotary drum /auger, gravity chute feed / discharge 2 way flip top cover, 2 to 60 min retention time , 200lbs capacity per flight, associated steam system, sanitary pipings including valve controls, cip/recirculating pumps, connecting flume tank, gear drives, and control panels for unit #1 (id no. 577-200) [2nd Flr Pea & Bean Blancher Area] | \$ 9,500.00    |
| 570A | Stainless inspection platform surrounding Lyco blanchers 1 & 2 with stairways [2nd Flr Pea & Bean Blancher Area]  | Please contact |
| 571  | Olney destoner stainless, 40 in x 8 ft long x 6 in h with riffle washing board, , recirculation tank 42 in x 65 in x 18 in h, catch pan, Eriez magnetics dewatering shaker, 42 in x 58 in to transfer conveyor 38 in x 66 in with modular plastic belt to vortex tank [2nd Flr Pea & Bean Blancher Area]  | \$ 1,250.00    |
| 572  | Cornell hydro-food pump mod. no. 4NMP-F16K ser. no. 104514-9.00 with vortex hopper, 36 in x 25 in x 18 in h plus Highland flume tank 24 in x 48 in x 30 in h including 7-1/2hp Deming centrifugal flume pump , stainless [2nd Flr Pea & Bean Blancher Area]   | \$ 150.00      |

**NATIONAL RIGGING TRANSPORTATION**  
**CONTACT: DARREN CHAPMAN**  
**TEL: 905-704-9011**  
**EMAIL: DARREN@NATIONALRIGGING.COM**

|      |   |                |
|------|---|----------------|
| 574  | Supersack pea hopper # 1 mod. no. Wright with 6 ft x10 ft x6 ft h hopper with partition, (2) 2 ton electric chain hoist on carbon steel support structure (id no. 30007000) [2nd Flr Pea & Bean Blancher Area]  | \$ 2,750.00    |
| 577  | MTC dumper B mod. no. LEC ser. no. 118497 approx 36 in w bin holder, 30 in loading height, with integrated receiving hopper to drum fill spout, adjustable, welded wire protective barrier, control buttons, with hydraulic pump unit, and stainless control panel [2nd Flr Bean Blancher Area]   | \$ 1,250.00    |
| 578  | MTC dumper C mod. no. LEC ser. no. 118488 approx 36 in w bin holder, 30 in loading height, with integrated receiving hopper to drum fill spout, adjustable, welded wire protective barrier, control buttons, with hydraulic pump unit, and stainless control panel [2nd Flr Bean Blancher Area]   | \$ 1,250.00    |
| 579  | MTC dumper D mod. no. LEC ser. no. 118489 approx 36 in w bin holder, 30 in loading height, with integrated receiving hopper to drum fill spout, adjustable, welded wire protective barrier, control buttons, with hydraulic pump unit, and stainless control panel [2nd Flr Bean Blancher Area]   | \$ 1,250.00    |
| 580  | Rice Lake scale mod. no. CW90X in ground with chequered plate deck approx 4 ft x4 ft [2nd Flr Bean Blancher Area]   | \$ 150.00      |
| 581  | Rice Lake scale mod. no. CW90X in ground with chequered plate deck approx 4 ft x4 ft [2nd Flr Bean Blancher Area]   | \$ 150.00      |
| 584  | Shick Flour Dorum bulk bag unloader /pneumatic conveying system with 2 ton JLC, 2hp food grade hoist fitted with bulk bag lifting tree, pneumatically controlled alternate cycle loading platform to air lift tie box with connecting air lock to vacuum blower suction point to aluminum transfer line, dust collection system with dry type filter, Cincinnati Fan blower, pendant switch, AB plus 1250 HMI, on approx 64 in x 72 in x 18 ft h HD stainless tubular frame [2nd Flr Grain, Starch & Ingredient   | \$ 3,750.00    |
| 585  | Roots vacuum blower mod. no. 409 Ram ser. no. 1204950212 rotary lobe, 50hp inside noise insulated stainless cabinet with damper and damper motor control, Belimo TFB120S damper actuator (id no.10058860) [2nd Flr Grain, Starch & Ingredient Areas]  | \$ 750.00      |
| 586  | Shick Starch bulk bag unloader /pneumatic conveying system with 2 ton JLC, 2hp food grade hoist fitted with bulk bag lifting tree, pneumatically controlled alternate cycle loading platform to air lift tie box with connecting air lock to vacuum blower suction point to aluminum transfer line, dust collection system with dry type filter, Cincinnati Fan blower, pendant switch, AB plus 1250 HMI, on approx 64 in x 72 in x 18 ft h HD stainless tubular frame [2nd Flr Grain, Starch & Ingredient Areas] | \$ 3,750.00    |
| 587  | Roots vacuum blower mod. no. 409 Ram ser. no. 1204950212 rotary lobe, 50hp inside noise insulated stainless cabinet with damper and damper motor control, Belimo TFB120S damper actuator (id no.10058860) [2nd Flr Grain, Starch & Ingredient Areas]  | \$ 750.00      |
| 587A | Flour-starch work platform stainless frame construction with safety rails [ Grain, Starch & Ingredient Areas]   | Please contact |
| 587B | Bulk Lot Lots 584 to 587A (WINNER WILL BE DETERMINED BASED ON SUM OF BIDS ON LOTS 584 TO 587A VS BID ON BULK LOT 587B - SUBJECT TO CONFIRMATION)  | \$ 9,000.00    |

**NATIONAL RIGGING TRANSPORTATION**  
**CONTACT: DARREN CHAPMAN**  
**TEL: 905-704-9011**  
**EMAIL: DARREN@NATIONALRIGGING.COM**

|     |   |                |
|-----|---|----------------|
| 588 | Salt dissolving system including (2) poly salt /brine tanks, 4 ft dia x 4 ft h, (2) HD stainless unloading frame with approx 10 in dia receiving spout, Waukesha 2hp 2065 series, brine and recirculating pumps, (2) Parkers filter vessels model EHG0572T, ABB TB82 electrode conductivity instruments, brine and salt dissolution control, PVC pipings within pit [2nd Flr Grain, Starch & Ingredient Areas]                      | \$ 2,250.00    |
| 590 | Cherry Industrial Pallet Inverter single clamp, 50 in wide x 50 deep load table x 86 in h max jaw opening , freestanding 180 deg inverter, 4400lbs capacity rating, 575vac, 3ph/60hz [2nd Flr Grain, Starch & Ingredient Areas]   | \$ 1,250.00    |
| 595 | Continuous blending control panel control and power panels,2 door stainless, 120vac,6amp and 600vac, 60amp, 3ph with AB processors, automation and electrical wiring components plus (6) Rosemount series 8712 transmitters (CP-2-B8-2 -CP-2B8-1) [2nd Flr Grain, Starch & Ingredient Areas]  | \$ 600.00      |
| 600 | Stork Hydrastatic Line A mod. no. Hydromatic ser. no. 17705 for 14oz and 19oz, long cook and cool process, approx total no of flight @ 1528, steam section @ 765 flights, cooling and return @ 525 flights, regenerating cooled and return water system, side load, plus feed and discharge center conveying system on mezzanine and ground floor, rated @ 2000cpm (211 x 400, 300 x 407 & 307 x 409) [2nd Flr Hydrastatic Cookers] | Please contact |
| 601 | Stork Hydrastatic Line B mod. no. Hydromatic for 7.5oz and 10oz, long cook and cool process, approx total no of flight @ 2202, steam section @ 1007 flights, cooling and return @ 686 flights, regenerating cooled and return water system, side load plus feed and discharge center conveying system on mezzanine and ground floor rated @ 2000cpm, (211 x 300, 211 x 400) [2nd Flr Hydrastatic                                    | Please contact |
| 603 | AC drives infeed VFD drive panels with AB ac drives plus StrongArm HMI monitors (CP-2-Sv4-4, CP-2Tv-4.) [2nd Flr Hydrastatic Cookers]   | Please contact |
| 604 | Processed can transfer and Alpine accumulation conveyor system B received from cooker B discharge to overhead can track conveyor, system includes multiple can drying air knives, can conveyor transfer from cooker discharge to 4 pass Alpine accumulation conveyor included, stainless frame [2nd Flr Hydrastatic Cookers]  | \$ 7,500.00    |
| 605 | Processed can transfer and Alpine accumulation conveyor system A received from cooker A discharge to overhead can track conveyor, system includes (2) can drying air knives, can conveyor transfer from cooker discharge to 4 pass Alpine accumulation conveyor included, stainless frame [2nd Flr Hydrastatic Cookers]   | \$ 7,500.00    |
| 606 | Drive control panels and auxiliary compressor (2) AC drive panels for Alpine and discharge conveyors plus 1 auxiliary air compressor (CP-2-Sv5-1, SB1A) [2nd Flr Hydrastatic Cookers]   | \$ 2,250.00    |
| 607 | Key Iso-Flo dewatering shaker mod. no. SHO2007866 ser. no. W1022930-007450 stainless, 36 in x 74 in x 9 in h with eccentric vibratory motor, 5.5 stroke /869rpm, conical center bottom drain discharge, 6 in dia water return, with AB control logix L43 processor panel, AB plus 1250 HMI [2nd Flr Carrot Dewatering System/Line 5]  | \$ 1,500.00    |
| 608 | Receiving hopper dimpled stainless , approx 4 ft x 4 ft x 5 ft h, 8 in x 8 in center bottom discharge on tubular stand (buyer get only 2 front legs support) [2nd Flr Carrot Dewatering System/Line 5]  | \$ 250.00      |

**NATIONAL RIGGING TRANSPORTATION**  
**CONTACT: DARREN CHAPMAN**  
**TEL: 905-704-9011**  
**EMAIL: DARREN@NATIONALRIGGING.COM**

|      |  |             |
|------|--|-------------|
| 609  | Flume tank stainless 24 in x 5 ft x 4 ft h with Waukesha 2065 /sn 257725-0 recirculating pump, and connecting recirculating pipe to shaker [2nd Flr Carrot Dewatering System/Line 5]   | \$ 600.00   |
| 610  | Shaker work platform stainless frame and safety rails, access stairway with yellow pultruded fiberglass deck [2nd Flr Carrot Dewatering System/Line 5]   | \$ 2,250.00 |
| 610A | Bulk Lot 607 to 610 (WINNER WILL BE DETERMINED BASED ON SUM OF BIDS ON LOTS 607 TO 610 VS BID ON BULK LOT 610A - SUBJECT TO CONFIRMATION)  | \$ 4,500.00 |
| 611  | MTC hopper with breaker mod. no. MTCS-FB ser. no. 157567 stainless final breaker unit fitted with receiving hopper @ approx 6 ft x 4 ft straight x 22 in deep hull, rotary breakers, Sew Euro drive, 16rpm , 112.41:1 ratio, 40lbs block product capacity, direct discharge to incline integrated screw conveyor with 10 in dia x 12 ft long screw, 12 in deep swing away bottom hull and fitted with hinged trough cover with safety interlock latches, Eriez magnet separator on screw discharge, HD stainless frame and support [2nd Flr IQF Dump Station #5] | \$ 850.00   |
| 612  | MTC bin dumper mod. no. LEC ser. no. 1540490 , approx 52 in wide x 67 in dump height, 4000 pound capacity, welded wire safety barriers, HD stainless frame and support with hydraulic power pack [2nd Flr IQF Dump Station #5]   | \$ 1,250.00 |
| 613  | Fairbanks floor scale mod. no. H90-5200-A ser. no. 1535202000-16 with 30 in x 6 ft in ground chequered plate deck (id no. 10073562) [2nd Flr IQF Dump Station #5]  | \$ 150.00   |
| 614  | MTC hopper with breaker mod. no. MTCS-FB ser. no. 157566 stainless final breaker unit fitted with receiving hopper @ approx 6 ft x 4 ft straight x 22 in deep hull, rotary breakers, Sew Euro drive, 16rpm , 112.41:1 ratio, 40lbs block product capacity, direct discharge to incline integrated screw conveyor with 10 in dia x 12 ft long screw, 12 in deep swing away bottom hull and fitted with hinged trough cover with safety interlock latches, Eriez magnet separator on screw discharge, HD stainless frame and support [2nd Flr IQF Dump Station #4] | \$ 850.00   |
| 615  | MTC bin dumper mod. no. LEC ser. no. 1540489 approx 52 in wide x 67 in dump height, 4000 pound capacity, welded wire safety barriers, HD stainless frame and support with hydraulic power pack [2nd Flr IQF Dump Station #4]   | \$ 1,250.00 |
| 616  | Fairbanks floor scale mod. no. H90-5200-A with 30 in x 6 ft in ground chequered plate deck [2nd Flr IQF Dump Station #4]   | \$ 15.00    |
| 618  | MTC bin dumper 2200lbs capacity rice/pasta tote dumper, approx 48 in wide tote holder x 9 ft loading and 12 ft dump height, hd stainless frame support with 10hp hydraulic power pack [2nd Flr Lyco Cooker-Cooler Line]  | \$ 1,250.00 |
| 625  | Highland Equipment hopper stainless, approx 44 in x 44 in x 5 ft deep with swing away discharge cover [2nd Flr Lyco Cooker-Cooler Line]  | \$ 1,250.00 |
| 628  | MTC bin dumper mod. no. LEC-2 ser. no. 1040278 2 stage low lift tote dumper, 48 in wide bin holder, approx 70 in load height x 100 dump height, 4000 pound capacity, , welded wire safety barriers, HD stainless frame and support with 10hp hydraulic power pack, integrated stainless control panel [2nd Flr Frozen Vegetable Inspection Line #1]  | \$ 1,250.00 |

**NATIONAL RIGGING TRANSPORTATION**  
**CONTACT: DARREN CHAPMAN**  
**TEL: 905-704-9011**  
**EMAIL: DARREN@NATIONALRIGGING.COM**

|      |  |                |
|------|--|----------------|
| 629  | ATC frozen vegetable cluster buster with approx 6 ft x 4 ft x 48 in deep receiving hopper, direct discharge to integrated incline screw auger discharge, 12 in dia x 12 ft l on 13 in w x 14 in deep -U bottom hull, fitted with hinged trough cover with safety interlock latches,, HD stainless frame and support (id no. 3102100) [2nd Flr Frozen Vegetable Inspection Line #1] | \$ 1,750.00    |
| 630  | Inspection conveyor approx 28 in x 8 ft x 36 in h with corrugated sidewall rubber belt and 4 in x 30 in Eriez rare earth power plate magnet separator, stainless frame, 3/4hp gear drive [2nd Flr Frozen Vegetable Inspection Line #1]   | \$ 450.00      |
| 631  | Hopper discharge stainless, approx 40 in x 25 in x 30 deep with swing away discharge cover, [2nd Flr Frozen Vegetable Inspection Line #1]  | \$ 450.00      |
| 632  | Floor scale with 30 in x 6 ft in ground chequered plate deck [2nd Flr Frozen Vegetable Inspection Line #1]   | \$ 150.00      |
| 633  | MTC bin dumper mod. no. LEC-2 ser. no. 1040277 2 stage low lift tote dumper, 48 in wide bin holder, approx 70 in load height x 100 dump height, 4000 pound capacity, , welded wire safety barriers, HD stainless frame and support with 10hp hydraulic power pack, integrated stainless control panel [2nd Flr Frozen Vegetable Inspection Line #2]                                | \$ 1,750.00    |
| 634  | Frozen vegetable cluster buster with approx 6 ft x 4 ft x 48 in deep receiving hopper, direct discharge to integrated incline screw auger discharge, 12 in dia x 12 ft l on 13 in w x 14 in deep -U bottom hull, fitted with hinged trough cover with safety interlock latches,, HD stainless frame and support [2nd Flr Frozen Vegetable Inspection Line #2]                      | \$ 1,750.00    |
| 635  | Inspection conveyor approx 28 in x 8 ft x 36 in h with corrugated sidewall rubber belt and 4 in x 30 in Eriez rare earth power plate magnet separator, stainless frame, 3/4hp gear drive [2nd Flr Frozen Vegetable Inspection Line #2]   | \$ 450.00      |
| 636  | Hopper discharge stainless, approx 40 in x 25 in x 30 deep with swing away discharge cover [2nd Flr Frozen Vegetable Inspection Line #2]   | \$ 450.00      |
| 637A | Inspection platform for Lines 1 & 2 stainless frame, safety rails, stairways [ Frozen Vegetable Inspection Line #2]  | Please contact |
| 638  | MTC bin dumper mod. no. LEC-2 ser. no. 1140325 2 stage low lift tote dumper, approx 60 in wide bin holder x 9 ft in load height x 11 in dump height, 4000 pound capacity, , welded wire safety barriers, HD stainless frame and support with 10hp hydraulic power pack, integrated stainless control panel (id no. 100145684) [2nd Flr Frozen Vegetable Inspection Line #3]        | \$ 2,500.00    |
| 643  | Rice Lake floor scale with 30 in x 6 ft in ground chequered plate deck [2nd Flr Frozen Vegetable Inspection Line #3]   | \$ 150.00      |
| 645  | Fairbank floor scale with 30 in x 6 ft in ground chequered plate deck [2nd Flr Frozen Vegetable Inspection Line #3]  | \$ 150.00      |
| 647A | (3) Cooler / Freezers Vilter model VLP series cooling coil, with (2) 4 and (1) 6 fans, 1/3hp / 1150 rpm, hot dip GI coil and cabinet, plus stainless control panel (CP-2-N17) 575/120v [2nd Flr Frozen Vegetable Inspection Line #3]   | Please contact |
| 647B | Pallet rack inside freezer Lot of (3) sections, 8 ft beam x 12 ft upright with welded wire deck top with stainless sheetings [2nd Flr Frozen Vegetable Inspection Line #3]   | Please contact |

**NATIONAL RIGGING TRANSPORTATION**  
**CONTACT: DARREN CHAPMAN**  
**TEL: 905-704-9011**  
**EMAIL: DARREN@NATIONALRIGGING.COM**

|      |   |                |
|------|---|----------------|
| 648  | Whallon Brite palletizer /depalletizer 90 deg swing type, with approx 45 in x 58 in x 5 ft h max lift magnetic head, 48 in x 48 in vacuum head, 40 in wide x 20 ft l drag chain pallet feed conveyor, 48 in x40 ft x 36 in h slip sheet slip sheet dispenser, 53 in x42 in x 48 in pallet stacker, complete with 50 in x 142 in x 42 in h accumulation table with blue plastic modular conveyor belt, 24 in x 100 in transfer conveyor, interlock pvc guard, welded wire safety barrier, processor and drive control panel, light curtain and bypass, proximity switches, capacity @ 3 layers -auto and 3.5layers -semi auto, 575/120/24v, (Machine ID 10002734) [2nd Flr Labeling Labelling Line   | \$ 12,500.00   |
| 648A | Canners machinery Single filer conveyor mod. no. 1993 ser. no. 93145 approx 26 in x 180 long with roller side guide, 3/4hp / 300 to 1800rpm inverter duty drive motor, plus Priority one 4.5 in x 25 ft long conveyor to labeler, photo / proximity sensors, stainless frame and associated gear drives, plastic table top belts (id no.10002737) [2nd Flr Labeling Labelling Line #4]  | Please contact |
| 649  | Krones labeler mod. no. Canmatic ser. no. 073-B54 set for 28oz cans, 18 heads, 2 gluing units for leading and tail end process, Robatech glue coating head, with Nordson Problue hot melt machine, servo driven container table, glue bowl, glue thickness micrometer adjustment screw, rated capacity b/w 2500 to 80000 container /hour, 28oz label magazine @ approx 9000 labels capacity, feed /infeed starwheel, metering screw, and feed /infeed table top conveyor, complete AB PanelView plus 700 HMI, stainless processor and drive control panel, 575, 3ph/60hz, plus extra change over parts for 48oz set up including infeed, discharge, starwheel and metering screw on parts trolley (id no. 1002740) [2nd Flr Labeling Labelling Line #4] | \$ 1,250.00    |
| 650  | Teledyne TapTone system mod. no. T1000SB-RTV-FX ser. no. 355 dud detector, Std ANSI - 23-985-111-X, with reject, 1hp 1760rpm drive motor, pedestal type user interface /HMI (id no. 10002732) (NOTE: buyer will be responsible for local / federal regulations pertaining to shipping and transport) [2nd Flr Labeling Labelling  | \$ 450.00      |
| 651  | Standard Knapp tray packer mod. no. 540 ser. no. 232 12 and 24 pack, continuous motion tray /overpacker and shrink tunnel machine, set for 28 and 48oz , with infeed laning conveyor, blank carton magazine, 4 lanes grouper, front and rear carton gluing with Nordson ProBlue hotmelt, FoxJet printer, 30 in x 36 in upper film stand, shrinkwrap infeed, heat tunnel with 24 in x 10 ft l feed / discharge, operators control console and processor/drive control panel , 575v /120v [2nd Flr Labeling Labelling Line #4]  | \$ 2,250.00    |
| 653  | Weber Alpha Compact label applicator mod. no. Alpha Compact 120 LH ser. no. 50008285 integrated control 4 in to 11 in label capacity @ 160 ft per minute max, adjustable stand on mobile base 2015 (id no 10074726) [2nd Flr Labeling Labelling Line #4]  | \$ 250.00      |
| 655  | Alvey overhead case conveyor approx 14 in w x 175 ft l live rollers, with gear drives, mild steel frame, associated photo /proximity switches. [2nd Flr Labeling Labelling Line #4]   | Please contact |

**NATIONAL RIGGING TRANSPORTATION**  
**CONTACT: DARREN CHAPMAN**  
**TEL: 905-704-9011**  
**EMAIL: DARREN@NATIONALRIGGING.COM**

|     |   |                |
|-----|---|----------------|
| 656 | Alvey palletizer (on ground floor) mod. no. 800 ser. no. 01-K602118 high level automatic case palletizer with pallet elevator, pallet stacker /dispenser approx 42 in x 58 in x 68 in h, case pattern table, pusher, case turner roller and infeed conveyor, RedLion HMI, main control panel, 2 pattern set up for 28 and 48 oz , 12 and 24 pack, approx 42 in w x 30 ft long pallet outfeed live roller conveyor, work platform with 14steps access stairway (id no 10002759) [2nd Flr Labeling Labelling Line #4] | \$ 6,250.00    |
| 661 | Mettler Safeline metal detector 6 in x6 in aperture with dump valve parts, magnet separator (1) control boxes, on stainless skid (Note: incomplete disassemble unit) [2nd Flr Stored 2nd Floor Stored Equipment]  | \$ 450.00      |
| 662 | (2) Hoppman Healthmark sticker applicators disassemble unit on pallet [2nd Flr Stored 2nd Floor Stored Equipment]   | Please contact |
| 663 | Single head seamer incomplete disassemble unit [2nd Flr Stored 2nd Floor Stored Equipment]  | \$ 90.00       |
| 666 | (3) Bunting magnets in line magnet separator [2nd Flr Stored 2nd Floor Stored Equipment]  | Please contact |
| 667 | Can track conveyors Lot consisting of approx 3000 total linear feet, multiple lanes full and empty can conveyors for 10oz, 19oz, 14oz oz lines, including can cable drives, flipper, gates, track turn, twist and fittings, materials made of stainless, mild steel, aluminum frame , (NOTE: only within the label 4 and warehouse area, nothing beyond) [2nd Flr Stored 2nd Floor Stored Equipment]  | Please contact |
| 668 | Can track conveyors Lot consisting of approx 3500 total linear feet, multiple lanes full and empty can conveyors for 10oz, 7.5oz/10oz, 28oz/480oz, 14oz/19oz, lines, including can cable drives, flipper, gates, track turn, twist and fittings, materials made of stainless, mild steel, aluminum frame , (NOTE: only within cooking and filling area) [2nd Flr Stored 2nd Floor Stored Equipment]   | Please contact |
| 670 | Can alley empty can cable track conveyors Lot consisting of approx 2200 total linear feet, multiple lanes empty can conveyors, including can cable drives, flippers gats, twists and fittings, material made of stainless, mild steel, aluminum frame, for line nos 2, 3, 6, 7, 8, 9 , 19oz, 14oz/19oz, 10oz, 7.5oz/10oz, 10oz/19oz, (located in room by third floor) [2nd Flr Stored 2nd Floor Stored Equipment]   | Please contact |
| 671 | (6) AB ac drives includes (5) 1336 and (1) PowerFlex 70 [2nd Flr Stored 2nd Floor Stored Equipment]   | Please contact |
| 672 | Can track conveyors main control panels Lot of stainless panels with AB (9) Powerflex 525 , (2) Powerflex 70, (1) Control Logix 17 slot chassis with Plc 5572 and 16 plc modules, Stratix 8000 ethernet switch, and other automation and electrical wiring components, 600v, 100amp panel [2nd Flr Stored 2nd Floor Stored Equipment]   | Please contact |
| 694 | (2) Rice Lake Digital Roller Conveyor Scale, Model CM801-24, ser. no 14143000050, (1) 30 in x 28 in, (1) 24 in x 27 in [2nd Flr Cage Area]  | Please contact |
| 695 | (2) Loma Metal Detector, Model IQ2, 55 in x 16 in x 8 in Aperature [2nd Flr Cage Area]  | Please contact |
| 696 | Loma Metal Detector , Model IQ2, ser. no 18732A, 22 in x 12 in x 6 in Aperature [2nd Flr Cage Area]   | Please contact |
| 697 | Tap Tone Fill Level Inspection System [2nd Flr Cage Area]   | Please contact |

**NATIONAL RIGGING TRANSPORTATION**  
**CONTACT: DARREN CHAPMAN**  
**TEL: 905-704-9011**  
**EMAIL: DARREN@NATIONALRIGGING.COM**

|      |   |                |
|------|---|----------------|
| 706  | (3) Hoppman Labeler (3 Pallets) [2nd Flr Cage Area]   | Please contact |
| 707  | (3) Labeler, (2) Hoppman, (1) IT Tech, (3 Pallets) [2nd Flr Cage Area]  | Please contact |
| 708  | (7) FoxJet Touch Screen, Model Marksman Pro (2 Pallets) [2nd Flr Cage Area]   | Please contact |
| 709  | Zambelli Change Parts : Belting, Motor Stand ( 4 Pallets) [2nd Flr Cage Area]   | Please contact |
| 710  | Standard Knapp Change Parts : Feed plate chain, Shaft [2nd Flr Cage Area]   | Please contact |
| 711  | (10) Stainless Control Cabinet [2nd Flr Cage Area]  | Please contact |
| 712  | Hydraulic Unit with Cylinder (3 Pallets) [2nd Flr Cage Area]  | Please contact |
| 713  | Foxboro Stainless Pressure Sensor Hydrostatic Tank Gauge System, Model 880 SGA, Set 60-65 psi [2nd Flr Cage Area]   | Please contact |
| 715  | Krones Change Parts, Magazine Chassis, Discharge Star [2nd Flr Cage Area]   | Please contact |
| 718  | Conveyor Parts : Belting chains, Rollers, including 2 metal shelf units [2nd Flr Cage Area]   | Please contact |
| 721  | Zilibellini Parts : Pumps, Stainless Auger [2nd Flr Cage Area]  | Please contact |
| 722  | Stork Change Parts : Flanges, Shafts, Turrets, Gears [2nd Flr Cage Area]  | Please contact |
| 723  | (10) Stainless Barrel Cart, 27 in x 44 in [2nd Flr Cage Area]   | Please contact |
| 726  | (9) Stainless Barrel Cart, 2 ft x 50 in [2nd Flr Cage Area]   | Please contact |
| 726A | (8) poly drums, 36 in. H x 22 in. dia. c/w (4) heavy duty s/s carts [2nd Floor, Freezer]  | Please contact |
| 726B | (8) poly drums, 36 in. H x 22 in. dia. c/w (4) heavy duty s/s carts [2nd Floor, Freezer]  | Please contact |
| 726C | (8) poly drums, 36 in. H x 22 in. dia. c/w (4) heavy duty s/s carts [2nd Floor, Freezer]  | Please contact |
| 726D | (8) poly drums, 36 in. H x 22 in. dia. c/w (4) heavy duty s/s carts [2nd Floor, Freezer]  | Please contact |
| 726P | (4) poly drums, 36 in. H x 32 in. dia. c/w (4) heavy duty s/s carts [2nd Floor, Freezer]  | Please contact |
| 726Q | (4) poly drums, 36 in. H x 32 in. dia. c/w (4) heavy duty s/s carts [2nd Floor, Freezer]  | Please contact |
| 726R | (4) poly drums, 36 in. H x 32 in. dia. c/w (4) heavy duty s/s carts [2nd Floor, Freezer]  | Please contact |
| 726S | (4) poly drums, 36 in. H x 32 in. dia. c/w (4) heavy duty s/s carts [2nd Floor, Freezer]  | Please contact |
| 726T | (4) poly drums, 36 in. H x 32 in. dia. c/w (4) heavy duty s/s carts [2nd Floor, Freezer]  | Please contact |
| 740  | (3) Whallon Stainless Overhead Pan, 47 in x 59 in [2nd Flr Cage Area]   | Please contact |
| 741  | Stainless Stand, Scale Stand, Shelf [2nd Flr Cage Area]   | Please contact |
| 742  | Hydraulic Pallet Lift, 42 in x 56 in, 2 ton cap [2nd Flr Cage Area]   | Please contact |
| 743  | (2) Blower Unit [2nd Flr Cage Area]   | Please contact |
| 748  | (18) Section Pallet Rack, (3) 15 ft H x 32 in W, (26) 9 ft cross bar, (15) 5 ft H x 42 in W, (46) 8 ft cross bar [2nd Flr Cage Area]  | Please contact |
| 805  | Uniblock sanitary positive lobe pump 2 in. x 2 in., Sew Eurodrive 3/4hp/ 1700rpm, on skid [Upstairs ACC Pilot]  | \$ 175.00      |
| 825I | Rooney's semi-automatic can sealer, mod. 307x409 (2nd Floor, Test Kitchen)  | Please contact |
| 825J | Rooney's semi-automatic can sealer, mod. 211x315 (2nd Floor, Test Kitchen)  | Please contact |
| 825N | 2-door cabinet (2nd Floor, Test Kitchen)  | Please contact |
| 825P | leak detector, s/s (2nd Floor, Lab)   | Please contact |
| 826  | MTC 3000 lb bin dumper #1 mod. no. LEC ser. no. 4963 hydraulic low lift tote dumper, single stage, 48 in. wide bin holder, mounted on 62 in. x 50 in. x 8 ft. h HD tubular frame to dump @ approx 12 ft. h, 45 deg dump angle with hold down bar, 5hp hydraulic power pack, stainless frame and supports [Frozen Block Breaker Rm ACC Proc] | \$ 1,250.00    |

**NATIONAL RIGGING TRANSPORTATION**  
**CONTACT: DARREN CHAPMAN**  
**TEL: 905-704-9011**  
**EMAIL: DARREN@NATIONALRIGGING.COM**

|     |  |                |
|-----|--|----------------|
| 827 | MTC Lump breaker with 55 in. x 60 ft. x 50 in. deep receiving hopper, 15 rotary hammers, 5hp /1680rpm drive motor, protective grills with interlock switch, bottom discharge to 12 in. x 7 ft. x 16 in. deep to hull bottom, 10 in. dia integrated screw auger fitted with discharge chute to common take away conveyor, grill safety barrier, all stainless [Frozen Block Breaker Rm ACC Proc]  | \$ 1,250.00    |
| 829 | MTC Lump breaker with 55 in. x 60 ft. x 50 in. deep receiving hopper, 15 rotary hammers, 5hp /1680rpm drive motor, protective grills with interlock switch, bottom discharge to 12 in. x 7 ft. x 16 in. deep to hull bottom, 10 in. dia integrated screw auger fitted with discharge chute to common take away conveyor, grill safety barrier, all stainless [Frozen Block Breaker Rm ACC Proc]  | \$ 1,250.00    |
| 831 | MTC Lump breaker with 55 in. x 60 ft. x 50 in. deep receiving hopper, 15 rotary hammers, 5hp /1680rpm drive motor, protective grills with interlock switch, bottom discharge to 12 in. x 7 ft. x 16 in. deep to hull bottom, 10 in. dia integrated screw auger fitted with discharge chute to common take away conveyor, grill safety barrier, all stainless [Frozen Block Breaker Rm ACC Proc]  | \$ 1,250.00    |
| 832 | Shared flat belt conveyor approx 22 ft. L x 25 in. W with 10 in. h side splash guards, sanitary belt, stainless frame, (for station 2 and 3) [Frozen Block Breaker Rm ACC Proc]  | \$ 1,250.00    |
| 833 | MTC screw elevator approx 15 in. x 22 ft. x 16 in. deep to hull bottom, with hinged interlock safety grill, Eriez super power-series SD discharge chute plate magnet separator (magnet # 9) and 22 in. x 24 in. x 14 in. deep receiving hopper with bolted to hopper grill safety barrier, proximity /photo sensors, [Frozen Block Breaker Rm ACC Proc]  | \$ 1,250.00    |
| 834 | GA Wright and Son Ltd. Inspection Belt ser. no. 10799-003 30 in. x 16 ft. L with LOMA IQ2 metal detector, 32 in. x 6 in. h aperture, corrugated sidewall rubber belt, with discharge chute to pneumatically operated funnel to ribbon blender, stainless frame, 1/2hp, 37. 66:1 ratio gear drive, 575v [Frozen Block Breaker Rm ACC Proc]  | \$ 1,250.00    |
| 835 | Stainless platform along wall approx 70 ft. long x 3 ft. wide with 12 steps access stairway, stainless frame and support [Frozen Block Breaker Rm ACC Proc]  | Please contact |
| 836 | A & M Process double ribbon blender - A mod. no. DRB800 ser. no. 1003127 approx 250 cu-ft, u bottom, double hull shell, (62 in. x 8 ft. x 40 in. h) twin shaft with 10 in. discharge opening fitted with hinged end discharge doors, (2) 10hp /1730rpm, 330/575v, load cells on foot plate, safety grill cover, screen grill door with AB magnetic interlock sensors, control valves, 3 in. dia legs support, [Frozen Block Breaker Rm ACC Proc] | \$ 1,250.00    |
| 837 | A & M Process double ribbon blender - B mod. no. DRB800 ser. no. 1003128 approx 250 cu-ft, u bottom, double hull shell, (62 in. x 8 ft. x 40 in. h) twin shaft with 10 in. discharge opening fitted with hinged end discharge doors, (2) 10hp /1730rpm, 330/575v, load cells on foot plate, safety grill cover, screen grill door with AB magnetic interlock sensors, control valves, 3 in. dia legs support, [Frozen Block Breaker Rm ACC Proc] | \$ 1,250.00    |
| 842 | inspection deck along blender approx 30 in. W x 4 ft. h, stainless frame and safety rails, with 4 steps access stairway, yellow fiberglass deck [Frozen Block Breaker Rm ACC Proc]   | \$ 250.00      |

**NATIONAL RIGGING TRANSPORTATION**  
**CONTACT: DARREN CHAPMAN**  
**TEL: 905-704-9011**  
**EMAIL: DARREN@NATIONALRIGGING.COM**

|     |  |                |
|-----|--|----------------|
| 856 | A & M Process double ribbon blender - C mod. no. DRB800 ser. no. 504046 approx 250 cu-ft, u bottom, double hull shell, (62 in. x 8 ft. x 40 in. h) twin shaft with 10 in. discharge opening fitted with hinged end discharge doors, (2) 15hp /1740rpm, 56. 55:1 ratio, 330/575v, load cells on foot plate, safety top grating, screen grill door with AB magnetic interlock sensors, control valves, 3 in. dia legs support, Festo numatics cabinet, [Frozen Block Breaker Rm ACC Proc]  | \$ 1,250.00    |
| 857 | A & M Process double ribbon blender - D mod. no. DRB800 ser. no. 504045 approx 250 cu-ft, u bottom, double hull shell, (62 in. x 8 ft. x 40 in. h) twin shaft with 10 in. discharge opening fitted with hinged end discharge doors, (2) 15hp /1740rpm, 56. 55:1 ratio, 330/575v, load cells on foot plate, safety top grating, screen grill door with AB magnetic interlock sensors, control valves, 3 in. dia legs support, Festo numatics cabinet, [Frozen Block Breaker Rm ACC Proc]  | \$ 1,250.00    |
| 861 | Urschel Comitrol - D mod. no. 1700 ser. no. 3353 batch slicer on load cell, with 30hp/3540 brake motor, course to fine emulsion cut, max product feed @2. 5 in., high speed impeller, 1/4 in. to 1/2 in. slice, 3/8 in. microcut, logic amplifier and disconnect panel, fitted and mounted to bin holder discharge, Rice Lake digital read out, stainless tubular frame assy and contact parts (assembly parts including cutting heads, hopper assembly are remove for cleaning and stored on table nearby) [Frozen Block Breaker Rm ACC Proc] | \$ 175.00      |
| 862 | Stainless platform around mixing area approx 100 ft. total length x 36 in. W x 9 ft. h with stairway 12 steps access stairway, yellow non skid fiberglass floor deck, stainless frame assembly and safety rails. (station # 7, 8, 9 and 10) [Frozen Block Breaker Rm ACC Proc]   | Please contact |
| 880 | (2) Rosemount magnetic flow meter mod. no. 8712 with 90-250vac remote transmitters plus (1) AB PanelView 300HMI (beside paste tank) [Paste Blending System ACC Proc]   | Please contact |
| 884 | Waukesha centrifugal pump mod. no. 2065 series stainless, 2 in. x2 in., 5hp, 316ss, approx 245gpm, on skid [Paste Blending System ACC Proc]  | \$ 175.00      |
| 890 | J. C. Pardo jacketed kettle ser. no. 7120-3 approx 300 gallons capacity, stainless jacketed, 50 in. dia x 45 in. deep, with ROTAC hydraulic actuator / anchor type top mount agitator, MAWP -100psi @ 338 deg F, all stainless contact parts and legs support, hinge flip top lid cover NB #2655, built 1995(CL-24) [Cooking and Blending Area ACC Proc]   | \$ 1,500.00    |
| 891 | J. C. Pardo jacketed kettle ser. no. 7120-1 approx 300 gallons capacity, stainless jacketed, 50 in. dia x 45 in. deep, with ROTAC hydraulic actuator / anchor type top mount agitator, MAWP -100psi @ 338 deg, F, all stainless contact parts and legs support, hinge flip top lid cover, NB #2656, built 1995(CL-25) [Cooking and Blending Area ACC Proc]   | \$ 1,500.00    |

**NATIONAL RIGGING TRANSPORTATION**  
**CONTACT: DARREN CHAPMAN**  
**TEL: 905-704-9011**  
**EMAIL: DARREN@NATIONALRIGGING.COM**

|      |   |                |
|------|---|----------------|
| 916  | APV-2 tank Cream blending skid with (2) approx 400 and 350 gallons dome top with top mount agitators with (2) approx 400 and 350 gallons dome top with top mount agitators with approx 1/4 and 1-1/2hp drive motors (one is a roto high shear mixer type (2) 5hp, APV positive lobe type DW and W fluid handling pumps, sanitary pipework's within the skid /system including control valves, Rosemount analytical and flow measure instruments, (1) 2 door stainless processor and drive panel project no.with (1) AB -13 slots chassis cat 1776 series with Logic 5555 processor, metering, DC, AC output, relay, rtd weigh scale, ethernet modules, (4) PowerFlex VFDs, 25hp, 5hp 1-1/2hp, HMI, automation and electrical wiring components on skid, all stainless contact parts [Lower Cooking/blending pumps ACC Proc]   | \$ 1,750.00    |
| 920  | Sterilizing system # 2 BULK LOT from 921 To 922 WINNER WILL BE DETERMINED BASED ON SUM OF BIDS ON LOTS 921 TO 922 VS BID ON BULK LOT 920. (SUBJECT TO CONFIRMATION)[Sterilizing System No. 2 ACC Proc]  | Please contact |
| 921  | JBT / FMC Foodtech tubular sterilizer #2 mod. no. 3019 ser. no. 11638 system include approx from 2.5 in. to 6 in. dia x 35 ft. l/pass sterilization, holding, 1st and 2nd cooling tubes loop made up of stainless dimple tube in tube HEX for quench /product cooling and product heating, with approx 2 in. sanitary clamped end inspection tube /pipes and sanitary product / chilled water supply/return steam supply and barrier flow, filtered water line, condensate return line, nitrogen inlet, glycol inlet and return, various control valves including Waukesha air actuated valves, temp controls /RTD, pressure transmitters and gages, Micromotion mass flowmeter, steam regulator, expansion tank / relief quench cooler safety and vent valves, productivity rates from 3000 to 10500 liters/hour, @ 21-25 deg C fill temp, (vegetable soup to tomato paste products) approx skid dimension is 35 ft. l x 20 ft. h x 7 ft. w, plus Hot water assembly with Hex, Gould pump and associated valves (within skid in the middle part of mezzanine above surge tank, HEX assembly in front by stair and in front at mezz landing) (SAF# 10000756) 2004 WINNER WILL BE DETERMINED BASED ON SUM OF BIDS ON LOTS 921 TO 922 VS BID ON BULK LOT 920. (SUBJECT TO CONFIRMATION) [Sterilizing System No. 2 ACC Proc] | \$ 14,500.00   |
| 921A | FMC sterilizer feed tank B mod. no. 3413 ser. no. 11624 approx 260 gallons, stainless,48 in. dia x 52 in. h x 7.25 ft. total height, with 20 in. dia mh, cone top and bottom, with receiving funnel, center bottom discharge, 4 in. dia side port, with legs support 2004 WINNER WILL BE DETERMINED BASED ON SUM OF BIDS ON LOTS 921 TO 922 VS BID ON BULK LOT 920. (SUBJECT TO CONFIRMATION) [Sterilizing System No. 2 ACC Proc]   | \$ 650.00      |
| 921B | CIP tank B /feed storage # 2 mod. no. 3012 ser. no. 11623 approx 660 gallons, 60 in. dia x 76 in. h x 13 ft. total height, center top flange, 20 in. x 18 in. ; mh, connection with double blade lightnin mixer, center bottom discharge with TEE fittings and discharge valves, (id no. 10000765) [Sterilizing System No. 2 ACC Proc]  | \$ 1,250.00    |
| 921C | CIP Pipework #2 with associated air actuated valves, 6 and 7 ports Highland Equipment product cip manifold (s/n 67522-2 - 67522-1, 2004) ABB TB82 electrode conductivity instruments, (1) centrifugal pump, instrument control boxes on top of deck [Sterilizing System No. 2 ACC Proc]   | \$ 1,250.00    |

**NATIONAL RIGGING TRANSPORTATION**  
**CONTACT: DARREN CHAPMAN**  
**TEL: 905-704-9011**  
**EMAIL: DARREN@NATIONALRIGGING.COM**

|     |  |              |
|-----|--|--------------|
| 922 | CIP work platform stainless frame and safety rail assembly with, yellow fiberglass deck grating, with access stairways WINNER WILL BE DETERMINED BASED ON SUM OF BIDS ON LOTS 921 TO 922 VS BID ON BULK LOT 920. (SUBJECT TO CONFIRMATION) [Sterilizing System No. 2 ACC Proc]   | \$ 1,250.00  |
| 923 | FMC Food Tech piston pump B model U-3022 /sn 11623, high pressure pump with triplex reciprocating plunger, 4"dia in and outlet, stainless clad, 460v, 60hz, 2004 [Sterilizing System No. 2 ACC Proc]   | \$ 650.00    |
| 925 | Sterilizer B control Panel stainless panel with AB VFDs, Flex i/os -171794 series, Siemens pulse power supply, [Sterilizing System No. 2 ACC Proc]   | \$ 750.00    |
| 926 | FMC aseptic product buffer/surge tank A mod. no. 3312 ser. no. 230037-5 6 ft. dia x 16 ft. L with 24 in. dia upper flange, 30 in. lower flanged and exhaust tube assembly with RTDs, spray balls, ZUCCHETTI stirrer shaft assembly with axial blades stirrer on 14 in. dia base flange ANSI 150lbs, with Sew Euro Drive, 2. 2kw /3hp, HD tubular legs supports, all stainless with aseptic valve cluster / steam barrier, approx 20 air actuated, and 20hp fill line CIP pump, (valve cluster in front of surge tank) 2004 [Aseptic Holding Tanks ACC Proc]  | \$ 3,250.00  |
| 927 | FMC aseptic product buffer/surge tank B mod. no. 3312 ser. no. 11705 6 ft. dia x 16 ft. L with 24 in. dia upper flange, 30 in. lower flanged and exhaust tube assembly with RTDs, spray balls, ZUCCHETTI stirrer shaft assembly with axial blades stirrer on 14 in. dia base flange ANSI 150lbs, with Sew Euro Drive, 2. 2kw /3hp, type KAZDV100M4 gear drive @ 1/56. 64 ratio, fitted with work platform with fiberglass grating deck on top, HD tubular legs supports, all stainless, aseptic valve cluster / steam barrier approx 20 air actuated, and 20hp fill line CIP pump ski, (valve cluster in front of surge tank) 2004 [Aseptic Holding Tanks ACC Proc]  | \$ 3,250.00  |
| 934 | SIG Combibloc filler mod. no. CFA 606-31-FP-U ser. no. 862651006 1 person operation @ 6000 cartons/hr, handles 200, 250, 350, 375 and 500ml formats, for product viscosity of up to 5, 000mPa-s (centipoise) packaged materials sealed at center seam an printed board/PEA/Aluminum foil sleeves, with 2 lanes 15 in. W x 56 in. L blank magazine at approx 1800 sleeves magz capacity, 0. 8-1. 2 bars infeed pressure / 6-30 deg C, valve block, flanged on connection, 3ph/50/60hz, 230/400v, machine is fitted with mandrel wheel, carton pocket approx 2 in. x 3 in. to folding /pusher section, aseptic / sterilization drying and filling, to ultrasonic sealing, to ejector and discharge off conveyor, machine also have (2) Berchtoldd CFA-90 liter product tanks, Pall sterile filter System, air and electro pneumatically controlled infeed / control valves, tank level control pump, product bypass, (4) condensate generators, (2) EcoLab H2O2circulating tanks, mfg 2004 (approx shipping weight 22920lbs) [Filling and Packing Line 3 ACC Pack] | \$ 12,500.00 |
| 936 | Trio PAC Table top /accumulation conveyor mod. no. 3986 with approx 48 in. W x 40 in. deep bi directional accumulation table, 3 in. W x 30 ft. approx total length from combi discharge to 2 lane directional/laning to accumulation plus approx 4 ft. after accumulation with associated proximity sensors, guides, gear drives, with (2) 90 deg, stainless frame and supports, 2004 [Filling and Packing Line 3 ACC Pack]  | \$ 1,250.00  |

**NATIONAL RIGGING TRANSPORTATION**  
**CONTACT: DARREN CHAPMAN**  
**TEL: 905-704-9011**  
**EMAIL: DARREN@NATIONALRIGGING.COM**

|     |  |                |
|-----|--|----------------|
| 937 | Table top discharge conveyor approx 3-1/2 in. W x 90 ft. L, from accumulation table discharge break to right after Hartness, line include (2) 90 deg, (1) 180deg, merger /diverter (id no. 10000886, and unit conveyor no. 1 -10000852) plastic table top belt, stainless frame and supports, with poly guides, product spacer/in line heater, gear drives and proximity sensors [Filling and Packing Line 3 ACC Pack]   | \$ 3,750.00    |
| 938 | Hartness Dynac 6400 mod. no. 6400 ser. no. W64715C 6 pass, single file FIFO (first in -first out) spiral accumulation machine with close coupled center, metered downstream, enclosed with see thru operators safety barriers, AB VFDs and processor control cabinet, 460v, 3ph/60hz, [Filling and Packing Line 3 ACC Pack]  | \$ 1,750.00    |
| 943 | Condi Film Case Packer system mod. no. PB4/FCEL-6303+TU4-6302-CTR ser. no. 26301-80 the system includes distribution conveyor, with 90 deg angle turner, case packer, heat tunnel conveyor, film stand /film loader, Nordson hot melt machine, wrapper coder, pack and feed, grouper, tray in feed, flap tucker to grouper exit with air bleeder dump valve and main electrical isolation switch, (system in U-configuration - from id no 1000861 to 10061567) (approx total process length from upstream to downstream -54 ft.) 2004 [Filling and Packing Line 3 ACC Pack]  | \$ 4,925.00    |
| 951 | Trio-PAC Tray conveyors to Ln 3 palletizing robot mod. no. C3986T1 roller top chain, low back pressure conveyor, approx 15 in. W x 20 ft. L, stainless frame and support, gear drive and associated photo switches within the stretch, with spacer, and transferred to accumulation roller conveyors, approx 48 in. x 14 ft. L x 45 in. h with straight run side roller guide set @ 12 in. wide with multiple proximity switches 2004 [Filling and Packing Line 3 ACC Pack]  | \$ 1,250.00    |
| 957 | SIG Combibloc Filler (mfg 2003) mod. no. 606-31 ser. no. 862651004 1 person operation @ 6000 cartons/hr, handles 200, 250, 350, 375 and 500ml formats, for product viscosity of up to 5, 000mPa-s (centipoise) packaged materials sealed at center seam an printed board/PEA/Aluminum foil sleeves, with 2 lanes 15 in. W x 56 in. L blank magazine at approx 1800 sleeves magz capacity, 0. 8-1. 2 bars infeed pressure / 6-30 deg C, valve block, flanged on connection, 3ph/50/60hz, 230/400v, machine is fitted with mandrel wheel, carton pocket approx 2 in. x 3 in. to folding /pusher section, aseptic / sterilization drying and filling, to ultrasonic sealing, to ejector and discharge off conveyor, machine also have (2) Berchtold CFA-90 liter product tanks, Pall sterile filter System, air and electro pneumatically controlled infeed / control valves, tank level control pump, product bypass, (4) condensate generators, (approx shipping weight 22920lbs) [Filling and Packing Line 2 ACC Pack] | \$ 1,250.00    |
| 959 | Trio PAC Table top /accumulation conveyor mod. no. 3986 with approx 48 in. W x 40 in. deep bi directional accumulation table, 3 in. W x 30 ft. approx total length from combi discharge to 2 lane directional/laning to accumulation plus approx 4 ft. after accumulation with associated proximity sensors, guides, gear drives, with (2) 90 deg, stainless frame and supports, 2004 [Filling and Packing Line 2 ACC Pack]  | \$ 1,250.00    |
| 960 | Table top discharge conveyor 3-1/2 in. W from accumulation table discharge break to right after Hartness, line include 90 deg, merger /diverter, plastic table top belt, stainless frame and supports, with poly guides, gear drives and proximity sensors [Filling and Packing Line 2 ACC Pack]   | Please contact |

**NATIONAL RIGGING TRANSPORTATION**  
**CONTACT: DARREN CHAPMAN**  
**TEL: 905-704-9011**  
**EMAIL: DARREN@NATIONALRIGGING.COM**

|      |   |              |
|------|---|--------------|
| 961  | Hartness Dynac 6400 mod. no. 6400 ser. no. W64715C 6 pass, single file FIFO (first in -first out) spiral accumulation machine with close coupled center, metered downstream, enclosed with see thru operators safety barriers, AB VFDs and processor control cabinet, 460v, 3ph/60hz, [Filling and Packing Line 2 ACC Pack]   | \$ 1,250.00  |
| 962  | Condi Multipacker (mfg 2004) ser. no. 20749-96 Fed by Lines 1 & 2 [Filling and Packing Line 2 ACC Pack]   | \$ 1,250.00  |
| 963  | Multipacker discharge conveyor from eagle x ray discharge, including extension to Pkg Ln 1 case packer [Filling and Packing Line 2 ACC Pack]  | \$ 2,600.00  |
| 964  | SIG Combibloc Filler (mfg 2003) mod. no. 510-FL ser. no. 868551005 OUT of Service, for product viscosity of up to 5, 000mPa-s (centipoise) packaged materials sealed at center seam an printed board/PEA/Aluminum foil sleeves, with4 lanes blank magazine, valve block, flanged on connection, 3ph/50/60hz, 230/400v, folding /pusher section, aseptic / sterilization drying and filling, to sealing, to ejector and discharge off conveyor, machine have 135liters product tanks, sterile filter System, air and electro pneumatically controlled infeed / control valves, tank level control pump, condensate generators, all stainless, main drive/process control panel and Benkhoff touch screen HMI (NOTE : machine is disassembled/disconnected -buyers are greatly advised to inspect personally) [Filling and Packing Line 1 ACC Pack] | \$ 12,500.00 |
| 965  | (2) Highland stainless flow panels ceiling suspended, multi ports with associated sanitary piping connecting between flow panel # 3 and # 2 [Filling and Packing Line 1 ACC Pack]   | \$ 1,350.00  |
| 966  | Trio PAC Table top conveyor mod. no. 3986 with approx 48 in. W x 40 in. deep bi directional accumulation table, 3 in. W x 30 ft. approx total length from combi discharge to 2 lane directional/laning to accumulation plus approx 4 ft. after accumulation with associated proximity sensors, guides, gear drives, with (2) 90 deg, stainless frame and supports, 2004 (NOTE: basically complete but with disassembled parts as shown) [Filling and Packing Line 1 ACC Pack]   | \$ 1,250.00  |
| 967  | Table top conveyor 3-1/2 in. W from accumulation table discharge break to right after Hartness, line include 90 deg, merger /diverter, plastic table top belt, stainless frame and supports, with poly guides, gear drives and proximity sensors [Filling and Packing Line 1 ACC Pack]  | \$ 1,250.00  |
| 968  | Hartness Dynac 6400 mod. no. 6400 ser. no. 64-077 6 pass, single file FIFO (first in - first out) spiral accumulation machine with close coupled center, metered downstream, enclosed with see thru operators safety barriers, AB VFDs and processor control cabinet [Filling and Packing Line 1 ACC Pack]  | \$ 1,750.00  |
| 969  | Combitop applicator this unit is similar to a PKL Combitop, use for brickpack products cap application with Kleinknecht cap sorting elevator, and feeder bowl, approx 6 ft. long thru /feed/discharge conveyor and with Nordson hot melt machine, swivel arm mount LH operator ft. s control [Filling and Packing Line 1 ACC Pack]  | \$ 1,250.00  |
| 969A | Bulk Lot Includes Lots 964 to 969 (WINNER WILL BE DETERMINED BASED ON SUM OF BIDS ON LOTS 964 to 969 VS BID ON BULK LOT 969A - SUBJECT TO CONFIRMATION)   | \$ 18,500.00 |

**NATIONAL RIGGING TRANSPORTATION**  
**CONTACT: DARREN CHAPMAN**  
**TEL: 905-704-9011**  
**EMAIL: DARREN@NATIONALRIGGING.COM**

|      |  |                |
|------|--|----------------|
| 970  | Condi Case Packer #1 ser. no. 15414-75 with infeed laner [Filling and Packing Line 1 ACC Pack]   | \$ 1,250.00    |
| 971  | Priority One transfer belt to spiral lift approx 15 in. W x 11 ft. L with plastic table top belt, stainless frame [Filling and Packing Line 1 ACC Pack]  | \$ 250.00      |
| 977  | AmbaFlex spiral case elevator #1 mod. no. SV-200-1000 ser. no. 3203-01 4 tier continuous motion mild steel frame, stainless side guide with 8 in. W plastic slat belt, approx 55 in. dia w, 4 tier, 2003 [Balance of ACC Packaging ACC Pack]   | \$ 750.00      |
| 978  | Overhead case conveyor approx 120 to 150 ft. long, extending to palletizing stations, stainless frame with plastic table top belt, gear drives, poly side enclosure [Balance of ACC Packaging ACC Pack]  | Please contact |
| 979  | AmbaFlex spiral case elevator #2 model SV200-1000 /sn 7314-01, 3 tier continuous motion mild steel frame, stainless guide, (id no. 10031264) [Balance of ACC Packaging ACC Pack]   | \$ 750.00      |
| 980  | AmbaFlex spiral case elevator #3 model SV200-1000 / sn 17863-01, 5 tier continuous motion mild steel frame, stainless side guide with 8"w plastic slat belt, approx 48"dia w, 5 tier @ 10'h case transfer, 2014 [Balance of ACC Packaging ACC Pack]  | \$ 750.00      |
| 985A | 2-storey elevator(located in front of Pilot room) [Balance of ACC Packaging ACC Pack]  | \$ 2,250.00    |
| 986  | Empty can depalletizer #1 mod. no. 608-IHUL ser. no. 12R54R221x American Can Company, high level, semi auto, hydraulic pallet unloader for 10 oz can, with accumulation conveyor approx 40 in. W x 18 ft. L, pallet chain infeed, and empty pallet discharge conveyor to pallet stacker, can sweep and auto slip sheet removal to slip sheet rack, Integrated can transfer/single filer conveyor to can elevator #1 (included) carbon steel support structure, with control panel, 575v, 120vac, 1982 (for can line 1 and 3) [Empty Can Warehouse] | \$ 7,250.00    |
| 987  | Empty can depalletizer #2 mod. no. 608-IHUL American Can Company, high level semi auto, hydraulic pallet unloader for 10 oz can, with accumulation conveyor approx 40 in. W x 18 ft. L, pallet chain infeed, and empty pallet discharge conveyor to B & T packaging pallet stacker, can sweep and auto slip sheet removal to slip sheet rack, Integrated can transfer/single filer conveyor to can elevator #2 (included) carbon steel support structure, with control panel, 575v, 120vac, 1982 (for can line 2 and 4) [Empty Can Warehouse]      | \$ 7,250.00    |
| 988  | Empty can depalletizer #3 Priority one high level semi auto, hydraulic pallet unloader for 28 and 48oz can, with accumulation conveyor approx 40 in. W x 18 ft. L, pallet chain infeed, and empty pallet discharge conveyor to B and T packaging model PS1 pallet stacker, can sweep and auto slip sheet removal to slip sheet rack, Integrated can transfer/single filer conveyor to can elevator #3 (included) carbon steel support structure, with control panel, 575v, 120vac, (for can line no. 11) [Empty Can Warehouse]                     | \$ 7,250.00    |

**NATIONAL RIGGING TRANSPORTATION**  
**CONTACT: DARREN CHAPMAN**  
**TEL: 905-704-9011**  
**EMAIL: DARREN@NATIONALRIGGING.COM**

|      |  |                |
|------|--|----------------|
| 989  | Empty can depalletizer #4 mod. no. W400 ser. no. 175 Busse Bros Inc high level semi auto, hydraulic pallet unloader for 10oz can, with accumulation conveyor approx 40 in. W x 18 ft. L, pallet chain infeed, and empty pallet discharge conveyor to model ST40 pallet stacker, can sweep and auto slip sheet removal to slip sheet rack, Integrated can transfer/single filer conveyor to can elevator #4 (included) carbon steel support structure, with control panel, 575v, 120vac, (for can line no. 9) [Empty Can Warehouse] | \$ 7,250.00    |
| 990  | Empty can depalletizer #8 mod. no. 608-IHUL Canco low level semi auto, hydraulic pallet unloader for 14oz can, with accumulation conveyor approx 40 in. w, pallet chain infeed, and empty pallet discharge conveyor to model ST40 pallet stacker, can sweep and auto slip sheet removal to slip sheet rack, Integrated can transfer/single filer conveyor to can elevator (included) carbon steel support structure, with control panel, 575v, 120vac, (for can line no. 8 id no 10001112)   | \$ 3,250.00    |
| 991  | Empty can depalletizer #9 mod. no. 608-IHUL Canco high level semi auto, hydraulic pallet unloader with accumulation conveyor approx 40 in. w, pallet chain infeed, and empty pallet discharge conveyor to model ST40 pallet stacker, can sweep and auto slip sheet removal to slip sheet rack, Integrated can transfer/single filer conveyor to can elevator (included) carbon steel support structure, with control panel, 575v, 120vac, (for can line no. 9 id no 10001121) [Empty Can Warehouse]                                | \$ 7,250.00    |
| 992  | Empty can depalletizer #10 Priority one / Simplimatic Engineering high level semi auto, hydraulic pallet unloader with accumulation conveyor approx 40 in. w, pallet chain infeed, and empty pallet discharge conveyor to model ST40 pallet stacker, can sweep and auto slip sheet removal to slip sheet rack, Integrated can transfer/single filer conveyor to can elevator (included) carbon steel support structure, with control panel, 575v, 120vac, (for can line no. 10 id no 10001131)                                     | \$ 5,500.00    |
| 993  | Logemann can crusher with approx 50hp hydraulic pack and loading hopper, single ram [Empty Can Warehouse]  | \$ 650.00      |
| 999  | LabWorks Large Drive-In Incubator with insulated modular panels and sliding door access, approx. Length: 60ft, Width: 40ft, Height: 25ft [Empty Can Warehouse]   | Please contact |
| 999A | Albany Roll-Up Door 127"H x 118"W mod. no. 670 ser. no. 112201 [1st Flr Labeling and Palletizing]  | Please contact |
| 1001 | Automated Design can code system ser. no. 230602-31 (2) color code notification, blue and white light for wrong and illegible code detection, with can code computer panel and touch screen HMI [Labeling and Palletizing Line 2]  | \$ 250.00      |
| 1003 | TapTone 500 dud detector mod. no. T500-D-407-26 dud detector, Std ANSI - 23-985-111-X, with reject, 1hp 1760rpm drive motor, pedestal type user interface /HMI (NOTE: buyer will be responsible for local / federal regulations pertaining to shipping and transport) [Labeling and Palletizing Line 2]  | \$ 450.00      |
| 1004 | B and T packaging Accumulation table approx 6 ft. W x 12 ft. L, with 24 in. W x 10 ft. transfer from dud detector to case packer line, stainless frame with gear drive, photo sensors [Labeling and Palletizing Line 2]  | \$ 450.00      |

**NATIONAL RIGGING TRANSPORTATION**  
**CONTACT: DARREN CHAPMAN**  
**TEL: 905-704-9011**  
**EMAIL: DARREN@NATIONALRIGGING.COM**

|      |  |             |
|------|--|-------------|
| 1005 | Standard Knapp tray packer mod. no. 260 ser. no. 232 12 and 24 pack, continuous motion tray /overpacker and shrink tunnel machine, set for 28 and 48oz, with infeed laning conveyor, blank carton magazine, 4 lanes grouper, front and rear carton gluing with Nordson ProBlue hotmelt, FoxJet printer, 30 in. x 36 in. upper film stand, shrinkwrap infeed, heat tunnel with 24 in. x 10 ft. L feed / discharge, operators control console and processor/drive control panel, 575v /120v [Labeling and Palletizing Line 2]  | \$ 3,250.00 |
| 1007 | Amba Flex spiral elevator mod. no. SV 400 1300 ser. no. 23 541 02 3 tier, approx 80 in. dia x 10 ft. transfer height, with 16 in. wide belt, 33lbs/ft capacity [Labeling and Palletizing Line 2]   | \$ 750.00   |
| 1008 | Alvey case palletizer mod. no. 800 ser. no. 01-K08538 high level automatic case palletizer with pallet elevator, pallet stacker /dispenser approx 42 in. x 58 in. x 68 in. h, case pattern table, pusher, case turner roller and infeed conveyor, RedLion HMI, main control panel, 2 pattern set up for 14 and 19oz, [Labeling and Palletizing Line 2]   | \$ 3,250.00 |
| 1011 | Automated Design can code system ser. no. 230 602-36 (2) color code notification, blue and white light for wrong and illegible code detection, with can code computer panel and touch screen HMI [Labeling and Palletizing Line 3]   | \$ 450.00   |
| 1015 | Standard Knapp Spectrum packer mod. no. 1500T ser. no. 240-137 12 and 24 pack, continuous motion tray /overpacker and shrink tunnel machine, set for 14 and 19oz, with infeed/ laning, tray infeed conveyor, blank carton magazine, 6 lanes grouper, front and rear carton gluing with Nordson ProBlue hotmelt, Marksman Elite FoxJet printer, 30 in. x 36 in. upper film stand, shrinkwrap infeed, spectrum seal bar heater, heat tunnel with 24 in. x 10 ft. L feed / discharge, operators control console and processor/drive control panel, 575v /120v [Labeling and Palletizing Line 3] | \$ 3,250.00 |
| 1018 | Amba Flex spiral elevator mod. no. SV400-1300 ser. no. 4622-01 approx 75 in. dia with 16 in. wide belts, 120 in. transfer height, with gear drive, 2005 [Labeling and Palletizing Line 3]  | \$ 750.00   |
| 1021 | Single filer can discharge conveyor approx 20 in. W x 20 ft. L single filer plus 4. 5 in. x 8 ft. single lane from accumulation transfer to labeler infeed junction, with side roller guides, associated proximity sensors and gear drives, stainless frame and support with plastic table top belts [Labeling and Palletizing Line 6]   | \$ 1,250.00 |
| 1022 | Automated Design can code system ser. no. 230602-32 (2) color code notification, blue and white light for wrong and illegible code detection, with can code computer panel and touch screen HMI [Labeling and Palletizing Line 6]  | \$ 450.00   |
| 1023 | Krones labeler mod. no. Canmatic ser. no. 73-D03 10oz, 30 heads, 2 gluing units for leading and tail end process, Robatech glue coating head, with Nordson Problue hot melt machine, servo driven container table, glue bowl, glue thickness micrometer adjustment screw, rated capacity b/w 2500 to 80000 container /hour, 10oz label magazine, feed /infeed starwheel, metering screw, and feed /infeed table top conveyor, complete AB PanelView plus 700 HMI, stainless processor and drive control panel, 575, 3ph/60hz, [Labeling and Palletizing Line 6]                              | \$ 1,250.00 |

**NATIONAL RIGGING TRANSPORTATION**  
**CONTACT: DARREN CHAPMAN**  
**TEL: 905-704-9011**  
**EMAIL: DARREN@NATIONALRIGGING.COM**

|      |  |             |
|------|--|-------------|
| 1024 | Standard Knapp Spectrum packer mod. no. 260 ser. no. 181 12, 18 and 24 pack, continuous motion tray /overpacker and shrink tunnel machine, with approx 24 in. x 16 ft. L blue belt infeed/ laning, tray infeed conveyor, blank carton magazine, 6 lanes grouper, front and rear carton gluing with Nordson ProBlue hotmelt, Marksman Elite FoxJet printer, 30 in. x 36 in. upper film stand, shrinkwrap infeed, spectrum seal bar heater, heat tunnel with 24 in. x 10 ft. L feed / discharge, operators control console and processor/drive control panel, 575v /120v (id no 10002785) [Labeling and Palletizing Line 6]  | \$ 3,250.00 |
| 1028 | Inclined belt conveyor to palletizer approx 10 ft. h x 30 ft. L incline x 14 in. W with v-belt, plus (1) Hytrol blue belt and Stayton model 8096 discharge and case turner conveyor, mild steel frame with gear drives. 2017 [Labeling and Palletizing Line 6]   | \$ 750.00   |
| 1030 | Whallon Brite depalletizer # 7 90 deg swing type, dual head auto accumulation unit with approx 45 in. x 58 in. x 5 ft. h max lift magnetic head, 48 in. x 48 in. vacuum head, 40 in. wide x 20 ft. L drag chain pallet feed conveyor, 55 in. x 42 ft. x 30 in. h slip sheet dispenser, 42 in. x48 in. x 64 in. pallet stacker, complete with 50 in. x 142 in. x 42 in. h accumulation table with blue plastic modular conveyor belt, 24 in. transfer conveyor, interlock PVC guard / safety barrier, processor and drive control panel, proximity switches, approx capacity @ 3 layers -auto and 3. 5layers -semi auto, 575/120/24v, (Id no. 10002807) (211 x 300, 211 x 304, 211 x 315) [Labeling and Palletizing Line 7] | \$ 3,250.00 |
| 1031 | Automated Design Solutions code system ser. no. 230602-15 (2) color code notification, blue and white light for wrong and illegible code detection, with can code computer panel and touch screen HMI [Labeling and Palletizing Line 7]  | \$ 450.00   |
| 1032 | Krones labeler mod. no. Canmatic ser. no. 73-B51 10 oz, 30 heads, 2 gluing units for leading and tail end process, Robatech glue coating head, with Nordson Problue hot melt machine, servo driven container table, glue bowl, glue thickness micrometer adjustment screw, rated capacity b/w 2500 to 80000 container /hour, label magazine, feed /infeed starwheel, metering screw, and feed /infeed table top conveyor, complete AB PanelView plus 700 HMI, stainless processor and drive control panel, 575, 3ph/60hz, (Id no. 10002813) 1993 [Labeling and Palletizing Line 7]   | \$ 1,250.00 |
| 1034 | Standard Knapp Spectrum packer mod. no. 260 ser. no. 180 12 and 24 pack, continuous motion tray /overpacker and shrink tunnel machine, set for 10oz, with infeed/ laning, tray infeed conveyor, blank carton magazine, 6 lanes grouper, front and rear carton gluing with Nordson ProBlue hotmelt, Marksman Elite FoxJet printer, 30 in. x 36 in. upper film stand, shrinkwrap infeed, spectrum seal bar heater, heat tunnel with 24 in. x 10 ft. L feed / discharge, operators control console and processor/drive control panel, 575v /120v [Labeling and Palletizing Line 7]  | \$ 3,750.00 |
| 1036 | Transfer conveyor including (1) Stayton model 4410CLR case turner roller conveyor, (1) Hytrol blue belt and (1) incline vbelt conveyors [Labeling and Palletizing Line 7]  | \$ 750.00   |

**NATIONAL RIGGING TRANSPORTATION**  
**CONTACT: DARREN CHAPMAN**  
**TEL: 905-704-9011**  
**EMAIL: DARREN@NATIONALRIGGING.COM**

|      |  |                |
|------|--|----------------|
| 1038 | Whallon Brite depalletizer 90 deg swing type, dual head auto accumulation unit with approx 45 in. x 58 in. x 5 ft. h max lift magnetic head, 48 in. x 48 in. vacuum head, 40 in. wide x 20 ft. L drag chain pallet feed conveyor, 55 in. x 42 ft. x 30 in. h slip sheet dispenser, 42 in. x 48 in. x 64 in. pallet stacker, complete with 50 in. x 142 in. x 42 in. h accumulation table with blue plastic modular conveyor belt, 24 in. transfer conveyor, interlock PVC guard / safety barrier, processor and drive control panel, proximity switches, approx capacity @ 3 layers -auto and 3. 5layers -semi auto, 575/120/24v, (212 x 315, 60 cspm) [Labeling and Palletizing Line 9] | \$ 3,750.00    |
| 1039 | Automated Design can code system (2) color code notification, blue and white light for wrong and illegible code detection, with can code computer panel and touch screen HMI [Labeling and Palletizing Line 9]   | \$ 450.00      |
| 1042 | Standard Knapp Spectrum packer mod. no. 260 ser. no. 179 12, 18 and 24 pack, continuous motion tray /overpacker and shrink tunnel machine, set for 10 oz with infeed/ laning, tray infeed conveyor, blank carton magazine, 6 lanes grouper, front and rear carton gluing with Nordson ProBlue hotmelt, Marksman Elite FoxJet printer, 30 in. x 36 in. upper film stand, shrinkwrap infeed, spectrum seal bar heater, heat tunnel with 24 in. x 10 ft. L feed / discharge, operators control console and processor/drive control panel, 575v /120v [Labeling and Palletizing Line 9]  | Please contact |
| 1043 | (3) Transfer conveyors including (1) Stayton model 4410CLR case turner roller conveyor, (1) Hytrol blue belt and (1) incline vbelt conveyors [Labeling and Palletizing Line 9]   | \$ 250.00      |
| 1044 | Weber label applicator Alpha compact, pressure sensitive wipe on labeler, 4. 7 in. to 6 in. x 11. 8 in. label capacity @ 164 in. /minute, on adjustable mobile base, 2017 [Labeling and Palletizing Line 9]  | \$ 250.00      |
| 1045 | AmbaFlex spiral case elevator mod. no. SV-400-1300 ser. no. 4622-02 4 tier continuous motion mild steel frame, stainless side guide with 16 in. W plastic slat belt, approx 55 in. dia W x 12 ft. transfer height, 2005 [Labeling and Palletizing Line 9]  | \$ 750.00      |
| 1059 | (5) Krone label magazine and parts mod. no. G035-93-044-0 ser. no. 21076191 on mobile rack [Labeling and Palletizing Line 9] (Tagged as Lots 1059 to 1063)   | Please contact |
| 1064 | alpine can accumulation conveyors 5 sets, 4 pass each, approx dimension with turn @ 55 ft. L x 6 ft. wide (for each Whallon depal machine - starts and end from Whallon depal to underside of can conveyor platform) [Labeling and Palletizing Line 9]   | Please contact |
| 1065 | Cable can track conveyors including drive station, can twist, diverter and work platform/catwalk (within /packaging room only, approx 800 ft. total length) [Labeling and Palletizing Line 9]  | Please contact |
| 1071 | Gould centrifugal pump mod. no. 3196 ser. no. E725H227 5hp, 1 x 2 -10, 40gpm, 1750rpm, 316ss, [Heat Recovery Storage Tanks 1st Flr]  | \$ 250.00      |
| 1072 | Gould centrifugal pump mod. no. 3196 ser. no. E725H226 15hp, 3 x 4 -10H, 500gpm, 1750rpm, 316ss, 8. 625 impeller [Heat Recovery Storage Tanks 1st Flr]   | \$ 250.00      |
| 1073 | Gould centrifugal pump mod. no. 3196 ser. no. E726H652 15hp, 3 x 4 -10H, 500gpm, 1750rpm, 316ss, 8. 625 impeller [Heat Recovery Storage Tanks 1st Flr]   | \$ 250.00      |

**NATIONAL RIGGING TRANSPORTATION**  
**CONTACT: DARREN CHAPMAN**  
**TEL: 905-704-9011**  
**EMAIL: DARREN@NATIONALRIGGING.COM**

|      |   |                |
|------|---|----------------|
| 1074 | (2) Vertical water pumps with approx 7. 5hp Brook Crompton drive motor[Heat Recovery Storage Tanks 1st Flr]   | \$ 250.00      |
| 1075 | (2) Gould centrifugal pump mod. no. G and L series SSH ser. no. G1709520 25hp, catalog no. 6SH2P75A0, 2. 5 x 3-6, 7. 313 impeller, flanged connection [Heat Recovery Storage Tanks 1st Flr]   | \$ 350.00      |
| 1076 | (2) Myers centrifugal condensate pumps mod. no. 150M50-53 ser. no. 394 5 hp, 5-1/8 impeller, plus (1) insulated condensate tank approx 100 gallons [Heat Recovery Storage Tanks 1st Flr]  | \$ 350.00      |
| 1077 | (4) Armstrong Tube-in-tube heat exchangers approx 12 in. dia and 14 in. dia x 8 ft. and 12 ft. long, on tubular steel frame with 8 steps access ladder, plus (2) heat recovery starter and main control panel, with HMI 600vac, 300amp, 3ph (manufactured by Steam Specialty sales 1994) [Heat Recovery Storage Tanks 1st | \$ 1,250.00    |
| 1078 | (2) Waukesha centrifugal pumps mod. no. 2065 ser. no. 100000-2896116, 15hp, 316 stainless, 2013[Heat Recovery Storage Tanks 1st Flr]  | \$ 350.00      |
| 1079 | (2) Gould centrifugal pumps mod. no. G and L series SSH 2. 5 x 3-6, 7. 313 impeller, flanged connection [Heat Recovery Storage Tanks 1st Flr]   | \$ 350.00      |
| 1080 | (2) Gould centrifugal pumps mod. no. G and L series SSH ser. no. G0714035 50hp, catalog no. 23SHK6, 3 x 4-8, 7. 69impeller [Heat Recovery Storage Tanks 1st Flr]  | \$ 350.00      |
| 1081 | (2) Gould centrifugal pumps mod. no. G and L series SSH (No P3 and P4) [Heat Recovery Storage Tanks 1st Flr]  | \$ 350.00      |
| 1092 | Afco Air Receiver tank approx 100 gallons capacity stainless with control panel with diaphragm pump on skid [Bulk Storage Tanks 1st Flr]  | Please contact |
| 1093 | MTC barrel dumper mod. no. HLET 2 stage, 2000lbs capacity, all stainless with welded wire safety barrier (by water recovery area) [Bulk Storage Tanks 1st Flr]  | Please contact |
| 1097 | Knud Simmons Ind column dumper mod. no. D-5000 ser. no. A1-6102 with barrel holder approx 18 in. x 24 in. x 48 in. h, all stainless, Campbell ft. s tag T0124[Waste Water Area 1st Flr]   | \$ 450.00      |
| 1098 | Waste Corp large Trash Flow centrifugal pump mod. no. TFCC4B ser. no. 983130 self priming, solid handling up to 3 in. capacity, with clean out port, 4 in. x 4 in. dia, belt driven, 25 ft. suction lift, 650-1950rpm ratings [Waste Water Area 1st Flr]  | \$ 450.00      |
| 1102 | Hayward Gordon gear pump mod. no. 6P81EFMIU3B2 ser. no. HG328642 7. 5hp, 850rpm, 90gallons/min [Waste Water Area 1st Flr]   | \$ 250.00      |
| 1103 | Marathon Trash Compactor mod. no. RJ250SC ser. no. 51402639 self contained unit, roll off, approx 40 in. x 58 feed opening, 24 tons crushing force, with 5hp hydraulic power pack, 2011[Waste Water Area 1st Flr]   | \$ 1,250.00    |
| 1105 | Prosysco LTD large holding tank ser. no. P9623 approx. 13500 gallons capacity, 12 ft. dia x 16 ft. h, with 36 in. high 3 in. dia legs support, 18 in. elliptical side mh [1st Flr Loading Dock 12]  | \$ 2,750.00    |
| 1106 | Gould centrifugal pump mod. no. 3196 ser. no. E724H370-1 30hp /1180rpm, 575v, 60hz, 1600gpm, size 6 x 8-13, D1/316ss, 13 in. max dia, (classified as screen pit pump) 2015 [1st Flr Loading Dock 12]  | \$ 650.00      |
| 1107 | Gould centrifugal pump mod. no. 3196 ser. no. E724H370-2 30hp /1180rpm, 575v, 60hz, 1600gpm, size 6 x 8-13, D1/316ss, 13 in. max dia, (classified as screen pit pump) 2015 [1st Flr Loading Dock 12]  | \$ 650.00      |

**NATIONAL RIGGING TRANSPORTATION**  
**CONTACT: DARREN CHAPMAN**  
**TEL: 905-704-9011**  
**EMAIL: DARREN@NATIONALRIGGING.COM**

|       |   |                |
|-------|---|----------------|
| 1120  | (2) Chemical dosing system ser. no. 2813002840 by Prominent Fluid Controls Ltd, system includes Blacoh pulsation dampener, Sigma dosing pumps, Dialog dulcometer, Endress Hauser controller, (1) Ecolab day tank fill control, 12-vac, 1ph/60hz, plus Poly acid tanks (NOTE: buyer will be responsible for a safe, responsible and approved way of disposal and draining of contents) [Hot Water Rinse Area 1st Flr]  | \$ 1,250.00    |
| 1122  | Cleaver brooks heat recover steam generator (HRSG) mod. no. MF-4S-85 ser. no. ER-4373-2015, Job no FR4373, 90, 000lb/hr max design steam capacity, @ 250 psig MAWP, 19598sqft heat surface, NBN 4771, equipped with NATCOM type NG industrial burner, s/n N20176 -2015, model DB-66-G-3, heat input @ 66. 4 / 6. 64 max /min MMBTU/HR @ 15 / 0. 28 max /min psig, ignitor fuel type NG model EXC-C-CL-3-7 @ 0. 42MMBTU/hr, feedwater and steam associated components including flow control meter and valves, top exhaust to feed water economizer, steam drum, plus Reliance Electro Eye-Hye remote water level indication system, model Recil-2R, s/n EE10248, 120v, and Natcom burner management control panel with AB Compact Guard Logix L43S system with 115/230vac, thermocouple, ethernet /IP Logix modules, and PanelView HMI, gas loop supply manifold, Zirconia oxygen analyzer. converter, water fall combustion chamber with water cooled membranes @ approx 2, 800 deg F firing /flu gas ratings, carbon steel support / inspection platform structure and cage access ladder, mfg 2014, [Powerhouse] | Please contact |
| 1123  | New York Blower co industrial pressure / Flame scanner cooling blowers mod. no. 22404ALM ser. no. shop no. 2015-06353-01, system is made up of (2) model NY04RI-E040023 centrifugal fan blowers each with 3hp / 3510rpm fan motors, 100cfm, 30. 5 in. SP, 0. 0697 DENS, 110deg F, 575v, 60hz, [Powerhouse]  | Please contact |
| 1124  | E-Tech vertical condensing economizer system, 6 MMBTU/hr, 125, 000lb/hr water, 89 deg F in, 145deg F out, with NY fan purge blower, man safe dampers (main and breaching dampers, and actuators associated support structure. (located outside - side wall front of cooling tower) (SUBJECT TO CONFIRMATION) [Powerhouse]   | Please contact |
| 1128  | (2) SEL Protection and Control panels, system include SEL 700GI and SEL TS4-700GT intertie generator protection relay, SEL 787 - transformer protection relay, SEL 2407 satellite synchronized clock, (SUBJECT TO CONFIRMATION) [Powerhouse]  | Please contact |
| 1129  | Stacion station rectifier mod. no. CT125B50E5676BENLHGD ser. no. 43458, constant voltage charger / rectifier unit, 208vac, 29amp, 125vdc, 50amp, 3ph/60hz, 125v nominal, 50amp max DC output, with Stativolt digital control, August 2015 (SUBJECT TO CONFIRMATION) [Powerhouse]  | Please contact |
| 1134E | lot/ turbine filters, parts and consumables (SUBJECT TO CONFIRMATION) [Powerhouse]  | Please contact |
| 1134F | solar turbines gantry type specialty rigging and lifting apparatus (SUBJECT TO CONFIRMATION) [Powerhouse]   | Please contact |
| 1135  | DV System desiccant dryer mod. no. DD100-00 ser. no. 71174, 100cfm, 120v, 1ph/60hz, 0. 34amp. 150psi max pressure plus (1) Omega carbon steel air tank (Subject to Confirmation) [Powerhouse]   | Please contact |

**NATIONAL RIGGING TRANSPORTATION**  
**CONTACT: DARREN CHAPMAN**  
**TEL: 905-704-9011**  
**EMAIL: DARREN@NATIONALRIGGING.COM**

|      |   |                |
|------|---|----------------|
| 1139 | Durpro RO system mod. no. DPRO-50/100 ser. no. SO07587R2, 50-100gpm premeate rate @ nominal 25deg C, nominal recovery rate @ 75%, 250psig MAWP, with high pressure and recirculating /CIP pumps model DPVF-25/7, 25hp and DPVF 40/1-1, 5hp, (11) pressure membranes approx 8 in. dia x 9 ft. L model no. GE-AG8040F-400, Filter solution inc pre filter, 150psi MAWP @ 225 deg F, -20 deg F @ 150 psi MDMT, s/n 10035-2017, Watlow 600v / 24000watts model F0NP727A61W-2 CIP heater, stage 1 to 4 pressure, pre /post filter and permeate, pressure gage panel, plus process control panel with AB PanelView HMI, PowerFlex 525 VFD, 1783-NATR Ethernet, Compact Logix L16Er processor unit with (5) 1734 series network status modules, Wieland -Wipos P124. 5 power supply, 600v, 3ph/60hz, 60amp (6 months old on carbon steel skid) 2017-02-14 (SUBJECT TO CONFIRMATION) [Powerhouse] | Please contact |
| 1140 | Cleaver Brooks / Arctic Combustion LTD. Boiler #1 mod. no. CN3-200 ser. no. WS-1723, NG fuel @ 1000 BTU per SCf, max input @ 61, 490SCFH, min input @ 6, 149SCFH, inlet pressure -8psig, MWP @ 59. 2 in. w. c., min pressure -5. 9 in. w. c., pilot pressure - 0. 5psig, no. 2 fuel @ 19, 600BTU/lbs, max input @ 442gph, min input @ 55gph, inlet pressure - 120 psig / 40psig, maximum/minimum pressure rating, steam @ 30psig, design ALT - 650ft-ASL, design std - TSSA-FA-2012, 120v, 1ph/60hz, 3 minutes purge time, firing rates @ 61. 490 btu/hr, supply pressure @ 100psi, burner voltage @ 575, 3ph/60hz, plus Bailey controls 120vac junction box, ABB SMA smart analyzer 90 flue gas analyzer, associate pipework / control valves/maxon shut off valves, fishers-Fieldvue actuator within boiler [Powerhouse]  | Please contact |
| 1141 | Foster Wheeler Limited Boiler #2 mod. no. Package AG 144 ser. no. 1202, equipped with JNE burner management and combustion control unit, model CRN-C6194, s/n PRN-5102110, NG/No. 2 oil dual burner, 70, 000 BTU/hr max input rating, 2psi/4psi min/max supply pressure, 9psi NG, 60psi/87psi-No. 2 oil burner supply pressure, 125psi inlet, Atomizing steam supply @ 135psi, 3 minutes purge time, with AB PanelView 700 HMMi, Bailey Controls co. universal actuator @ 90ft-lbs, air -100psig max, s/n 97WO53880, plus associated fuel transfer control loop manifold assembly including pipework, control valves, 575vac, 3ph/60hz, 120vac, 1ph/60hz, 24vdc, [Powerhouse]   | Please contact |
| 1143 | Goulds water tech water pump mod. no. e-SV - 56SV70 series, vertical multi-stage water pump, 250gpm nominal flow, non - self priming pump, 1200 ft. head rating, 3 in. dia, 580psi max, 60hp /3550rpm, [Powerhouse]   | Please contact |
| 1145 | Revak Skinner steam turbine mod. no. SB-18 ser. no. L29142, single stage steam turbine, inlet pressure 180psi @ 379 deg F, trip rpm @ 3850, 3500 rated, 60hp, with Revak governor, P/n RDC0104-H/sn 1065, 400 rpm, CW rotation, (2006) [Conventional Powerhouse]  | Please contact |
| 1146 | (2) ITT Bell and Gossett mod. no. 80BF series, In-line centrifugal pump, 20hp, 450gpm (blue and red) [Powerhouse]   | Please contact |
| 1147 | Corpus turbo fan blower mod. no. T-68, [Powerhouse]   | Please contact |
| 1148 | (3) Bell and Gossett centrifugal pumps mod. no. 1531 series, 155gpm, 175 psi max working pressure @ 250deg F [Powerhouse]   | Please contact |

**NATIONAL RIGGING TRANSPORTATION**  
**CONTACT: DARREN CHAPMAN**  
**TEL: 905-704-9011**  
**EMAIL: DARREN@NATIONALRIGGING.COM**

|      |  |                |
|------|--|----------------|
| 1149 | Boiler feedwater instruments and controls, including magnetic flow tube, Rosemount 8732 series transmitters, size 2 Fishers -Fieldvue actuator, Spirax Sarco controller, (located at lower level) [Powerhouse]   | Please contact |
| 1150 | (2) Goulds water technologies mod. no. 33SV10N series, 175gpm, 1 stage with 5hp/3510rpm WEG drive motor, 362 psi max @ 250deg F, [Powerhouse]  | Please contact |
| 1152 | (2) Poly Processing Tanks with pumps, 1400 gallons capacity with Goulds 2hp/3450rpm centrifugal pumps model NPE, size 1-1/2 x 2-6, 4-1/16 in. dia impeller. [Powerhouse]   | Please contact |
| 1154 | Torna Tech duplex gas pump and control system mod. no. ADA 600 / 2x 10/3/60 ser. no. 20209029-1/1, 600line volt, 120 control volt, 10 hp (no. 1 and 2) 3ph/60hz, 1200amp max fuse, associated pipework and control within the skid (buyer make sure that all main gas line are properly shut down and disconnect be plugged with approved gas plug) [Powerhouse]                   | Please contact |
| 1155 | Air dryer and compressor unit mod. no. AP 50 ser. no. 08-198, Comp -Air model AP 50, s/n 08-198, twin tower regenerative air dryer, 50 scfm, 100psig, 150psig max, 1ph/60hz, 115v, with (1) reciprocating compressor, approx 10 to 15 hp drive motor, plus (1) green compressed air tank located above [Powerhouse]  | Please contact |
| 1160 | HVAC heating water HEX system, 12 in. dia x 5 ft. L on carbon steel support, plus (2) approx 1hp vertically mount centrifugal pump plus control box (right beside HEX-04) [Powerhouse Deaerator upper deck]  | Please contact |
| 1161 | (2) Taco centrifugal end suction process water pumps mod. no. F1-2007-5. 80F, 15hp/3500rpm, 250gpm, 116 ft. Head, flanged connections, [Powerhouse Deaerator upper deck]   | Please contact |
| 1162 | (4) Rosemount magnetic flow tubes, various sizes, with 8712ESR series remote water flow transmitters (service for economizer water, HVAC heating water, boiler make up water and condensate water) [Powerhouse Deaerator upper deck]   | Please contact |
| 1163 | ALPS Welding Ltd Deaerator ser. no. 1093, MAWP @ FV and 50 psi, 300 deg F, MDMT @ 32 deg F, 50psi, CRN - 14798. 5, approx 7 ft. dia x 16 ft. L, 1999 [Powerhouse Deaerator upper deck]   | Please contact |
| 1164 | Condensate tank, approx 5 ft. dia x 10 ft. L, with associated, low pressure steam pipework from condensate tank front port to gate valve within tank plus SPRAX Sarco valves with PP5 positioner, (3) TB-Bailey TB82 conductivity transmitters [Powerhouse Deaerator upper deck]   | Please contact |
| 1165 | Condensate line pipework, including condensate, boiler feed and non potable water pipes, (2) size 45, type 657- Fishers scientific /Fieldvue actuator controls, booster pump, low pressure blowdown flash tank, ABB process master model FEP315 series valve, Elo-matic valve actuator, (3) Assured automation P/N D26NRXV4A electric actuators, [Powerhouse Deaerator upper deck] | Please contact |
| 1166 | (3) Tanks water softener system, approx 4 ft. dia x 5 ft. h, with associated control /regeneration monitor, certified by Structural North America, 150psig MAWP, 150 deg F, [Powerhouse Deaerator upper deck]  | Please contact |
| 1167 | (3) Tanks Durpro dealkalizer system, approx 4 ft. dia x 5 ft. h with associated controls [Powerhouse Deaerator upper deck]   | Please contact |

**NATIONAL RIGGING TRANSPORTATION**  
**CONTACT: DARREN CHAPMAN**  
**TEL: 905-704-9011**  
**EMAIL: DARREN@NATIONALRIGGING.COM**

|       |  |                |
|-------|--|----------------|
| 1168  | GE water treatment system mod. no. J2683-201 ser. no. 090215-01, with (4) Optisperse APFE poly tanks approx 44 in. dia x 54 in. h, with (5) chemical metering /peristaltic pumps, plus (1) cooling water poly tank open top, dealkalizer and brine solution poly tanks with Lightnin mixers, open top with lid covers, c/w panel [Powerhouse Deaerator upper deck]                                     | Please contact |
| 1172  | Ingersoll Rand Compressor #2 mod. no. SIERRA-H40W ser. no. TS6810U09216, package rotary air compressor, capacity @ 1594cfm, 125psig rating, 128psig max discharge, nominal drive motor @ 400hp, 3hp fan motor, 402amps, 575v, 3ph/60hz, 120v control, [Powerhouse Deaerator upper deck]  | Please contact |
| 1173  | Ingersoll Rand Compressor #4 mod. no. SIERRA-H35W ser. no. TS6593U06277, package rotary air compressor, capacity @ 1494cfm, 125psig rating, 128psig max discharge, nominal drive motor @ 350hp, 3hp fan motor, 250 amps rating, 575v, 3ph/60hz, 120v control [Powerhouse Deaerator upper deck]   | Please contact |
| 1174  | Ingersoll Rand refrigerated air dryer mod. no. NVC4000W600X01 ser. no. 325683, 200psig, R404A/14lbs, 575v, 3ph/60hz, 10. 5hp, [Powerhouse Deaerator upper deck]  | Please contact |
| 1175  | Compressed air horizontal receiving tank ser. no. 5-129-248, MAWP @ 125psi, 650 deg F, CRN-1194-756, approx 36 in. dia x 10 ft. L, carbon steel with side mh, approx 8 in. dia top ports, relief valve, pressure gage [Powerhouse Deaerator upper deck]  | Please contact |
| 1176  | Compressed air horizontal receiving tank, MAWP @ 137psi, 550deg f, CRN - E529-123456780, SFW - 5144448, approx 48 in. dia x10 to 12 ft. L carbon steel with (2) approx 8 in. dia top ports, pressure gage [Powerhouse Deaerator upper deck]  | Please contact |
| 1177  | (2) Pump skid sets, with (3) 10hp/3500rpm, Gould Pump ITT, model GL series SSH end suction pumps, back full type, class 150 flanged suction and discharge, close coupled, plus control box and motor starter switch, 600v, 3ph/60hz, (dual pump /FC25 cooler) plus (1) Taco system with (2) IR centrifugal pumps, small blue taco vert tank and plate heat exchanger [Powerhouse Deaerator upper deck] | Please contact |
| 1178A | lot/ contents of boiler control room consisting of screens, desks, chairs and cabinets [Powerhouse]  | Please contact |
| 1178B | server rack with Asus servers [Powerhouse]   | Please contact |
| 1179  | Belliss and Morcom high pressure reciprocating air compressor, 200 hp/ 700rpm [Powerhouse Deaerator upper deck]  | Please contact |
| 1180  | Glycol centrifugal pump system, Armstrong propylene glycol recirculating pump plus (1) poly glycol tank approx 65 in. dia x 68 in. h (buyer responsible for the proper and authority approved glycol disposal) [Powerhouse Deaerator upper deck]   | Please contact |
| 1181  | Budgit 2 tons gantry chain hoist, 2 tons capacity with pendant switch control, on I-beam runner (beam and support not included - LATE DELIVERY) [Powerhouse Deaerator upper deck]  | Please contact |
| 1181B | Vilter VSR301 100 hp single screw ammonia refrigeration compressor with retrofit 2017 Vilter Emerson vision 20/20 digital touch screen controls, 450 psig test rating, 100hp/3550rpm/575v/3ph/60hz high efficiency drive motor, Lincoln electric hydraulic pump, s/n 1424 (compressor #2) [Ammonia Room]   | Please contact |

**NATIONAL RIGGING TRANSPORTATION**  
**CONTACT: DARREN CHAPMAN**  
**TEL: 905-704-9011**  
**EMAIL: DARREN@NATIONALRIGGING.COM**

|       |  |                |
|-------|--|----------------|
| 1181C | Vilter vss301 125hp single screw ammonia refrigeration compressor with retrofit 2017 Vilter Emerson vision 20/20 digital touch screen controls, 450 psig test rating, 125hp/3550rpm/575v/3ph/60hz high efficiency drive motor, Lincoln electric hydraulic pump, s/n 1377 (compressor #3) [Ammonia Room]  | Please contact |
| 1181D | Vilter VSR301 100 hp single screw ammonia refrigeration compressor with retrofit 2017 Vilter Emerson vision 20/20 digital touch screen controls, 450 psig test rating, 100hp/3550rpm/575v/3ph/60hz high efficiency drive motor, Lincoln electric hydraulic pump, s/n 1380 (compressor # 4) [Ammonia Room]  | Please contact |
| 1181E | J. L . Wilson main ammonia receiver tank with 250 psi mawp @ max 650 deg f, 7/16 in. steel construction, sight glass, gauges, valves and analog temp recorder, s/n n/a [Ammonia Room]  | Please contact |
| 1181F | Chil-Con (1998) RA-241CC L. T. ammonia receiver system with 250 psig @ max 300 deg f test capacity, (2) Hansen Technologies low temp pumps with pump guardian overload controls, aux tanks, valves and instrumentation, s/n C9802744-1 [Ammonia Room]  | Please contact |
| 1181G | Chil-Con (1998) AA-30096-500 H. T. ammonia receiver system with 250 psig @ max 200 deg f test capacity, Phillips refrigeration (1998) x-120 recovery tank system, aux tanks, valves and instrumentation, s/n C980274C-1 [Ammonia Room]   | Please contact |
| 1181J | lot/ ammonia lockout stn, compressor oil and pump [Ammonia Room]   | Please contact |
| 1181K | Baltimore Aircoil of Canada (BAC) VC2-420 twin fan ammonia chiller, s/n 7814771 [Ammonia Room]   | Please contact |
| 1181L | Ingersoll Rand DDNS790BS3069 Drycooler glycol chiller with 921000 btu/h rated capacity, copper core, s/n F73764/100000 [Ammonia Room]  | Please contact |
| 1181M | Blanchard-Ness FEVF-25412P glycol chiller with copper core, s/n 2001060704 [Ammonia Room]  | Please contact |
| 1181N | Ingersoll Rand FCVF-24308PA glycol chiller with copper core, s/n 852141-010-001 [Ammonia Room]   | Please contact |
| 1184  | Berg chiller skid # 2 mod. no. WCQ-180-2/1-x ser. no. W01400D-AH1-0704, 133 tonners, with Henry Tech dual circuit evaporators, 350psi/200degF, 125psi/150degF, shell and tube MAWP, and water cooled condenser unit, equipped with (2) Copeland type SCH2-900E-TWE-200, 90hp, 400psiMAWP, parallel mount semi hermetic compact screw compressors, with integrated electrical panel, approx 5 in. dia butterfly shut-off / control valves, 575v/3ph/60hz, 235amp, R407C, 110lbs / circuit, R407C-110lbs/circuit, on skid [Chiller Bldg] | \$ 1,250.00    |
| 1185  | Berg chiller skid mod. no. WCQ-180-2/1 ser. no. W01639D-AH1-0705, 133 tonners, with Henry Tech dual circuit evaporators, 350psi/200degF, 125psi/150degF, shell and tube MAWP, and water cooled condenser unit, equipped with (2) Copeland and Bitzer type CSH7573-90-5PU, 90hp, 400psi MAWP, parallel mount semi hermetic compact screw compressors, with integrated electrical panel, approx 5 in. dia butterfly shut-off / control valves, 575v/3ph/60hz, 235amp, R407C, 110lbs/circuit, on skid [Chiller Bldg]                      | \$ 1,250.00    |

**NATIONAL RIGGING TRANSPORTATION**  
**CONTACT: DARREN CHAPMAN**  
**TEL: 905-704-9011**  
**EMAIL: DARREN@NATIONALRIGGING.COM**

|      |   |                |
|------|---|----------------|
| 1187 | Berg Heat Exchanger skid mounted, model Heat Exchanger, s/n W01250A-GI-1003, w/ Alfa Laval plate heat exchanger, model M15-BFML, MAWP 150PSI at 225 F, 981 sq. ft., 433MM w/ 149 0. 40MM plts. w/ (2) Belimo GM24-MFT US damper actuators [Chiller Bldg]                    | Please contact |
| 1188 | Berg Heat Exchanger skid mounted, HX 1 PKG, s/n W01400A-G1-0704, w/ Alfa Laval plate heat exchanger, model M15-BFML, MAWP 150PSI at 104 F, 981 sq. ft., 433MM w/ 149 0. 40MM plts. w/ (2) Belimo GM24-MFT US damper actuators [Chiller Bldg]                                | \$ 1,250.00    |
| 1189 | Berg Heat Exchanger skid mounted, model M15-BFML, s/n W01639G-G1-0705, w/ Alfa Laval plate heat exchanger, model M15-BFML, MAWP 150PSI at 104 F, 981 sq. ft., 433MM w/ 149 0. 40MM plts. w/ (2) Belimo GM24-MFT US damper actuators [Chiller Bldg]                          | \$ 1,250.00    |
| 1190 | Berg tower water pump package A skid mounted, model TT-1578-3 (25) x 3(50), s/n W01400E-EFI-0704, 285 hp, w/ (3) 25 hp pumping units, (3) 50 hp pumping units, Walchem digital cooling tower controller, recirculating tank size approx 6300 gal tank cap. [Chiller Bldg]   | \$ 2,450.00    |
| 1191 | Berg tower water pump package B, skid mounted, model TT-1479-2(30)1Bx2(50)1B, s/n W01639B-EFI-0705, 300 hp, w/ (2) 30 hp pumping units, (2) 50 hp pumping units w/ controllers, w/3M purification system, recirculating tank size approx 4000 gal. tank cap. [Chiller Bldg] | \$ 2,450.00    |
| 1192 | Berg process tower tank pump package, skid mounted, model TT-578-2(30), s/n W01250C-EB1-1003, 60 hp, w/ (30) hp pumping units, w/ True sense online monitoring controller and stroke rate controllers, recirculating tank size approx 6 ft. x 4 ft. x 10 [Chiller Bldg]     | \$ 1,850.00    |
| 1193 | Berg process tower tank pump package, skid mounted, model TT-578-x2(30), s/n W01400C-EB1-0704, 60 hp, w/ (2) 30 hp pumping units, recirculating tank size approx 3770 gal. tank cap. [Chiller Bldg]   | \$ 150.00      |
| 1194 | Berg Tower water circulation skid, model, s/n, W (2) 25 hp pumping units and (4) 15 hp pumping units, w/ Rosemount smart transmitter [Chiller Bldg]   | \$ 2,400.00    |
| 1195 | Square D Motor Control Panel, w/ PowerPact RK 1600 circuit breaker, s/n 19486190-001, 60 hz, 1600 amp, 600 volt (Subject to Confirmation) [Chiller Bldg]  | Please contact |
| 1196 | Berg 2 door control cabinet w/ Allen-Bradley PanelView 1000 touch pad screen, with (3) rack, Allen-Bradley SLC 5/05 CPU controller and (7) DC-Sink inputs, (7) isolated relay outputs, (1) input and (1) output [Chiller Bldg]  | Please contact |
| 1197 | Armstrong vertical in-line pump P-01, model 3x3x8, 4300TC, 368 USGPM, 188 ft. feet, s/n 781526 w/40 hp, 3600 rpm, BF-MOD construction, w/ associated Square D Enclosed 48 soft start motor controller, class 8638, type 48UJ5N, w/ Altistart 48 starter [Chiller Bldg]      | \$ 850.00      |
| 1198 | Armstrong vertical in-line pump P-01, model 3x3x8, 4300TC, 368 USGPM, 188 ft. feet, s/n 781527 w/40 hp, 3600 rpm, BF-MOD construction, w/ associated Square D Enclosed 48 soft start motor controller, class 8638, type 48UJ5N, w/ Altistart 48 starter [Chiller Bldg]      | \$ 850.00      |

**NATIONAL RIGGING TRANSPORTATION**  
**CONTACT: DARREN CHAPMAN**  
**TEL: 905-704-9011**  
**EMAIL: DARREN@NATIONALRIGGING.COM**

|       |   |   |
|-------|---|---|
| 1199  | Armstrong vertical in-line pump P-01, model 3x3x8, 4300TC, 368 USGPM, 188 ft., s/n 781528 w/40 hp, 3600 rpm, BF-MOD construction, w/ associated Square D Enclosed 48 soft start motor controller, class 8638, type 48UJ5N, w/ Altistart 48 starter [Chiller Bldg]   | \$ 850.00   |
| 1200  | Takagi tankless water heater model, T. K. Jr., s/n 23001521, 140, 000 BTU, natural gas, 150 gallons [Mail Chiller Bldg]   | Please contact  |
| 1202  | Rosemount magnetic flowtube sensor with transmitter, model 9705TSA060C1WONOB3Q4, s/n 0284004 [Chiller Bldg]   | Please contact  |
| 1203  | Rosemount transmitter, model 644HAK6J2M5Q4, s/n 0400899 [Chiller Bldg]  | Please contact  |
| 1204  | (3) 1150 Litre, 550 Litre, 320 Litre poly tanks w/ one poly bin [Chiller Bldg]  | Please contact  |
| 1204A | poly transport totem 1650 kg max cap. [Chiller Bldg]  | Please contact  |
| 1204B | poly skid w/ ramp [Chiller Bldg]  | Please contact  |
| 1206  | Marley NC Class 450 tonners, cooling tower module with 2 speed induced draft, single fan with TEFC fan motor @ 1.15 service factor, cooling tower, approx dimension @ 10 ft. x 18 ft. x 13 ft. h, hot dipped galvanized modular water distribution Cooling tower, NC-253824-A1, s/n NG8305H1GG-05 (on roof) [Chiller Bldg]  | Please contact  |
| 1207  | Marley NC Class 450 tonners, cooling tower module with 2 speed induced draft, single fan with TEFC fan motor @ 1.15 service factor, cooling tower, approx dimension @ 10 ft. x 18 ft. x 13 ft. h, hot dipped galvanized modular water distribution Cooling tower, NC-8305H1GS-04, s/n NC-246607-A1 (on roof) [Chiller Bldg]   | Please contact  |
| 1208  | Marley NC Class 450 tonners, cooling tower module with 2 speed induced draft, single fan with TEFC fan motor @ 1.15 service factor, cooling tower, approx dimension @ 10 ft. x 18 ft. x 13 ft. h, hot dipped galvanized modular water distribution Cooling tower, NC-240639-A1, s/n NG8305H1GS (on roof) [Chiller Bldg]   | Please contact  |
| 1210  | BAC (4) fan cooling tower on ground [Chiller Bldg]  | Please contact  |
| 1211  | BAC (4) fan cooling tower on ground [Chiller Bldg]  | Please contact  |
| 1213  | McQuay WDC087-BCCBM refrigeration and air conditioning compressor with touchscreen pc based plc control, 134A refrigerant, s/n STNU040600136 [Small Chiller Room]lot/ (2) glycol centrifugal pumps, s/n n/a [Small Chiller Room]lot/ (2) refrigerant centrifugal pumps, s/n n/a [Small Chiller Room]lot/ piping, valves and instrumentation [Small Chiller Room]GE Betz water treatment and monitoring station, s/n n/a [Small Chiller Room]poly mixing tank with (2) electric pumps, s/n n/a [Small Chiller Room](6) section MCC & electrical disconnect panel, s/n n/a (Subject to Confirmation) [Small Chiller Room] (Tagged as Lots 1213, 1214, 1215, 1217, 1218, 1219, 1220) | 4250 (does not include Lot 1217 - this item is priced separately) |
| 1304  | Quadro Chopping Rotor [Across from 1st Flr Cage Area]   | Please contact  |
| 1308  | Lot of Blancher Change Parts: Bushing Sleeves, Sprockets (2 Pallets) [Across from 1st Flr Cage Area]  | Please contact  |
| 1311  | Lot of Tetra Pak 48 oz Parts for A3 Flex Filler: Carton Reel, Guides, Filler Spouts, Folding parts (8 Crates, 1 Pallet) Lot of Tetra Pak 32 oz Parts: Carton Reel, Guides, Filler Spouts, Folding parts (6 Crates) [Located 2nd Flr Back Area] (Tagged as Lots 1311 and 1312)   | Please contact  |

**NATIONAL RIGGING TRANSPORTATION**  
**CONTACT: DARREN CHAPMAN**  
**TEL: 905-704-9011**  
**EMAIL: DARREN@NATIONALRIGGING.COM**

|      |  |                |
|------|--|----------------|
| 1318 | Nordson Hot Melt Gluer, Model Pro Blue 4, ser. no V4-2022 Lot of Nordson Change Parts: Hoses, Nozzles, Regulators [Across from 1st Flr Cage Area] (Tagged as Lots 1318 and 1320)   | Please contact |
| 1326 | Lot of Co-Gen Parts: Electrical, Gaskets, Coalescer (2 Pallets) [Across from 1st Flr Cage Area]  | Please contact |
| 1335 | (6) ABB Chart Recorder with Chart Recorder Chart, Pen, Model 500 (3 Pallets) [Across from 1st Flr Cage Area]   | Please contact |
| 1337 | Lot of Probes [Across from 1st Flr Cage Area]  | Please contact |
| 1369 | Lot of Stainless Inline Filter and Screen (2 Pallets); Lot of 316/340 Stainless Nuts, Bolts, Washers (4 Pallets); Lot of 316/340 Stainless Nuts, Bolts, Washers (4 Pallets) [Across from 1st Flr Cage Area] (Tagged as Lots 1369, 1370, 1371)                        | Please contact |
| 1381 | Assorted Stainless Clamps, Valves, Braided Hose, Fittings (3 Pallets) [Across from 1st Flr Cage Area]  | Please contact |
| 1384 | Zilli Bellini Gear for Filler [Across from 1st Flr Cage Area]  | Please contact |
| 1385 | Kennedy 8 in Gate Valve, Model 957, Ser. no C0396, 175 psi [Across from 1st Flr Cage Area]   | Please contact |
| 1389 | (6) Hydraulic Cylinder [Across from 1st Flr Cage Area]   | Please contact |
| 1395 | 24 in Stainless Drag Conveyor [Across from 1st Flr Cage Area]  | Please contact |
| 1416 | Albany Rapid Roll up Door, Model 670, Ser. no 12034 [Across from 1st Flr Cage Area]  | Please contact |
| 1417 | Albany Rapid Roll up Door, Model 670, Ser. no 12034 [Across from 1st Flr Cage Area]  | Please contact |
| 1418 | (1) FTS Stainless UV Light Test Hoop (Mobile), Model UV, Ser. no 100142754; (1) Damark Shrink Wrap System, Model 1334180, Ser. no 5017, 28 in W x 78 in L x 11.5 Aperature, 32 in W x 116 in L [Package Area] (Tagged as Lots 1418 and 1419)                         | Please contact |
| 1420 | (3) Pentalift 48 in x 48 in Pallet Lifts, 2000 lb cap [Package Area] (Tagged as Lots 1420, 1421, and 1422)   | Please contact |
| 1433 | (13) Section Metal Shelving with (2) Section with Stork parts, Shafts, Sleeves, Tachs, Gauges, Pulleys; (8) Section Metal Shelving w/ Misc. Parts, Gears, Seals, Filters, Socks, Belts, Gasket (Contents Only) (Tagged as Lots 1433 and 1435) [1st Flr Stores Dept.] | Please contact |
| 1439 | (4) Section W Conduit Fitting, Plugs, Receptacle [1st Flr Stores Dept.]  | Please contact |
| 1441 | (16) Green 3 1/4" Table Top Belt [1st Flr Stores Dept.]  | Please contact |
| 1444 | Misc. Engraving Sheets, Hose, Conduit Flex Hose, Conveyor Roller Guide (Content only) [1st Flr Stores Dept.]   | Please contact |
| 1450 | (39) Section metal Shelving 39"L x 15"w X 85"H   | Please contact |
| 1456 | Miller Pallet Stretch Wrapper w. Electric Sensor Safety Cage, Mod. No 703, Ser. No XX [1st Flr Warehouse]  | Please contact |
| 1470 | Dynac Assorted parts for Dynac Hartness guide, Pulley Gear, Belt, Flight (1) Pallet (1) Crate and (1) Cart [1st Flr Empty Can Warehouse]   | Please contact |
| 1499 | (2) JBT stainless fluiten mechanical seal GTA 19 [1st Flr Empty Can Warehouse]   | Please contact |
| 1500 | Comitrol cutting head and breaker [1st Flr Empty Can Warehouse]  | Please contact |
| 1507 | (28) sectional metal shelving 85 in. H x 40 in. L x 18 in. Deep [1st Flr Empty Can Warehouse]  | Please contact |

**NATIONAL RIGGING TRANSPORTATION**  
**CONTACT: DARREN CHAPMAN**  
**TEL: 905-704-9011**  
**EMAIL: DARREN@NATIONALRIGGING.COM**

|       |   |                |
|-------|---|----------------|
| 1534  | (4) metal 2-door storage cabinets w/ constant grease gun, sanding disk, safety harness wrench [1st Flr Empty Can Warehouse]   | Please contact |
| 1540  | (2) Gorman Rupp self priming centrifugal pumps mod. no. TGA65S/F ser. no. 105373 (Tagged as Lots 1540 and 1541)   | Please contact |
| 1544  | Waste Corp. 2 in. x 2 in. trash flow centrifugal pump mod. no. TFCC2B ser. no. 983435 w/ 1 hp motor w/ Endress + Hauser liquiline sensor [1st Flr Empty Can Warehouse]  | Please contact |
| 1547  | Stocka 4000 N cap. [1st Flr Empty Can Warehouse]  | Please contact |
| 1548  | (1) Domnick Hunter compressed refrigerated dryer mod. no. CRD500 ser. no. 2462810004 max. pressure 174; (1) Fabweld vertical air tank receiver CRNC 7228 SFW 5242711 max. psi 200 6 ft. H x 2 ft. Dia. (Tagged as Lots 1548 and 1549)               | Please contact |
| 1551  | Eriez magnet [1st Flr Empty Can Warehouse]  | Please contact |
| 2009  | Caterpillar fork lift truck, mod. EC25K, ser. no. A3EC230462, 48V electric, 4450 lbs cap., 188 in. lift height, 15324 hrs., 3-stage, side-shift, cushion tires (CAMP028) [Material Handling]  | Please contact |
| 2011  | Caterpillar fork lift truck, mod. EC25K, ser. no. A3EC230476, 48V electric, 4450 lbs cap., 188 in. lift height, 22195 hrs., 3-stage, side-shift, cushion tires (CAMP031) [Material Handling]  | Please contact |
| 2020A | Caterpillar fork lift truck, mod. EC20KT, ser. no. ETB5A50548, 48V electric, 3750 lbs cap., 159 in. lift height, ??? hrs., 3-wheel, 3-stage, side-shift, cushion tires (CAMP039) requires repair/parts/does not include battery [Material Handling] | Please contact |
| 2020B | Caterpillar fork lift truck, mod. EC20KT, ser. no. ETB5B52166, 48V electric, 3750 lbs cap., 159 in. lift height, ??? hrs., 3-wheel, 3-stage, side-shift, cushion tires (CAMP034) requires repair/parts/does not include battery [Material Handling] | Please contact |
| 2029  | Combat battery charger, 48V [2nd Flr Charging Area]   | Please contact |
| 2031  | Combat battery charger, 48V [2nd Flr Charging Area]   | Please contact |
| 2032  | Combat battery charger, 48V [2nd Flr Charging Area]   | Please contact |
| 2033  | Combat battery charger, 48V [2nd Flr Charging Area]   | Please contact |
| 2034  | Combat battery charger, 48V [2nd Flr Charging Area]   | Please contact |
| 2035  | Combat battery charger, 48V [2nd Flr Charging Area]   | Please contact |
| 2036A | Combat battery charger, 48V [1st Flr ACC]   | Please contact |
| 2037  | Combat battery charger, 48V [2nd Flr Charging Area]   | Please contact |
| 2038  | Combat battery charger, 48V [2nd Flr Charging Area]   | Please contact |
| 2039  | Combat battery charger, 48V [2nd Flr Charging Area]   | Please contact |
| 2040  | Enforcer SCR battery charger, 48V [2nd Flr Charging Area]   | Please contact |
| 2041  | Enforcer Ferro battery charger, 48V [2nd Flr Charging Area]   | Please contact |
| 2042  | WorkHog battery charger, 48V [1st Flr ACC]  | Please contact |
| 2043  | Enforcer Ferro battery charger, 48V [1st Flr ACC]   | Please contact |
| 2048A | FerroFive battery charger, 24V [1st Flr Warehouse]  | Please contact |
| 2049  | Excide 666 battery charger, 12V [2nd Flr Charging Area]   | Please contact |
| 2051  | EnerSys WorkHog lift truck battery, type E90-19, 48V [2nd Flr Charging Area]  | Please contact |
| 2052  | EnerSys WorkHog lift truck battery, type E90-19, 48V [2nd Flr Charging Area]  | Please contact |
| 2053  | EnerSys WorkHog lift truck battery, type E90-19, 48V [2nd Flr Charging Area]  | Please contact |
| 2054  | Hawker lift truck battery, type E90-19, 48V [2nd Flr Charging Area]   | Please contact |

**NATIONAL RIGGING TRANSPORTATION**  
**CONTACT: DARREN CHAPMAN**  
**TEL: 905-704-9011**  
**EMAIL: DARREN@NATIONALRIGGING.COM**

|       |  |                |
|-------|--|----------------|
| 2058  | EnerSys WorkHog lift truck battery, type E90-15, 48V [2nd Flr Charging Area]   | Please contact |
| 2059  | EnerSys WorkHog lift truck battery, type E90-15, 48V [2nd Flr Charging Area]   | Please contact |
| 2060  | EnerSys WorkHog lift truck battery, type E90-15, 48V [2nd Flr Charging Area]   | Please contact |
| 2061  | EnerSys WorkHog lift truck battery, type E90-15, 48V [2nd Flr Charging Area]   | Please contact |
| 2062  | EnerSys WorkHog lift truck battery, type E90-15, 48V [2nd Flr Charging Area]   | Please contact |
| 2063  | General lift truck battery, type E90-15, 48V [2nd Flr Charging Area]   | Please contact |
| 2064  | EnerSys WorkHog lift truck battery, type E90-15, 48V (requires repair/parts) [2nd Flr Charging Area]   | Please contact |
| 2072  | Carney battery lifting system w/ A-frame gantry, 2-ton cap., Kito 2-ton electric chain hoist and Carney Battery Buddy mod. BBYS-244 lifting attachment, 6000 lbs. cap. [2nd Flr Charging Area]   | Please contact |
| 2074  | Asst battery roller stands (9) Carney battery roller stands, 8 ft; (1) Carney battery roller stand, 4 ft; (1) battery roller stand, 5 ft; (1) battery roller stand, 30 in. [Material Handling] (Tagged as Lots 2074 to 2085)                   | Please contact |
| 2086  | Ari-Hetra fork lift lifting system w/ (2) HDML lifting columns, mod. 8AE, 15000 lbs. cap. ea. c/w ramps and stands [1st Flr Warehouse]   | Please contact |
| 2108A | Avery Weigh-Tronix truck scale, mod. BSM8010-100T, ser. no 01P-014133, 200,000 lbs. cap. c/w Weigh-Tronix weight indicator, mod. WI-127, ser. no. 014133, 200,000 lbs. cap. And Epson printer (Delayed Removal March 2020) [Material Handling] | Please contact |
| 2108B | (2) Chamberlain LiftMaster boom barrier gates, mod. MAT-DC-BB3 (Delayed Removal March 2020) [Material Handling]  | Please contact |
| 2108I | sea container no. 7, 20 ft. c/w contents [Yard]  | \$ 750.00      |
| 2108J | sea container no. 8, 20 ft. c/w contents [Yard]  | \$ 750.00      |
| 2108K | sea container no. 9, 20 ft. c/w contents [Yard]  | \$ 750.00      |
| 2108L | sea container no. 10, 20 ft. c/w contents [Yard]   | \$ 750.00      |
| 2108N | hi-way trailer, 53 ft. (damaged) [Yard]  | Please contact |
| 2114  | Sajo milling machine, mod. UF-54, ser. no. 61475, 4200 rpm cap., 11 in. x 52 in. table c/w 5 in. machine vice [Machine Shop, 1st Floor]  | \$ 175.00      |
| 2116  | Hyd-Mech vertical band saw, mod. 2013-10, ser. no. 339-78998, 5.5 hp, 20 in. throat, 5200 rpm cap. [Machine Shop, 1st Floor]   | \$ 250.00      |
| 2118  | J & L optical comparator, mod. Classic14T c/w Quadra-Check 2000 controller [Machine Shop, 1st Floor]   | Please contact |
| 2203  | steel work bench, 35 in. x 91 in. excluding bench vice [Large Shop, 2nd Floor]   | Please contact |
| 2218  | (1) 2-door cabinet w/ content; (1) 2-door cabinet w/ contents c/w s/s stand [Small Shop, 2nd Floor] (Tagged as Lots 2218 and 2219)   | Please contact |
| 2267  | Cyclone chain block, 1-ton [Gen. Maint., 1st Floor]  | Please contact |
| 2298  | misc. Enpac leak diverters [Elec. Shop, 1st Floor]   | Please contact |
| 2329  | misc. HASMAT training suits [Elec. Shop, 1st Floor]  | Please contact |
| 2330K | (3) ACA poly corrosives tank; s/s tank w/ cart and hose [Chemical Room, 1st Floor] (Tagged as Lots 2330K, L, M Q)  | Please contact |
| 2331  | Polar-Mohr Standard 86 paper cutter, mod. 86ST, ser. no. 3/69/0294 [Mail Room, 1st Floor]  | Please contact |

**NATIONAL RIGGING TRANSPORTATION**  
**CONTACT: DARREN CHAPMAN**  
**TEL: 905-704-9011**  
**EMAIL: DARREN@NATIONALRIGGING.COM**

|       |  |                |
|-------|--|----------------|
| 2368  | Quest Deep Fryer; Imperial Deep Fryer; S/S Shelf 12" x 60" and S/S Rack 10" x 60"; 10 glass/dish/cutlery racks [Kitchen, 1st Floor] (Tagged as Lots 2368, 2369, 2384, 2389)  | Please contact |
| 2390  | Curtis 70" x 77" Walk In Coolers w/Keeprite 1 Fan Condenser and Curtis 70" x 77" Walk In Coolers w/Keeprite 2 Fan Condenser [Kitchen, 1st Floor]; Garland dual steamer, mod. Pronto c/w s/s stand; s/s rinse sink [Loading Dock No. 9, 1st Floor] (Tagged as Lots 2390, 2390E, 2390F)  | Please contact |
| 2392C | (2) AC Smith model DRE-80-100 Electric Heater S/N: 1729F800089 and 1432F700012 80 Liter Capacity; S/N: 1432F700012 80 Litre Capacity [Kitchen, 1st Floor] (Tagged as Lots 2392C and 2393)  | Please contact |
| 2452  | Sharp electronic cash register, mod. ER-A420 [Kitchen Cage, 1st Floor]Sharp electronic cash register, mod. ER-A420 [Cafeteria/Store, 1st Floor]display cooler (in CCAN) [Cafeteria/Store, 1st Floor]Habco model SE42 2 Door Refrigerated Beverage Cooler, ser. no. 44000758, 48 in.; Automated Products Int'l vending machine, model Snackshop113; Automated Products Int'l vending machine, model 432; American Changer Corp. Change machine; cash-counter on caster; misc. built-in counters/cabinets; misc. built-in counters/cabinets; (2) cube shelving units [Cafeteria/Store, 1st Floor] (Tagged as Lots 2452, 2453, 2462, 2466, 2467, 2468, 2487, 2488, 2489, 2489A, 2490) | Please contact |
| 2517  | Garland bain marie, mod. GBM-40SD, ser. no. 9712HG081R, s/s, 6-burner, LNG; Garland bain marie, mod. GBM-40SD, ser. no. 9712HG082R, s/s, 6-burner, LNG; Garland oven/range, s/s, 6-burner, LNG; lab cabinets w/ s/s top, 30 in. x 240 in. and 24 in. x 81 in.; Cassidy's range, (2) burner, (2) skillet, s/s [Test Kitchen, 2nd Floor] (Tagged as Lots 2517, 2518, 2519, 2537, 2538)   | Please contact |
| 2543  | lab cabinets w/ s/s top/sink, 30 in. D x 89 in. & 41 in. L; Admiral oven/stove; lab cabinets w/ s/s top, 30 in. D x 140 in. L; lab cabinets w/ s/s top/sink, 30 in. D x 88 in. L; lab cabinets w/ s/s top/sink, 35 in. D x 300 in. L and center unit, 60 in. x 98 in; ]lab cabinets, wall-mounted, 135 in. L; lab cabinets island w/ s/s top/sink, 54 in. D x 81 in; Mott laboratory fume hood, mod. 7221000, ser. no. 12361, 36 in. [Lab, 2nd Floor] (Tagged as Lots 2543, 2544, 2546, 2547, 2548, 2553, 2554, 2556)  | Please contact |
| 2578  | Prevor diphoterine kit; (2) WaterJet fire blankets [First Aid, 1st Floor] (Tagged as Lots 2578, 2579)  | Please contact |
| 2716  | tilting dumpster on casters, 1 CU. YD, plastic; (2) tilting dumpsters on casters, 1/2 CU. YD ea., plastic. [Warehouse, 1st Floor] (Tagged as Lots 2716 and 2717)   | Please contact |
| 2736  | (2) RiteHite high-performance power roll-up door, mod. FastTrax, ser. no. 66208, ser. no. na, 6 ft. x 8 ft. H [3rd Floor] (Tagged as Lots 2736 and 2737)   | Please contact |
| 2738  | (2) RiteHite high-performance power roll-up door, mod. FastTrax, ser. no. 66211, 66210, 6.5 ft. x 9 ft. H [2nd Floor] (Tagged as Lots 2738 and 2739)   | Please contact |
| 2740  | (1) RiteHite high-performance power roll-up door, mod. FastTrax, ser. no. 64042, 10 ft. x 12 ft. H; (1) Rytec high-performance power roll-up door, 10 ft. x 12 ft. H [2nd Floor] [2nd Floor] (Tagged as Lots 2740 and 2741)  | Please contact |
| 2742  | Albany/EfaFlex high-performance power roll-up door, ser. no. 8000076756, 8 ft. x 9 ft. H, insulated [2nd Floor]  | Please contact |

**NATIONAL RIGGING TRANSPORTATION**  
**CONTACT: DARREN CHAPMAN**  
**TEL: 905-704-9011**  
**EMAIL: DARREN@NATIONALRIGGING.COM**

|      |   |                |
|------|---|----------------|
| 2743 | Albany high-performance power roll-up door, mod. RapidRoll, ser. no. 89130116, 10 ft. x 12 ft. H; Flexon high-performance power roll-up door, mod. SpeedMaster, 6 ft. x 8 ft. H c/w PowerAire air curtain; high-performance power roll-up door, 6 ft. x 8 ft. H c/w Berner air curtain; Albany high-performance power roll-up door, mod. RapidRoll, ser. no. 90151203, 8 ft. x 10 ft. H [Veg. Prep., 1st Floor] (Tagged as Lots 2743 to 2746) | Please contact |
| 2752 | (2) spill kits [1st Floor, Loading Dock 9]  | Please contact |
| 2766 | contents of resource/wellness center (furnishings only/delayed removal date applies) [1st Floor, Front Offices]   | Please contact |
| 2769 | (10) misc. server racks [1st Floor, Front Offices]  | Please contact |
| 2770 | Emerson server room A/C unit, mod. Liebert DS [1st Floor, Front Offices]  | Please contact |
| 2771 | Emerson server room A/C unit, mod. Liebert [1st Floor, Front Offices]   | Please contact |
| 2772 | contents of HR offices (furnishings only) [1st Floor, Front Offices]  | Please contact |
| 2773 | contents of Engineering offices (furnishings only/excluding plotters) [1st Floor, Front Offices]  | Please contact |
| 2774 | contents of Tech. Maint. offices (furnishings only) [1st Floor, Front Offices]  | Please contact |
| 2775 | (3) server racks [1st Floor, Front Offices]   | Please contact |
| 2776 | Schneider server room A/C unit, mod. InRowRD [1st Floor, Front Offices]   | Please contact |
| 2842 | Guardian wet-environment phones, mod. WP70 (representative photo) [2nd Floor]   | Please contact |
| 2844 | (2) Viltner evaporators, 4-fan and 3-fan [2nd Floor]  | Please contact |
| 2851 | Copeland semi-hermetic compressor, mod. 4RA3-2000TSE, ser. no. 99GI3855CC [1st Floor, Shops]  | Please contact |
| 2853 | (2) GatorRoll lacing tools [1st Floor, Packaging and Labelling]   | Please contact |
| 2863 | misc. Hytrol roller conveyor, 17 in. [1st Floor, Packaging and Labelling]   | Please contact |
| 2891 | water filtration system [1st Floor, ACC]  | Please contact |
| 2895 | (4) RefPlus evaporators, 4-fan ea. [1st Floor, ACC]   | Please contact |
| 2909 | EcoLab dry-lube dosage control system [1st Floor, ACC]  | Please contact |
| 2911 | lab cabinets w/ s/s top and sink, 30 in. x 141 in. x 60 in. c/w upper cabinets [1st Floor, ACC]   | Please contact |
| 2921 | (3) pallet sheet dispensers on casters [1st Floor, Warehouse]   | Please contact |
| 2925 | insulated condensate tank c/w Brook pump [1st Floor, Shops]   | Please contact |
| 2926 | O'Connor tank c/w Waukesha pump [1st Floor, Shops]  | Please contact |
| 2928 | SPX pump, 2 hp; tank; misc. valves, etc. [1st Floor, Shops] (Tagged as Lots 2928 to 2930)   | Please contact |
| 2941 | (13 sec. dexion-type shelving [1st Floor, Labelling and Packaging]  | Please contact |
| 2960 | (2) Viltner evaporators, 2-fan ea. [1st Floor, FRZ4]; (2) Viltner evaporators, 5-fan ea. [1st Floor, FRZ2] (Tagged as Lots 2960 and 2963)   | Please contact |
| 2966 | Ampco pump, 20 hp [1st Floor, LD9]; CimcoLewis evaporator, 2-fan [1st Floor, Veg. Prep.](3) Viltner evaporators, 6-fan and (2) 2-fan [1st Floor, Veg. Prep.]waste hopper w/ s/s auger conveyor and s/s dewatering screen on s/s mezzanine [1st Floor, Veg. Prep.](2) pumps [1st Floor, Veg. Prep.] (Tagged as lots 2966, 2967, 2968, 2969, 2970)  | Please contact |
| 2971 | (3) Vaughan agitators, mod. V3PE02 (2018), 10.3 impeller, 50 hp [1st Floor, Veg. Prep.] (Tagged as Lots 2971 to 2973)   | Please contact |

**NATIONAL RIGGING TRANSPORTATION**  
**CONTACT: DARREN CHAPMAN**  
**TEL: 905-704-9011**  
**EMAIL: DARREN@NATIONALRIGGING.COM**

|      |  |                |
|------|--|----------------|
| 2974 | Goulds pump, 7.5 hp [1st Floor, Veg. Prep.]  | Please contact |
| 2979 | Combat 48V lift truck battery charger [1st Floor, Veg. Prep.]  | Please contact |
| 2984 | (2) s/s sinks [1st Floor, Veg. Prep.]  | Please contact |
| 2986 | Jamison/HCR LoTemp door, mod. ECAC [First Floor, ACC]  | Please contact |
| 2995 | (2) 2-door cabinets [2nd Floor]  | Please contact |
| 2997 | (2) s/s work stations [2nd Floor]  | Please contact |
| 3000 | (2) dust collectors [2nd Floor] (Tagged as Lots 3000 and 3001)   | \$ 4,250.00    |
| 3002 | HazStor flammables cabinet, mod. 28140, ser. no. 329-IL [yard]   | Please contact |
| 3004 | (2) tanks, 30 ft. dia. x 24 ft. H, 46800 gal. cap. [yard] (Tagged as Lots 3004 and 3005)   | Please contact |
| 3006 | shack [yard]   | Please contact |
| 3051 | Mahaffy hydraulic drum palletizer, mod. SLH2424, ser. no. 381, 1000 lbs. cap. [2nd Flr cage]   | Please contact |
| 3052 | (4) misc. mobile pneumatic scissor lifts, 2000 lbs. cap. ea. [2nd Flr cage]  | Please contact |
| 3053 | EconoLift pallet turn-table, 2000 lbs. cap. [2nd Flr cage]   | Please contact |
| 3054 | Cubicles, etc. [2nd Flr R and D]   | Please contact |
| 3055 | Mahaffy hydraulic drum palletizer, mod. SLW2020, ser. no. 250, 500 lbs. cap. [2st Flr Shops]   | Please contact |
| 3056 | (2 skids) folding metal chairs [1st Flr Dock 9]  | Please contact |
| 3057 | (2) TSC label printers [1st Flr Warehouse]   | Please contact |
| 3058 | (3) sample carts [1st Flr Warehouse]   | Please contact |
| 3059 | (60) Galvanized bins, corrugated, perforated, stackable, inside measurements 42" x 45" x 29" deep [1st Flr Vegetable Receiving Dept] | Please contact |
| 3060 | (30 sec.) misc. pallet racking [1st Flr ACC]   | Please contact |
| 3061 | (15 pair) Eagle column protectors [1st Flr Empty Can Warehouse]  | Please contact |
| 3062 | (500) misc. full-door lockers incl. benches and misc. lockers through out plant [1st Flr Offices]                                    | Please contact |
| 3063 | (approx. 10) Rite-Hite dock safety barriers, mod. Dok-Guardian [1st Flr Warehouse]   | Please contact |
| 3064 | large quantity of misc. concrete safety posts and rails [throughout plant]   | Please contact |
| 3065 | large quantity of misc. multi-directional safety mirrors [throughout plant]  | Please contact |
| 3066 | large quantity of misc. bug lights [throughout plant]  | Please contact |
| 3067 | large quantity of water-proof industrial curtains [throughout plant] (excluding rods)  | Please contact |
| 3068 | large quantity of emergency eye wash/shower stations [throughout plant]  | Please contact |