

Onsite & Online Auction

FORMER ASSETS OF:



DAY 2 CATALOG

LATE MODEL FOOD
PROCESSING, PACKAGING &
PLANT SUPPORT ASSETS

AUCTION DATE: WED. SEPTEMBER 18
START TIME: 9:00 AM EDT
LOCATION: 60 BIRMINGHAM ST.
TORONTO, ONTARIO, CANADA

**3 DAY AUCTION EVENT
SEPTEMBER 17 – SEPTEMBER 19**

- ALL ITEMS ARE SOLD "AS IS, WHERE IS"
- SALE CONDUCTED AND PAYABLE IN U.S. DOLLARS
- BUYER'S PREMIUM: 16% ONSITE, 18% ONLINE

- PAYMENT IN FULL IS DUE:
FRIDAY, SEPTEMBER 20, BY 4:00 PM

- REMOVAL DEADLINE:
SMALL ITEMS TO BE REMOVED BY:
FRIDAY, OCTOBER 4, BY 4:00 PM
ALL OTHER ITEMS TBA

- NO ITEMS MAY BE REMOVED WHILE THE AUCTION IS IN PROGRESS
- ANY PERSON PARTICIPATING IN THE AUCTION SHALL BE BOUND BY TERMS AND CONDITIONS OF SALE SUBJECT TO AMENDMENTS AND MODIFICATIONS ANNOUNCED BY THE AUCTIONEER AT THE TIME OF THE AUCTION.

- THIS CATALOG IS MEANT MERELY AS A GUIDE. THE AUCTIONEERS DO NOT WARRANT THE ACCURACY, GENUINENESS, AUTHENTICITY, DESCRIPTION, WEIGHT, COUNT OR MEASURE OF ANY OF THE LOTS SPECIFIED HEREIN. E & OE

AUCTION CONDUCTED IN CONJUNCTION WITH:



TCL ASSET GROUP INC.
56 PENNSYLVANIA AVE., UNIT 13, CONCORD, ONTARIO L4K 3V9
TEL: 905.660.1367 • MANAGINGYOURASSETS.COM

Lot	Description
801	Metalcraft 25 litre kettle mod. no. 1151900 ser. no. 45104 14 in. dia x 12 in. h ID, 316LSS atmospheric cooking kettle, open type jacket on load cell, 65psig, 300deg F, Sew Eurodrive 1/3hp/1130rpm, 230/460v, 2004 [Upstairs ACC Pilot]
802	Metalcraft 50 litre kettle mod. no. 1151901 ser. no. 45105 18 in. dia x 14 in. h ID, 316Lss atmospheric cooking kettle, open type jacket on load cell, 65psig, 300deg F, Sew Eurodrive 1/3hp/1130rpm, 230/460v, 2004 [Upstairs ACC Pilot]
803	A&M Process Equipment Ltd single ribbon blender # 2 mod. no. RB1-8 ser. no. 404034 15 in. x 24 in. x 18 in. deep double hull ID, 10GA, 316Lss, steam jacketed, 90psig @ 300degF, hinged interlock cover, steam sparger, Sew Eurodrive 1hp/1700rpm, 20. 33:1 ratio, on load cells, 1-1/2 in. dia 2 way bottom discharge, approx 3. 5cubic foot, 2004, [Upstairs ACC Pilot]
804	A & M Process Equipment Ltd 150 liters double ribbon blender # 1 mod. no. RBS-3TS ser. no. 404035 18 in. x 40 in. x 18 in. deep double hull ID, 10GA, 316Lss, steam jacketed, 90psig @ 300degF, hinged interlock cover, steam sparger, Sew Eurodrive 1hp/1700rpm, 20. 33:1 ratio, on load cells, 54rpm output, 1-1/2 in. dia 2 way bottom discharge, approx 6. 5cubic foot, 2004, [Upstairs ACC Pilot]
805	Uniblock sanitary positive lobe pump 2 in. x 2 in., Sew Eurodrive 3/4hp/ 1700rpm, on skid [Upstairs ACC Pilot]
806	APV Gaulin lab homogenizer mod. no. 31MR3TA ser. no. 20042410630 2 stage, 31gph, MAWP 3000psi, 3hp/1755rpm, on stainless stand [Upstairs ACC Pilot]

Lot	Description
807	Walker lab liquefier mod. no. LM-10-DS ser. no. SPG-51746 10 gallons capacity, 14 in. x 14 in. x 15 in. h, 10 in. x 10 in. top mh, 316Lss, 3hp/1760 bottom agitator direct drive motor, side bottom discharge, on stainless leg, 2005 [Upstairs ACC Pilot]
808	Urschel 1700 Comitrol processor mod. no. 1700 ser. no. 3426 with 30hp/3540 brake motor, course to fine emulsion cut, max product feed @2. 5 in., high speed impeller, assembly parts including (9) different cutting head and feed funnel/hopper assembly [Upstairs ACC Pilot]
809	Warren Rupp Sandpiper pumps mod. no. SSB1-A ser. no. 617496 type TY-3-SS, USDA compliant metallic diaphragm pump, 1-1/2 in., 54gpm pump capacity, stainless [Upstairs ACC Pilot]
810	Warren Rupp Sandpiper pumps mod. no. SSB1-A ser. no. 617493 type TY-3-SS, USDA compliant metallic diaphragm pump, 1-1/2 in., 54gpm pump capacity, stainless [Upstairs ACC Pilot]
811	Warren Rupp Sandpiper pumps mod. no. SSB1-A ser. no. 617502 type TY-3-SS, USDA compliant metallic diaphragm pump, 1-1/2 in., 54gpm pump capacity, stainless [Upstairs ACC Pilot]
812	Warren Rupp Sandpiper pumps mod. no. SSB1-A ser. no. 206502 type S-2-SS, USDA compliant metallic diaphragm pump, 1-1/2 in., 54gpm pump capacity, stainless [Upstairs ACC Pilot]
814	Lab appliances mod. no. Quest (1) 6 burners, gas fed, stainless stove with exhaust hood, (1) True freezer model TR2F-2S, 3/4hp, 115v plus (1) UV machine /waterbath unit [Upstairs ACC Pilot]
815	(5) Stainless tables with fixtures & utensils [Upstairs ACC Pilot]

Lot	Description
816	Advance Process Solution Pilot system sterilizer /HEX 450 skid system include multiple pass stainless double tube HEX for quench /product cooling and product heating with 1. 5 in. sanitary clamped end inspection tube /pipes and sanitary product holding tube, chilled water supply/return @ 20gpm, steam supply and barrier flow @ 150PPH /90psi, filtered water line@ 10gpm /50psi, 15gpm condensate return line, various control valves including Tri-clover air actuated valves, temp controls /RTD, pressure transmitters and gages, steam regulator, expansion relief quench cooler safety and vent valves, hot water heater brazed plate, heat exchanger back press transmitter and element, complete with pneumatic and interconnect panel skid with 2hp and 3hp /3450 Waukesha hot water pressure /flow pumps, 0 to 26. 5gpm @ 32psi, all stainless contact parts, mounted stainless tubular framed skid (approx 3 ft. wide x 25 ft. l) plus sterilizer sanitary parts removed and stored for cleaning on 5 tiers metal rack with weld wire deck (note rack not included - parts only) [Downstairs ACC Pilot]
817	Waukesha positive displacement pump mod. no. 33 ser. no. 46192 stainless, 1-1/2 in. x 1-1/2 in., 3hp/ 1740rpm, 8. 56:1 ratio, 30gpm @ 600rpm max /225psi, on skid, 2008 [Downstairs ACC Pilot]

Lot	Description
818	Particulate Radster run tank skid system include (1) 100 gallons dome top, flat bottom product tank 36x in. dia x 40 in. h, with top mount agitator (1) 50gallons water tank, with flip top lid cover, Product mass flow meter -T100T624SCACEZZZZ, Waukesha air /electronically actuated control valves, temp RTD, level transmitters, Burkert control and timing valves, filling and quench back press transmitter, 1. 5 in. dia sanitary steam, cold filter water, product return lines, Waukesha -2065LV, 7. 5hp /3500rpm, 23gpm, model 18-U1, 3hp/105rpm, 1. 5gpm timing, CIP and product pumps, 8 ports CIP hook up manifold, complete with pneumatic, 120v / 24vac /24vdc, motor control and processor panels with ABB Commander 1900 chart recorder, AB 9 slot chassis with 5/05 CPU, 8 I/o modules, PanelView +1500 with Logix module, on approx 3 ft. x 12 ft. tubular stainless skid, all stainless contact parts [Downstairs ACC Pilot]
819	Ampco centrifugal pump mod. no. C216MD127-S ser. no. CC38502-1-2 stainless, 6 in. dia impeller, 7. 5hp/ 3460rpm, 184TC frame, 575v, 60hz [Downstairs ACC Pilot]
820	Ampco centrifugal pump mod. no. C216MD127-S ser. no. CC38502-1-3 stainless, 6 in. dia impeller, 7. 5hp/ 3460rpm, 184TC frame, 575v, 60hz [Downstairs ACC Pilot]

Lot	Description
821	50L Actini #2 test production skid mod. no. N - 2690 soup sterilizer skid, 2. 5 / 13gallons per hour, with 18 in. dia x 18 in. straight pressure vessel-100psi@ 284deg F, 9 in. dia x 18 in. deep product and water fill tanks, from 1/2 in., 1 in. and 1-1/2 in. dia tube loop for heating, treatment and cooling, and process line, expansion vessel, associated control valves, E+H Promag 10 transmitter, Jumo sensors, 800 cP @ 122degF (50deg C) max product viscosity, nominal density @ 1. 05g/0. 06 cubic inch, all stainless contact parts, clad and approx 5 ft. x 6 ft. skid [Downstairs ACC Pilot]
822	Intasept aseptic filling system mod. no. 2232 ser. no. 2232-04-09-04 Rapak Asia Pacific Int compact 16mm (0. 62 in.) gland aseptic filler, single head, plunger, semi auto clean in place /steam in place, 2 to 30 liters capacity (0. 6 to 7. 9 gallons), high and low acid capable, Schubert and Salzer control valves, 110/240v, 2004 [Downstairs ACC Pilot]
823	MicroThermics lab test bench mod. no. 25HVHW /SHVH-W ser. no. 3216608-1 small scale UHT/HTST R and D processor, with hold tube /cooler and pre heat loop, pre heat fill and drain control, in line homogenizer, product outlet, auto fill control aseprilab fill hood, lesser size NPS1 steam safety valve, 3/4hp/2500rpm stainless Moyno progressing cavity product pump, Browning in line gear box, coolant supply/return, water supply and steam supply ports, HMI, 208v, 1ph/60hz, stainless contact parts and cabinet, counter top and sink with sample pipe on mobile base - 2012 [Downstairs ACC Pilot]

Lot	Description
824	Stainless tables and sink including (1) mobile table, (1) dual sink counter with under counter drain screen, (1) dual sink with splash back and HC faucets [Downstairs ACC Pilot]
825	CIP hook up manifold (2) 4 and 8 ports, 1- 1/2 in. dia, disconnected pipework and associated controls (NOTE: pipes and controls associated and within individual skid and system is NOT included, 4 ports is located on the 2nd floor) [Downstairs ACC Pilot]
825A	Highland test kettle, ser. no. 88050-1 (2013), s/s, jacketed (2nd Floor, Test Kitchen)
825B	Highland test kettle, ser. no. 88050-2 (2013), s/s, jacketed (2nd Floor, Test Kitchen)
825C	A&M dual ribbon test blender, mod. DRB050, ser. no. 41328, s/s 1/2 hp (2nd Floor, Test Kitchen)
825D	Leitel pressure vessel, ser. no. 67 (2nd Floor, Test Kitchen)
825E	chart recorder, mod. Cammander1900, s/s (2nd Floor, Test Kitchen)
825F	HydroThermal direct steam injection heating system, s/s c/w Lightning SPXFLOW agitator, AB PanelViewPlus700 controllers (2nd Floor, Test Kitchen)
825G	exhaust hood, s/s (2nd Floor, Test Kitchen)
825H	Silgan capper, mod. SWC100 (2013) c/w control panel (2nd Floor, Test Kitchen)
825I	Rooney's semi-automatic can sealer, mod. 307x409 (2nd Floor, Test Kitchen)
825J	Rooney's semi-automatic can sealer, mod. 211x315 (2nd Floor, Test Kitchen)
825K	s/s cabinet (2nd Floor, Test Kitchen)
825L	s/s cabinet (2nd Floor, Test Kitchen)
825M	JustRite flammables cabinet, 4 gal. (2nd Floor, Test Kitchen)

Lot	Description
825N	2-door cabinet (2nd Floor, Test Kitchen)
825O	exhaust hood, s/s (2nd Floor, Test Kitchen)
825P	leak detector, s/s (2nd Floor, Lab)
826	MTC 3000 lb bin dumper #1 mod. no. LEC ser. no. 4963 hydraulic low lift tote dumper, single stage, 48 in. wide bin holder, mounted on 62 in. x 50 in. x 8 ft. h HD tubular frame to dump @ approx 12 ft. h, 45 deg dump angle with hold down bar, 5hp hydraulic power pack, stainless frame and supports [Frozen Block Breaker Rm ACC Proc]
827	MTC Lump breaker with 55 in. x 60 ft. x 50 in. deep receiving hopper, 15 rotary hammers, 5hp /1680rpm drive motor, protective grills with interlock switch, bottom discharge to 12 in. x 7 ft. x 16 in. deep to hull bottom, 10 in. dia integrated screw auger fitted with discharge chute to common take away conveyor, grill safety barrier, all stainless [Frozen Block Breaker Rm ACC Proc]
828	MTC 3000 lb bin dumper #2 mod. no. LEC ser. no. 4962 hydraulic low lift tote dumper, single stage, 48 in. wide bin holder, mounted on 62 in. x 50 in. x 8 ft. h HD tubular frame to dump @ approx 12 ft. h, 45 deg dump angle with hold down bar, 5hp hydraulic power pack, stainless frame and supports [Frozen Block Breaker Rm ACC Proc]
829	MTC Lump breaker with 55 in. x 60 ft. x 50 in. deep receiving hopper, 15 rotary hammers, 5hp /1680rpm drive motor, protective grills with interlock switch, bottom discharge to 12 in. x 7 ft. x 16 in. deep to hull bottom, 10 in. dia integrated screw auger fitted with discharge chute to common take away conveyor, grill safety barrier, all stainless [Frozen Block Breaker Rm ACC Proc]

Lot	Description
830	MTC 3000 lb bin dumper #3 mod. no. LEC ser. no. 4961 hydraulic low lift tote dumper, single stage, 48 in. wide bin holder, mounted on 62 in. x 50 in. x 8 ft. h HD tubular frame to dump @ approx 12 ft. h, 45 deg dump angle with hold down bar, 5hp hydraulic power pack, stainless frame and supports [Frozen Block Breaker Rm ACC Proc]
831	MTC Lump breaker with 55 in. x 60 ft. x 50 in. deep receiving hopper, 15 rotary hammers, 5hp /1680rpm drive motor, protective grills with interlock switch, bottom discharge to 12 in. x 7 ft. x 16 in. deep to hull bottom, 10 in. dia integrated screw auger fitted with discharge chute to common take away conveyor, grill safety barrier, all stainless [Frozen Block Breaker Rm ACC Proc]
832	Shared flat belt conveyor approx 22 ft. L x 25 in. W with 10 in. h side splash guards, sanitary belt, stainless frame, (for station 2 and 3) [Frozen Block Breaker Rm ACC Proc]
833	MTC screw elevator approx 15 in. x 22 ft. x 16 in. deep to hull bottom, with hinged interlock safety grill, Eriez super power-series SD discharge chute plate magnet separator (magnet # 9) and 22 in. x 24 in. x 14 in. deep receiving hopper with bolted to hopper grill safety barrier, proximity /photo sensors, [Frozen Block Breaker Rm ACC Proc]
834	GA Wright and Son Ltd. Inspection Belt ser. no. 10799-003 30 in. x 16 ft. L with LOMA IQ2 metal detector, 32 in. x 6 in. h aperture, corrugated sidewall rubber belt, with discharge chute to pneumatically operated funnel to ribbon blender, stainless frame, 1/2hp, 37. 66:1 ratio gear drive, 575v [Frozen Block Breaker Rm ACC Proc]

Lot	Description
835	Stainless platform along wall approx 70 ft. long x 3 ft. wide with 12 steps access stairway, stainless frame and support [Frozen Block Breaker Rm ACC Proc]
836	A&M Process double ribbon blender - A mod. no. DRB800 ser. no. 1003127 approx 250 cu-ft, u bottom, double hull shell, (62 in. x 8 ft. x 40 in. h) twin shaft with 10 in. discharge opening fitted with hinged end discharge doors, (2) 10hp /1730rpm, 330/575v, load cells on foot plate, safety grill cover, screen grill door with AB magnetic interlock sensors, control valves, 3 in. dia legs support, [Frozen Block Breaker Rm ACC Proc]
837	A&M Process double ribbon blender - B mod. no. DRB800 ser. no. 1003128 approx 250 cu-ft, u bottom, double hull shell, (62 in. x 8 ft. x 40 in. h) twin shaft with 10 in. discharge opening fitted with hinged end discharge doors, (2) 10hp /1730rpm, 330/575v, load cells on foot plate, safety grill cover, screen grill door with AB magnetic interlock sensors, control valves, 3 in. dia legs support, [Frozen Block Breaker Rm ACC Proc]
838	Progressive cavity pump 7. 5hp, 4 in. dia x 6 ft. L auger, with 32 in. x 70 in. x 30 in. h, integrated receiving hopper, to receive product from ribbon blenders, stainless contact parts, on mobile base [Frozen Block Breaker Rm ACC Proc]

Lot	Description
839	Rietz extractor mod. no. RE-24-K7E333 ser. no. RE-84002752 stainless size reduction machine, 40lbs frozen block product capacity with (6) rotary hammer blades, (6) fixed anvils, approx 24 in. dia discharge port with swing out cover and protective grid plate, safety latches, magnetic sensor interlock, approx 24 in. x 24 in. x 30 in. h to bottom hull, fitted with bag dump hopper, 30hp drive motor with belt guard on HD stainless frames and support [Frozen Block Breaker Rm ACC Proc]
840	Hydraulic dumper with approx 20 in. x 36 in. x 18 in. h bin holder, with hydraulic power pack, welded wire safety barriers @ approx 8 ft. dump height, floor level loading, 1/4 ton capacity, GD stainless frames and support [Frozen Block Breaker Rm ACC Proc]
841	Extractor inspection platform approx 36 in. W x 6 ft. h, stainless frame and safety rails with 6 steps access stairway, yellow fiberglass deck [Frozen Block Breaker Rm ACC Proc]
842	inspection deck along blender approx 30 in. W x 4 ft. h, stainless frame and safety rails, with 4 steps access stairway, yellow fiberglass deck [Frozen Block Breaker Rm ACC Proc]
843	Demaco breaker dept control panels 3 doors stainless with integrated AB Control Logix processor, 17 slots chassis, with 16 plc modules, (1) CPU, (14) PowerFlex 70 VFD ft. s, from 40hp/30hp, 10hp/7. 5hp, 1hp/0. 75hp, plus automation and electrical wiring components, 575vac, 3ph/60hz, 400amp, 24vdc/120vac control [Frozen Block Breaker Rm ACC Proc]

Lot	Description
844	AB VFD panels (3) stainless puree and Comitrol panels with (3) PowerFlex 70 and (2) PowerFlex700 - 50/40hp plus (1) 3 door stainless panels with (12)) PowerFlex 70 and 700 VFDs various hp rom 4hp/3hp to 40hp/30hp normal duty/heavy duty, (1) HMI cat no. 6186m-17PTSS, (1) 17 slots control Logix plc modules with ethernet, control net, input/output modules [Frozen Block Breaker Rm ACC Proc]
845	Terlotherm scrape surface heat exchanger stainless, approx 24 in. dia x 52 in. h (2) concentric heat exchange surface, with Spirax /Sarco and Automax control valves, direct bottom mount gear drive, associated sanitary pipes and air actuated, valves (Note: only within HEX system) [Frozen Block Breaker Rm ACC Proc]
846	Waukesha positive displacement pump mod. no. 130 U2 ser. no. 346638-03 bi directional, 316 stainless, 3 in. x 3 in., non galling alloy rotor, 150gallons/min capacity @ 200psi with 7. 5hp drive, 330/575v on skid [Frozen Block Breaker Rm ACC Proc]
847	MTC 3000 lb bin dumper #7 mod. no. LEC ser. no. 4990 hydraulic low lift tote dumper, single stage, 48 in. wide bin holder, mounted on 62 in. x 50 in. x 8 ft. h HD tubular frame to dump @ approx 12 ft. h, 45 deg dump angle with hold down bar, 5hp hydraulic power pack, stainless frame and supports [Frozen Block Breaker Rm ACC Proc]

Lot	Description
848	MTC Lump breaker with 55 in. x 60 ft. x 50 in. deep receiving hopper, 15 rotary hammers, 5hp /1680rpm drive motor, protective grills with interlock switch, bottom discharge to 12 in. x 7 ft. x 16 in. deep to hull bottom, 10 in. dia integrated screw auger fitted with discharge chute to common take away conveyor, grill safety barrier, all stainless [Frozen Block Breaker Rm ACC Proc]
849	MTC 3000 lb bin dumper #8 mod. no. LEC ser. no. 4991 hydraulic low lift tote dumper, single stage, 48 in. wide bin holder, mounted on 62 in. x 50 in. x 8 ft. h HD tubular frame to dump @ approx 12 ft. h, 45 deg dump angle with hold down bar, 5hp hydraulic power pack, stainless frame and supports [Frozen Block Breaker Rm ACC Proc]
850	MTC Lump breaker with 55 in. x 60 ft. x 50 in. deep receiving hopper, 15 rotary hammers, 5hp /1680rpm drive motor, protective grills with interlock switch, bottom discharge to 12 in. x 7 ft. x 16 in. deep to hull bottom, 10 in. dia integrated screw auger fitted with discharge chute to common take away conveyor, grill safety barrier, all stainless [Frozen Block Breaker Rm ACC Proc]
851	MTC 3000 lb bin dumper #9 mod. no. LEC ser. no. 4989 hydraulic low lift tote dumper, single stage, 48 in. wide bin holder, mounted on 62 in. x 50 in. x 8 ft. h HD tubular frame to dump @ approx 12 ft. h, 45 deg dump angle with hold down bar, 5hp hydraulic power pack, stainless frame and supports [Frozen Block Breaker Rm ACC Proc]

Lot	Description
852	MTC Lump breaker with 55 in. x 60 ft. x 50 in. deep receiving hopper, 15 rotary hammers, 5hp /1680rpm drive motor, protective grills with interlock switch, bottom discharge to 12 in. x 7 ft. x 16 in. deep to hull bottom, 10 in. dia integrated screw auger fitted with discharge chute to common take away conveyor, grill safety barrier, all stainless [Frozen Block Breaker Rm ACC Proc]
852A	Shared flat belt conveyor approx 60 ft. L x 25 in. W with Habasit sanitary belt, stainless frame on Bryant telescoper/teletrack, 2004 (for station 8 and 9) [Frozen Block Breaker Rm ACC Proc]
852B	Mobile cleated elevating belt conveyor Z-type - approx 20 ft. total length (32 in. bottom x 12 ft. incline x 5 ft. top x 12 ft. h) with 3 in. h flights, 5 in. side guards, 8 in. dia discharge, stainless tubular frames, support and catch pans [Frozen Block Breaker Rm ACC Proc]
853	MTC 3000 lb bin dumper #10 mod. no. LEC ser. no. 4992 hydraulic low lift tote dumper, single stage, 48 in. wide bin holder, mounted on 62 in. x 50 in. x 8 ft. h HD tubular frame to dump @ approx 12 ft. h, 45 deg dump angle with hold down bar, 5hp hydraulic power pack, stainless frame and supports [Frozen Block Breaker Rm ACC Proc]

Lot	Description
854	MTC Lump breaker with screw auger discharge ser. no. 7384 55 in. x 60 ft. x 50 in. deep final breaker receiving hopper, with safety grate, 15 rotary hammers, 5hp /1680rpm drive motor, bottom discharge to incline screw auger conveyor, approx 14 in. dia screw x 18 in. W x 16 in. deep to hull bottom x 18 ft. L, with hinged trough covers and magnetic interlock sensors, 54 in. x 36 in. x 24 in. deep integrated hopper, 5hp/1680rpm screw drive motor, stainless frames and support, mobile base [Frozen Block Breaker Rm ACC Proc]
855	Frozen block breaker ser. no. 65663 42 in. long spear, on 34 in. x 34 in. spear cluster, with hydraulic power pack, fitted with Rosta tensile/shear load absorption and Northern vibratory device, wire screen safety barriers on 64 in. x 88 in. x 12 ft. HD tubular frame and support, 2004 by Highland stainless steel Equipment Ltd [Frozen Block Breaker Rm ACC Proc]
856	A&M Process double ribbon blender - C mod. no. DRB800 ser. no. 504046 approx 250 cu-ft, u bottom, double hull shell, (62 in. x 8 ft. x 40 in. h) twin shaft with 10 in. discharge opening fitted with hinged end discharge doors, (2) 15hp /1740rpm, 56. 55:1 ratio, 330/575v, load cells on foot plate, safety top grating, screen grill door with AB magnetic interlock sensors, control valves, 3 in. dia legs support, Festo numatics cabinet, [Frozen Block Breaker Rm ACC Proc]

Lot	Description
857	A&M Process double ribbon blender - D mod. no. DRB800 ser. no. 504045 approx 250 cu-ft, u bottom, double hull shell, (62 in. x 8 ft. x 40 in. h) twin shaft with 10 in. discharge opening fitted with hinged end discharge doors, (2) 15hp /1740rpm, 56. 55:1 ratio, 330/575v, load cells on foot plate, safety top grating, screen grill door with AB magnetic interlock sensors, control valves, 3 in. dia legs support, Festo numatics cabinet, [Frozen Block Breaker Rm ACC Proc]
858	MTC Screw elevator - C mod. no. MTCS-12-14 ser. no. 7109 10 in. dia screw x 12 in. W x 16 in. deep to hull bottom x 14 ft. L, with hinged trough covers and magnetic interlock sensors, 24 in. x 55 in. x 28 in. deep integrated hopper, 1. 5hp/1740rpm /34. 73:1 ratio drive motor, 330/575v, stainless frames and support, mobile base [Frozen Block Breaker Rm ACC Proc]
859	MTC Screw elevator - D mod. no. MTCS-12-14 ser. no. 7108 10 in. dia screw x 12 in. W x 16 in. deep to hull bottom x 14 ft. L, with hinged trough covers and magnetic interlock sensors, 24 in. x 55 in. x 28 in. deep integrated hopper, 1. 5hp/1740rpm /34. 73:1 ratio drive motor, 330/575v, stainless frames and support, mobile base [Frozen Block Breaker Rm ACC Proc]

Lot	Description
860	Urschel Comitrol - C mod. no. 1700 ser. no. 3334 batch slicer on load cell, with 30hp/3540 brake motor, course to fine emulsion cut, max product feed @2. 5 in., high speed impeller, 1/4 in. to 1/2 in. slice, 3/8 in. microcut, logic amplifier and disconnect panel, fitted and mounted to bin holder discharge, Rice Lake digital read out, stainless tubular frame assembly and contact parts (assembly parts including cutting heads, hopper assembly are remove for cleaning and stored on table nearby) [Frozen Block Breaker Rm ACC Proc]
861	Urschel Comitrol - D mod. no. 1700 ser. no. 3353 batch slicer on load cell, with 30hp/3540 brake motor, course to fine emulsion cut, max product feed @2. 5 in., high speed impeller, 1/4 in. to 1/2 in. slice, 3/8 in. microcut, logic amplifier and disconnect panel, fitted and mounted to bin holder discharge, Rice Lake digital read out, stainless tubular frame assy and contact parts (assembly parts including cutting heads, hopper assembly are remove for cleaning and stored on table nearby) [Frozen Block Breaker Rm ACC Proc]
862	Stainless platform around mixing area approx 100 ft. total length x 36 in. W x 9 ft. h with stairway 12 steps access stairway, yellow non skid fiberglass floor deck, stainless frame assembly and safety rails. (station # 7, 8, 9 and 10) [Frozen Block Breaker Rm ACC Proc]
863	Highland stainless holding tank approx 250 gallons capacity, 42 in. dia x 44 in. h with 16 in. dia mh, fitted with forklift ready base for transport and moving, 3 in. dia legs and stack and nest arm assembly, (619lbs empty) 2004 [Frozen Block Breaker Rm ACC Proc]

Lot	Description
864	Highland stainless holding tank ser. no. 67989 approx 250 gallons capacity, 42 in. dia x 44 in. h with 16 in. dia mh, fitted with forklift ready base for transport and moving, 3 in. dia legs and stack and nest arm assembly, (619lbs empty) 2004 [Frozen Block Breaker Rm ACC Proc]
865	Highland stainless holding tank approx 250 gallons capacity, 42 in. dia x 44 in. h with 16 in. dia mh, fitted with forklift ready base for transport and moving, 3 in. dia legs and stack and nest arm assembly, (619lbs empty) 2004 [Frozen Block Breaker Rm ACC Proc]
866	Highland stainless holding tank approx 250 gallons capacity, 42 in. dia x 44 in. h with 16 in. dia mh, fitted with forklift ready base for transport and moving, 3 in. dia legs and stack and nest arm assembly, (619lbs empty) 2004 [Frozen Block Breaker Rm ACC Proc]
867	Strong Arm pedestal HMI station (2) units with color touch screen HMI monitor, stainless frame and cabinets (located inside vegetable preparation area) [Frozen Block Breaker Rm ACC Proc]
868	Tri-Mer dust collector mod. no. 10-H/W/W ser. no. 40676 whirl /wet unit, rated 2 1050 cfm flow rate, with fixed position dual blade assembly and mist eliminator, magnehelic differential pressure gage, approx 8 in. dia in and out ports, baghouse clean out mh, Cincinnati fan blower model HP-6B13 /sn 708796, complete with ducting to dust collection hood, all stainless frames and cladding [Frozen Block Breaker Rm ACC Proc]
869	(3) SS tables various sizes (1) with expanded wire lower shelf 6 ft. x 32 in. x 30 in. h (2) smaller in size [Frozen Block Breaker Rm ACC Proc]

Lot	Description
870	(3) Table scales Rice Lake, (2) 24 in. x24 in. (1) 24 in. x 36 in. platforms with digital readout [Frozen Block Breaker Rm ACC Proc]
871	Floor scale approx 4 ft. x 4 ft. stainless surface scale platform with easy access ramp, Rice Lake digital readout [Frozen Block Breaker Rm ACC Proc]
872	Sugar tote unloader approx 42 in. x 48 in. x 77 in. h HD stainless frame assembly with nest and stack bracket, fitted with 10 in. dia spout discharge to corrugated side walled feed belt approx 12 in. W x 5 ft. long with gear drive, to gravity slide chute and fitted with pull out drawer type magnet separator [Frozen Block Breaker Rm ACC Proc]
873	Salt tote unloader approx 42 in. x 48 in. x 77 in. h HD stainless frame assembly with nest and stack bracket, fitted with 10 in. dia spout discharge to corrugated side walled feed belt approx 12 in. W x 5 ft. long with gear drive, to gravity slide chute and fitted with pull out drawer type magnet separator [Frozen Block Breaker Rm ACC Proc]
874	Plencon Ltd. barrel hoist system ser. no. J333-0 180 degree swiveling 1/2 ton capacity freestanding jib crane with 8 ft. long x 5 in. x 10 in. I-beam, on approx 10 ft. dia x 9 ft. h pivot post, electric chain hoist with pendant switch and drum lifting aid [Frozen Block Breaker Rm ACC Proc]
875	Column dumper approx 18 in. x 12 in. frame x 10 ft. h, 69 in. dump height, barrel hold, stainless [Paste Blending System ACC Proc]

Lot	Description
876	A&M Process ribbon blender mod. no. RB500 ser. no. 703097 50cu-ft, 34 in. x 38 in. x 96 in. shell ID, crevice free hull, 76 in. x 38 in. x 155 OSD, 6 in. dia discharge, 10hp/1740 rpm, 86. 52:1 ratio, 45rpm rated ribbon agitator, on load cells, screen grill door with AB magnetic interlock sensors, control valves, control panel, 3 in. dia legs support, SKF -SAFD520 bearing assembly [Paste Blending System ACC Proc]
876A	Diaphragm pump ? [Paste Blending System ACC Proc]
877	Tote weigher 18 in. x 28 in. x 8 in. load height mobile on load cell with Rice Lake digital read out, stainless frame assembly [Paste Blending System ACC Proc]
878	Stainless paste holding tank jacketed, approx 800gallons capacity, 65 in. dia x 88 in. h, with 18 in. dia mh, dome top /cone bottom, with top mount series 10 Lightnin mixer, 7. 5hp /1740rpm, 17. 31:1 ratio gear drive, 575v, double, dual pitch turbine agitator blades, level transmitter, spray balls, 3 in. dia TEE fitting bottom discharge fitted with (3) 3 in. dia butterfly valves [Paste Blending System ACC Proc]
879	Paste tank discharge and pipework system includes(1) 6 in. dia Bunting magnet separator, (1) 4 port diversion plate, (1) 4 in. dia sanitary inline filter screen, associated air and electronic actuated control valves, fittings, tri clamps, 2 in. to 3 in. process pipes, (NOTE: only within the paste platform area- nothing beyond.) [Paste Blending System ACC Proc]
880	(2) Rosemount magnetic flow meter mod. no. 8712 with 90-250vac remote transmitters plus (1) AB PanelView 300HMI (beside paste tank) [Paste Blending System ACC Proc]

Lot	Description
881	Waukesha positive displacement pump mod. no. 130-U2 ser. no. 360208-04 stainless, 3 in. x3 in. with Sew Eurodrive 5hp/1750/152rpm drive, 150gallons per minute @ 200psi on skid [Paste Blending System ACC Proc]
882	Waukesha positive displacement pump mod. no. 130-U2 ser. no. 349010-04 stainless, 3 in. x3 in. with Sew Eurodrive 5hp/1750/152rpm drive, 150gallons per minute @ 200psi on skid [Paste Blending System ACC Proc]
883	Paste blending work platform stainless framing and safety rail assembly with 4 and 3 steps work/inspection platform with yellow fiberglass floor deck [Paste Blending System ACC Proc]
884	Waukesha centrifugal pump mod. no. 2065 series stainless, 2 in. x2 in., 5hp, 316ss, approx 245gpm, on skid [Paste Blending System ACC Proc]
885	Highland stainless squash blend tank 65 in. dia x 88 in. h, cone bottom, Sew Eurodrive, 7. 5hp/1775 /25rpm, 86. 52:1ratio, top mount agitator, jacketed, with spray ball, level transmitter and RTD, 5 top ports from 1 in. dia to 3 in. dia, 1/3 hinged flip top lid cover, TEE fitting center bottom discharge with (3) butterfly and (2) pneumatic valves [Squash Blending Station ACC Proc]

Lot	Description
886	Tank discharge and pipework system includes(1) 6 in. dia Bunting magnet separator, (1) Rosemount Magnetic flow tube model 8721ASA030RA2NOAH with 8712 remote transmitter, (2) 4 and 5 port diversion plates(1) 6 pneumatic valves cluster, (3) pneumatic valves, (1) Tri clover 2 way pneumatic valves, (1) 4 in. dia sanitary inline filter screen, associated air and electronic actuated control valves, fittings, tri clamps, 2 in. to 3 in. process pipes, (NOTE: only within the paste platform area- nothing beyond) [Squash Blending Station ACC Proc]
887	Waukesha positive displacement pump mod. no. 130-U2 stainless, 3 in. x3 in. with approx 5hp drive, 150gpm, on skid 2003 [Squash Blending Station ACC Proc]
888	Ampco positive displacement pump stainless, 1. 5hp/1740hp on skid [Squash Blending Station ACC Proc]
889	Squash station platforms stainless frame and safety rail assembly with 8 steps access stairway, with yellow grating deck [Squash Blending Station ACC Proc]
890	J. C. Pardo jacketed kettle ser. no. 7120-3 approx 300 gallons capacity, stainless jacketed, 50 in. dia x 45 in. deep, with ROTAC hydraulic actuator / anchor type top mount agitator, MAWP -100psi @ 338 deg F, all stainless contact parts and legs support, hinge flip top lid cover NB #2655, built 1995(CL-24) [Cooking and Blending Area ACC Proc]

Lot	Description
891	J. C. Pardo jacketed kettle ser. no. 7120-1 approx 300 gallons capacity, stainless jacketed, 50 in. dia x 45 in. deep, with ROTAC hydraulic actuator / anchor type top mount agitator, MAWP -100psi @ 338 deg, F, all stainless contact parts and legs support, hinge flip top lid cover, NB #2656, built 1995(CL-25) [Cooking and Blending Area ACC Proc]
892	MTC column dumper #1 mod. no. HLC2 ser. no. 62322 800 pound capacity, with 25 in. W x 24 in. deep buggy holder with hold down lock, 68 in. dump height @ 45deg dump angle, 304ss, approx 12 in. x 14 in. x 10 ft. h column, semi auto, up/down push button switch box, LH load stainless [Cooking and Blending Area ACC Proc]
893	MTC column dumper #2 mod. no. HLC2 ser. no. 62320 800 pound capacity, with 25 in. W x 24 in. deep buggy holder with hold down lock, 68 in. dump height @ 45deg dump angle, 304ss, approx 12 in. x 14 in. x 10 ft. h column, semi auto, up/down push button switch box, RH load stainless [Cooking and Blending Area ACC Proc]
894	Pentalift Scissor pallet lift table hydraulic, self leveling 48 in. x48 in. [Cooking and Blending Area ACC Proc]
895	Pentalift Scissor pallet lift table hydraulic, self leveling 48 in. x48 in. [Cooking and Blending Area ACC Proc]
896	Walker liquefier mod. no. LM-200-BDSL ser. no. SPG-13140-1 approx 200 gallons capacity, 36 in. x 36 in. x 42 in. h, 20 in. x 20 in. mh, with product dump hood, safety grating, side mount belt driven agitator drive motor, 2 in. dia top port, side bottom discharge, all stainless [Cooking and Blending Area ACC Proc]

Lot	Description
897	Highland Equip. double ribbon blender 3A ser. no. 504048 stainless, atmospheric and jacketed, approx 4 ft. x 9 ft. x 42 in. deep to bottom hull, approx 600 gallons capacity,, load cells on foot plate, safety grill cover, screen grill door with AB magnetic interlock sensors, control valves, with 3 in. x3 in. tubular frame support and exhaust hood, steam sparger, 4 in. flanged bottom discharge, steam supply line, Parker Balston 3. 3 liter filters, gear drive with 56. 55:1 ratio, (similar to a Blentech) [Cooking and Blending Area ACC Proc]
898	Highland Equip. Double ribbon blender 3B stainless, atmospheric and jacketed, approx 4 ft. x 9 ft. x 42 in. deep to bottom hull, approx 600 gallons capacity,, load cells on foot plate, safety grill cover, screen grill door with AB magnetic interlock sensors, control valves, with 3 in. x3 in. tubular frame support and exhaust hood, steam sparger, 4 in. flanged bottom discharge, steam supply line, Parker Balston 3. 3 liter filers, gear drive with 56. 55:1 ratio, (similar to a Blentech) [Cooking and Blending Area ACC Proc]
899	MTC column dumper #1 mod. no. HLC2 ser. no. 62384 800 pound capacity, with 25 in. W x 24 in. deep buggy holder with hold down lock, 68 in. dump height @ 45deg dump angle, 304ss, approx 12 in. x 14 in. x 10 ft. h column, semi auto, up/down push button switch box, LH load stainless [Cooking and Blending Area ACC Proc]

Lot	Description
900	MTC column dumper #2 mod. no. HLC2 ser. no. 62383 800 pound capacity, with 25 in. W x 24 in. deep buggy holder with hold down lock, 68 in. dump height @ 45deg dump angle, 304ss, approx 12 in. x 14 in. x 10 ft. h column, semi auto, up/down push button switch box, LH load stainless [Cooking and Blending Area ACC Proc]
901	(10) Stainless totes approx 400lbs capacity dump buggy, 25 in. x 25 in. x 30 in. h [Cooking and Blending Area ACC Proc]
902	(10) Stainless totes approx 400lbs capacity dump buggy, 25 in. x 25 in. x 30 in. h [Cooking and Blending Area ACC Proc]
903	(10) Stainless totes approx 400lbs capacity dump buggy, 25 in. x 25 in. x 30 in. h [Cooking and Blending Area ACC Proc]
904	(10) Stainless totes approx 400lbs capacity dump buggy, 25 in. x 25 in. x 30 in. h [Cooking and Blending Area ACC Proc]
904A	Rytec High performance Sliding Door [ACC Cooler]
904B	Flexon High Performance Roll-up Door [ACC Rear Loading Dock]
905	Waukesha positive displacement pump mod. no. 130-U2 ser. no. 4547 -08 stainless, with approx 5hp drive, 150gpm, on skid 2003 [Lower Cooking/blending pumps ACC Proc]
906	Safeline liquid metal detector #1 approx 6 in. W x 6 in. h aperture, fitted with 4 in. dia poly feed tube, reject dump valve and collection pan, control panels, on stainless tubular frame support [Lower Cooking/blending pumps ACC Proc]
908	Safeline liquid metal detector #2 approx 6 in. W x 6 in. h aperture, fitted with 4 in. dia poly feed tube, reject dump valve and collection pan, control panels, on stainless tubular frame support [Lower Cooking/blending pumps ACC Proc]

Lot	Description
909	Waukesha positive displacement pump mod. no. 220-U2 stainless, 310gpm @ 300psi, approx 4 in. x4 in. on skid [Lower Cooking/blending pumps ACC Proc]
910	Waukesha positive displacement pump mod. no. 130 stainless, 5hp/1750/162rpm m 10. 79:1 ratio, 150gpm@200psi [Lower Cooking/blending pumps ACC Proc]
911	(3) Waukesha Centrifugal pumps mod. no. 2085 ser. no. 346275-03, stainless 2 in. x 2 in., approx 7. 5hp drive on skid (located under kettle and ribbon blender platform) [Lower Cooking/blending pumps ACC Proc]
912	Mixing /blending pipework included are valve cluster, Burkert, butterfly, air actuated control valves, within mixing and blending platform, 1 in., 2 in. 3 in. to 4 in. sanitary piping, fittings, tri clamps, (NOTE: remove from FIRST joint of equipment up - only within the platform area, nothing beyond as directed by Auction personnel) [Lower Cooking/blending pumps ACC Proc]
912B	CIP tank B /feed storage # 2 mod. no. 3012 ser. no. 11623 approx 660 gallons, 60 in. dia x 76 in. h x 13 ft. total height, center top flange, 20 in. x 18 in. mh, connection with double blade Lightnin mixer, center bottom discharge with TEE fittings and discharge valves, (id no. 10000765) [Sterilizing System No. 2 ACC Proc]
913	Mixing diversion manifold and separators (2) Highland 4 ports (label as change over elbow blend 3 and 4 stn) plus (3) bunting 10 in. and 6 in. and approx 8 in. dia magnet separators, (1) in-line screen filter, (located under side of liquefier) all stainless [Lower Cooking/blending pumps ACC Proc]

Lot	Description
914	Rosemount magnetic flow tube mod. no. 8712 series (3) magnetic flow tubes with 8712 remote transmitters plus approx 6 Rosemount temp/pressure transmitters within mixing and blending area [Lower Cooking/blending pumps ACC Proc]
915	Hope Industrial System mod. no. HIS-ML15-STTH Stainless pedestal HMI station, (blending HMI 2 and 3) [Lower Cooking/blending pumps ACC Proc]
916	APV 2 tank CIP skid this is a 2004 system with (2) approx 400 and 350 gallons dome top with top mount agitators with approx 1/4 and 1-1/2hp drive motors (one is a roto high shear mixer type (2) 5hp, APV positive lobe type DW and W fluid handling pumps, sanitary pipework within the skid /system including control valves, Rosemount analytical and flow measure instruments, (1) 2 door stainless processor and drive panel project no. with (1) AB -13 slots chassis cat 1776 series with Logic 5555 processor, metering, DC, AC output, relay, rtd weigh scale, ethernet modules, (4) PowerFlex VFDs, 25hp, 5hp 1-1/2hp, HMI, automation and electrical wiring components on skid, all stainless contact parts [Lower Cooking/blending pumps ACC Proc]
917	Waukesha positive displacement pump mod. no. 130-U2 ser. no. 453016 -08 stainless, 7. 5hp/1720rpm, 150gpm/200psi, on skid [Lower Cooking/blending pumps ACC Proc]
919	Sterilizing System # 3 BULK LOT from lot 919A to lot 919F - Winner will be determined based on sum of bids on lots 919A to 919F vs bid on bulk lot 919. (Subject to Confirmation) [Sterilizing System No. 3 ACC Proc]

Lot	Description
919A	Advance Process Solutions sterilizer #3 system include approx from 2.5 in. to 6 in. dia x 20 ft. l, multiple pass stainless double tube HEX for quench /product cooling and product heating with approx 2 in. sanitary clamped end inspection tube /pipes and sanitary product holding tube, chilled water supply/return steam supply and barrier flow, filtered water line, condensate return line, various control valves including Waukesha air actuated valves, temp controls /RTD, pressure transmitters and gages, steam regulator, expansion relief quench cooler safety and vent valves, hot water heater brazed plate, heat exchanger back press transmitter and element, complete with pneumatic and interconnect panel skid with 2hp and 3hp /3450 Waukesha hot water pressure /flow pumps, 0 to 26.5gpm @ 32psi, all stainless contact parts, mounted stainless tubular framed skid (approx 3 ft. wide x 25 ft. l) (SAP# 10005357) plus hot water skid with steam and process water line supply and return (2) Waukesha centrifugal pumps, brazed plate HEX, sanitary process pipe and control valves, Fisher Fieldvue steam control and Sureflo YFC150 size 4, valves, 40 gallons horizontal tank, (located on the mezzanine above run tank skid)(SAP#10005402) WINNER WILL BE DETERMINED BASED ON SUM OF BIDS ON LOTS 919A TO 919F VS BID ON BULK LOT 919. (SUBJECT TO CONFIRMATION) [Sterilizing System No. 3 ACC Proc]

Lot	Description
919B	Advanced Process Solution run tank skid system include (1) approx 750 gallons dome top, flat bottom product tank 60 in. dia x 66 in. h, with top mount agitator (1) 150gallons CIP tank, with flip top lid cover, Product mass flow meter, Waukesha air /electronically actuated control and product and water drain valves, temp RTD, level transmitters, Burkert control and timing valves, filling and quench back press transmitter, (2) Waukesha CIP and product pumps, 4 ports CIP hook up manifold, pneumatic interconnect panel, all stainless contact parts, tubular stainless skid plus hot water skid with steam and process water line supply and return (2) Waukesha centrifugal pumps, brazed plate HEX, sanitary process pipe and control valves, Fisher Fieldvue steam control and Sureflo YFC150 size 4, valves, 40 gallons horizontal tank, (located on the mezzanine above run tank skid)(SAP#10005402) WINNER WILL BE DETERMINED BASED ON SUM OF BIDS ON LOTS 919A TO 919F VS BID ON BULK LOT 919. (SUBJECT TO CONFIRMATION) [Sterilizing System No. 3 ACC Proc]

Lot	Description
919C	Hot Water system skid with steam and process water line supply and return, (2) Waukesha centrifugal pumps, brazed plate HEX, sanitary process pipe and control valves, Fisher Fieldvue steam control and Sureflo YFC150 size 4, valves, 40 gallons horizontal tank, (located on the mezzanine above run tank skid)(SAP#10005402) WINNER WILL BE DETERMINED BASED ON SUM OF BIDS ON LOTS 919A TO 919F VS BID ON BULK LOT 919. (SUBJECT TO CONFIRMATION) [Sterilizing System No. 3 ACC Proc]
919D	Stainless Process Equip. CIP tank ser. no. 3890 approx 150 gallons capacity, 30 in. dia x 48 in. h, atmospheric, with lid cover plus Waukesha SPX 2065LV centrifugal pump, (id no SAP 10009371) WINNER WILL BE DETERMINED BASED ON SUM OF BIDS ON LOTS 919A TO 919F VS BID ON BULK LOT 919. (SUBJECT TO CONFIRMATION) [Sterilizing System No. 3 ACC Proc]
919E	GE E4H Osmonic system ser. no. 06-255247A-01 system include (3) 5 in. dia x 11 ft. l permeate tubes, Tonkaflo pump, pre-filter sets, touch pad control, on off dial and push button switch, 11.3gpm permeate rating, concentrate rate @ 3.759gpm, min/max outlet pressure -30/60 psig, on skid plus Durpro 2 tank water softener system (E4H-16K-DLX-CW) WINNER WILL BE DETERMINED BASED ON SUM OF BIDS ON LOTS 919A TO 919F VS BID ON BULK LOT 919. (SUBJECT TO CONFIRMATION) [Sterilizing System No. 3 ACC Proc]

Lot	Description
919F	Sterilizing system controllers 3 door stainless panel with (3) AB VFDs PowerFlex 700, 3 / 2 hp, (1) 17 slot chassis Control Logix 1756 with 15 plc modules, ABB Commander 1900 chart recorder, automation and electrical wiring components (SAP # 10005348 / SAP# 10017784) WINNER WILL BE DETERMINED BASED ON SUM OF BIDS ON LOTS 919A TO 919F VS BID ON BULK LOT 919. (SUBJECT TO CONFIRMATION) [Sterilizing System No. 3 ACC Proc]
920	Sterilizing system # 2 BULK LOT from 921 To 922 WINNER WILL BE DETERMINED BASED ON SUM OF BIDS ON LOTS 921 TO 922 VS BID ON BULK LOT 920. (SUBJECT TO CONFIRMATION)[Sterilizing System No. 2 ACC Proc]

Lot	Description
921	JBT / FMC Foodtech tubular sterilizer #2 mod. no. 3019 ser. no. 11638 system include approx from 2.5 in. to 6 in. dia x 35 ft. l /pass sterilization, holding, 1st and 2nd cooling tubes loop made up of stainless dimple tube in tube HEX for quench /product cooling and product heating, with approx 2 in. sanitary clamped end inspection tube /pipes and sanitary product / chilled water supply/return steam supply and barrier flow, filtered water line, condensate return line, nitrogen inlet, glycol inlet and return, various control valves including Waukesha air actuated valves, temp controls /RTD, pressure transmitters and gages, Micromotion mass flowmeter, steam regulator, expansion tank / relief quench cooler safety and vent valves, productivity rates from 3000 to 10500 liters/hour, @ 21-25 deg C fill temp, (vegetable soup to tomato paste products) approx skid dimension is 35 ft. l x 20 ft. h x 7 ft. w, plus Hot water assembly with Hex, Gould pump and associated valves (within skid in the middle part of mezzanine above surge tank, HEX assembly in front by stair and in front at mezz landing) (SAF# 10000756) 2004 WINNER WILL BE DETERMINED BASED ON SUM OF BIDS ON LOTS 921 TO 922 VS BID ON BULK LOT 920. (SUBJECT TO CONFIRMATION) [Sterilizing System No. 2 ACC Proc]

Lot	Description
921A	FMC sterilizer feed tank B mod. no. 3413 ser. no. 11624 approx 260 gallons, stainless, 48 in. dia x 52 in. h x 7.25 ft. total height, with 20 in. dia mh, cone top and bottom, with receiving funnel, center bottom discharge, 4 in. dia side port, with legs support 2004 WINNER WILL BE DETERMINED BASED ON SUM OF BIDS ON LOTS 921 TO 922 VS BID ON BULK LOT 920. (SUBJECT TO CONFIRMATION) [Sterilizing System No. 2 ACC Proc]
921C	CIP tank B /feed storage # 2 mod. no. 3012 ser. no. 11623 approx 660 gallons, 60 in. dia x 76 in. h x 13 ft. total height, center top flange, 20 in. x 18 in. ; mh, connection with double blade lightning mixer, center bottom discharge with TEE fittings and discharge valves, (id no. 10000765) [Sterilizing System No. 2 ACC Proc]
922	CIP pipework # 2 with associated air actuated valves, 6 and 7 ports Highland Equipment product cip manifold (s/n 67522-2 - 67522-1, 2004) ABB TB82 electrode conductivity instruments, (1) centrifugal pump, instrument control boxes on top of deck WINNER WILL BE DETERMINED BASED ON SUM OF BIDS ON LOTS 921 TO 922 VS BID ON BULK LOT 920. (SUBJECT TO CONFIRMATION) [Sterilizing System No. 2 ACC Proc]
923	CIP work platform stainless frame and safety rail assembly with, yellow fiberglass deck grating, with access stairways WINNER WILL BE DETERMINED BASED ON SUM OF BIDS ON LOTS 921 TO 922 VS BID ON BULK LOT 920. (SUBJECT TO CONFIRMATION) [Sterilizing System No. 2 ACC Proc]

Lot	Description
924	Waukesha positive displacement pump mod. no. 220 U2 ser. no. 1000002900968 CT 30hp / 300-1800rpm, / 1781/192 rpm, new 2014 (separate from sterilizer 2) [Sterilizing System No. 2 ACC Proc]
925	Sterilizer B control Panel stainless panel with AB VFDs, Flex i/os -171794 series, Siemens pulse power supply, [Sterilizing System No. 2 ACC Proc]
926	FMC aseptic product buffer/surge tank A mod. no. 3312 ser. no. 230037-5 6 ft. dia x 16 ft. L with 24 in. dia upper flange, 30 in. lower flanged and exhaust tube assembly with RTDs, spray balls, ZUCCHETTI stirrer shaft assembly with axial blades stirrer on 14 in. dia base flange ANSI 150lbs, with Sew Euro Drive, 2. 2kw /3hp, HD tubular legs supports, all stainless with aseptic valve cluster / steam barrier, approx 20 air actuated, and 20hp fill line CIP pump, (valve cluster in front of surge tank) 2004 [Aseptic Holding Tanks ACC Proc]
927	FMC aseptic product buffer/surge tank B mod. no. 3312 ser. no. 11705 6 ft. dia x 16 ft. L with 24 in. dia upper flange, 30 in. lower flanged and exhaust tube assembly with RTDs, spray balls, ZUCCHETTI stirrer shaft assembly with axial blades stirrer on 14 in. dia base flange ANSI 150lbs, with Sew Euro Drive, 2. 2kw /3hp, type KAZDV100M4 gear drive @ 1/56. 64 ratio, fitted with work platform with fiberglass grating deck on top, HD tubular legs supports, all stainless, aseptic valve cluster / steam barrier approx 20 air actuated, and 20hp fill line CIP pump ski, (valve cluster in front of surge tank) 2004 [Aseptic Holding Tanks ACC Proc]

Lot	Description
928	Single tank CIP skid for FMC A 44 in. dia x 48 in. h, cone top, 18 in. top mh, with (1) 10hp/ 3500rpm Fristam pump, spiral Sarco sp500 and G148K445LC, and Waukesha SPX flow control valves, Equipcorp stainless HEX @ 150psi/375 deg.F shell and tube MMAWP, AFCO motor starter model AF3000MSC/sn 90430, 480Vac/60hz, and tank control panel model AF3000CP, 120vac, Emerson 1056 dual channel oxygen transmitter, all stainless contact parts including skid support [Aseptic Holding Tanks ACC Proc]
929	SS supply tank with pump cone top cone bottom, approx 48 in. dia x 48 in. h straight with 18 in. top mh, 4 in. dia top and side ports, with centrifugal pump, next to FMC A CIP [Aseptic Holding Tanks ACC Proc]
930	Aseptic surge tank manifold system includes Pall Advanta model AGT12G31CDH4 in line gas filter, Dominick Hunter trap, multiple pneumatic and electro pneumatic actuated control valves, fitted with proximity sensors, air and gage panels, Spirax Sarco valves (located back of wall, first set to the left) [Aseptic Holding Tanks ACC Proc]
931	Aseptic surge tank manifold system includes Pall Advanta model AGT12G31CDH4 in line gas filter, Dominic hunter trap, multiple pneumatic and electro pneumatic actuated control valves, fitted with proximity sensors, air and gage panels, Spirax Sarco valves (located back of wall, second set to the right) [Aseptic Holding Tanks ACC Proc]
932	Bora regen blower 18hp /3400rpm regenerative vacuum blower (located further inside mezzanine) [Aseptic Holding Tanks ACC Proc]

Lot	Description
933	Pivot jib crane with 1/4 ton Budgit electric hoist on 180 deg swing I-beam (fixed installed on wall - NOTE: late delivery) [Aseptic Holding Tanks ACC Proc]
933A	Flexon High Performance Roll-up Door ser. no. 138692 [ACC just outside of mixing and blending area]
933B	Flexon High Performance Roll-up Door 8'x10' mod. no. SM 1000. ser. no. 148775 [ACC behind pkg]
933C	Rytec High performance Roll-up Door 8'x10' ser. no. 35792 [ACC behind pkg]
933D	Rytec High performance Roll-up Door 8'x10' ser. no. 35793 [ACC behind pkg]
934	SIG Combibloc filler mod. no. CFA 606-31-FP-U ser. no. 862651006 1 person operation @ 6000 cartons/hr, handles 200, 250, 350, 375 and 500ml formats, for product viscosity of up to 5, 000mPa-s (centipoise) packaged materials sealed at center seam an printed board/PEA/Aluminum foil sleeves, with 2 lanes 15 in. W x 56 in. L blank magazine at approx 1800 sleeves magz capacity, 0. 8-1. 2 bars infeed pressure / 6-30 deg C, valve block, flanged on connection, 3ph/50/60hz, 230/400v, machine is fitted with mandrel wheel, carton pocket approx 2 in. x 3 in. to folding /pusher section, aseptic / sterilization drying and filling, to ultrasonic sealing, to ejector and discharge off conveyor, machine also have (2) Berchtold CFA-90 liter product tanks, Pall sterile filter System, air and electro pneumatically controlled infeed / control valves, tank level control pump, product bypass, (4) condensate generators, (2) EcoLab H2O2circulating tanks, mfg 2004 (approx shipping weight 22920lbs) [Filling and Packing Line 3 ACC Pack]

Lot	Description
935	Linx ink jet printer mod. no. 7300 single button start and stop operation, wysiwig, programmable function, auto date forward, with printhead (dismantled and set on the ground) [Filling and Packing Line 3 ACC Pack]
936	Trio PAC Table top /accumulation conveyor mod. no. 3986 with approx 48 in. W x 40 in. deep bi directional accumulation table, 3 in. W x 30 ft. approx total length from combi discharge to 2 lane directional/laning to accumulation plus approx 4 ft. after accumulation with associated proximity sensors, guides, gear drives, with (2) 90 deg, stainless frame and supports, 2004 [Filling and Packing Line 3 ACC Pack]
937	Table top discharge conveyor approx 3-1/2 in. W x 90 ft. L, from accumulation table discharge break to right after Hartness, line include (2) 90 deg, (1) 180deg, merger /diverter (id no. 10000886, and unit conveyor no. 1 -10000852) plastic table top belt, stainless frame and supports, with poly guides, product spacer/in line heater, gear drives and proximity sensors [Filling and Packing Line 3 ACC Pack]
938	Hartness Dynac 6400 mod. no. 6400 ser. no. W64715C 6 pass, single file FIFO (first in -first out) spiral accumulation machine with close coupled center, metered downstream, enclosed with see thru operators safety barriers, AB VFDs and processor control cabinet, 460v, 3ph/60hz, [Filling and Packing Line 3 ACC Pack]
939	Sterile air unit # 3 with dual pillar type 25570mx1, centrifugal fan blowers, manual open damper, on 5 ft. x 5 ft. x 5 ft. stainless cabinet enclosure [Filling and Packing Line 3 ACC Pack]

Lot	Description
940	Sterile air unit # 2 with dual Rotamill type 618106VN15 type RO18. 3-125 centrifugal fan blower on 5 ft. x 5 ft. x 5 ft. stainless cabinet enclosure [Filling and Packing Line 3 ACC Pack]
941	Table top conveyor approx 3-1/2 in. W x 100 ft. L from Hartness discharge to Eagle x-ray, with 180 deg, (3) 90 deg, pneumatic heating pad, diverter/laning, with Datalogic CBX100 bar inline scanning device, green table top belt, stainless frame and support, poly guides, gear drives and associated proximity sensors[Filling and Packing Line 3 ACC Pack]
942	Eagle in line X-ray product inspection # 3 mod. no. Tall Pro ser. no. TN101058 approx 8 ft. L total feed and discharge, stainless enclosure with control panel, this unit comes complete with (1)2014, STD ADMetro display 12VDC, s/n SMD0314F02711, HI-Ray11/sn SV051500870, Tube 0, 16BPM48-80/sn 0875, APC 620, computer tower CPU, PSI mini power supply, multiple measuring capabilities, from fill level, mass measurement, seal check, and component counts, with reject and reject tray (NOTE: buyer will be responsible for any federal/provincial and all other regulation pertaining to the use and transport of this equipment) [Filling and Packing Line 3 ACC Pack]

Lot	Description
943	Condi Film Case Packer system mod. no. PB4/FCCEL-6303+TU4-6302-CTR ser. no. 26301-80 the system includes distribution conveyor, with 90 deg angle turner, case packer, heat tunnel conveyor, film stand /film loader, Nordson hot melt machine, wrapper coder, pack and feed, grouper, tray in feed, flap tucker to grouper exit with air bleeder dump valve and main electrical isolation switch, (system in U-configuration - from id no 1000861 to 10061567) (approx total process length from upstream to downstream -54 ft.) 2004 [Filling and Packing Line 3 ACC Pack]
944	Markem inkjet mod. no. 5200 next to case packer [Filling and Packing Line 3 ACC Pack]
945	Automation /Electrical Panel 2 door stainless with AB 13 slots Control Logix (12) 1756 modules and (1) CPU, (9) PowerFlex 70 VFDs plus all other automation and electrical wiring components. [Filling and Packing Line 3 ACC Pack]
946	Shibuya Hoppman label applicator on height adjustable mobile stand [Filling and Packing Line 3 ACC Pack]
947	Weber Alpha label applicator mod. no. 120-RH ser. no. 50017334 on height adjustable mobile stand [Filling and Packing Line 3 ACC Pack]
948	Priority One case turner ser. no. 356-01 10 in. W x 40 in. L plus (1) 90 deg discharge conveyor with sideflexing belt with register to case turner on stainless frame, gear drives (id no 8552600) [Filling and Packing Line 3 ACC Pack]

Lot	Description
949	Packaging Line # 3 and # 4 control panel 3 door stainless with (28) AB PowerFlex 70 VFDs, (2) 13 slots SLC 5 processor modules, (1) PanelView 1000 HMI plus all other automation and electrical wiring components [Filling and Packing Line 3 ACC Pack]
950	Steel platform above Dynac accumulator approx 10 ft. x 22 ft. x 12 ft. h with 17 steps access stairways, HD 6 in. x 6 in. support structures, 2 in. dia railings, yellow grating floor deck, painted mild steel [Filling and Packing Line 3 ACC Pack]
951	Trio-PAC Tray conveyors to Ln 3 palletizing robot mod. no. C3986T1 roller top chain, low back pressure conveyor, approx 15 in. W x 20 ft. L, stainless frame and support, gear drive and associated photo switches within the stretch, with spacer, and transferred to accumulation roller conveyors, approx 48 in. x 14 ft. L x 45 in. h with straight run side roller guide set @ 12 in. wide with multiple proximity switches 2004 [Filling and Packing Line 3 ACC Pack]
952	Palletizing robot # 3 mod. no. Skilled 504 ser. no. 24CEO140 electro mechanical end of the line product handling, with articulated type selectively compliant assembly robot arm (scara), 360deg work area, 4 axes, 120kg (264lbs) payload including gripper, 800cycle/hour with automation control panel fitted with Kollmorgen X3 motion controllers, TP RIO weigh and PLC module, Siemens SITOP power supply, plus AB PV 1550 HMI with operator console, auto start/stop button and bypass switch Built 2004 [Filling and Packing Line 3 ACC Pack]

Lot	Description
953	Palletizing robot # 1 mod. no. Skilled 504 ser. no. 25CEO100 electro mechanical end of the line product handling, with articulated type selectively compliant assembly robot arm (scara), 360deg work area, 4 axes, 120kg (264lbs) payload including gripper, 800cycle/hour with automation control panel fitted with Kollmorgen X3 motion controllers, TP RIO weigh and PLC module, Siemens SITOP power supply, plus AB PV 1550 HMI with operator console, auto start/stop button and bypass switch Built 2004 [Filling and Packing Line 3 ACC Pack]
954	(2) Titan pallet roller infeeds approx 54 in. W x 18 ft. L x 18 in. h feed robot 3 and robot 1 [Filling and Packing Line 3 ACC Pack]
955	(1) tray roller feed with case turner 24 in. and 30 in. W x 12 ft. L feed to robot 1 [Filling and Packing Line 3 ACC Pack]
956	(2) slip sheet sto / feed bins approx 4 ft. x 5 ft. x 5 ft. [Filling and Packing Line 3 ACC Pack]

Lot	Description
957	SIG Combibloc Filler (mfg 2003) mod. no. 606-31 ser. no. 862651004 1 person operation @ 6000 cartons/hr, handles 200, 250, 350, 375 and 500ml formats, for product viscosity of up to 5, 000mPa-s (centipoise) packaged materials sealed at center seam an printed board/PEA/Aluminum foil sleeves, with 2 lanes 15 in. W x 56 in. L blank magazine at approx 1800 sleeves magz capacity, 0. 8-1. 2 bars infeed pressure / 6-30 deg C, valve block, flanged on connection, 3ph/50/60hz, 230/400v, machine is fitted with mandrel wheel, carton pocket approx 2 in. x 3 in. to folding /pusher section, aseptic / sterilization drying and filling, to ultrasonic sealing, to ejector and discharge off conveyor, machine also have (2) Berchtold CFA-90 liter product tanks, Pall sterile filter System, air and electro pneumatically controlled infeed / control valves, tank level control pump, product bypass, (4) condensate generators, (approx shipping weight 22920lbs) [Filling and Packing Line 2 ACC Pack]
958	Linx ink jet printer mod. no. 7300 single button start and stop operation, wysywig, programmable function, auto date forward, with printhead [Filling and Packing Line 2 ACC Pack]
959	Trio PAC Table top /accumulation conveyor mod. no. 3986 with approx 48 in. W x 40 in. deep bi directional accumulation table, 3 in. W x 30 ft. approx total length from combi discharge to 2 lane directional/laning to accumulation plus approx 4 ft. after accumulation with associated proximity sensors, guides, gear drives, with (2) 90 deg, stainless frame and supports, 2004 [Filling and Packing Line 2 ACC Pack]

Lot	Description
960	Table top discharge conveyor 3-1/2 in. W from accumulation table discharge break to right after Hartness, line include 90 deg, merger /diverter, plastic table top belt, stainless frame and supports, with poly guides, gear drives and proximity sensors [Filling and Packing Line 2 ACC Pack]
961	Hartness Dynac 6400 mod. no. 6400 ser. no. W64715C 6 pass, single file FIFO (first in -first out) spiral accumulation machine with close coupled center, metered downstream, enclosed with see thru operators safety barriers, AB VFDs and processor control cabinet, 460v, 3ph/60hz, [Filling and Packing Line 2 ACC Pack]
961A	Eagle in line X-ray product inspection mod. no. Tall Pro Incomplete unit, no x-ray tube mechanism and no computer, approx 8 ft. L total feed and discharge, with reject (NOTE: buyer will be responsible for any federal/provincial and all other regulation pertaining to the use and transport of this equipment) [Filling and Packing Line 2 ACC Pack]
962	Condi Multipacker (mfg 2004) ser. no. 20749-96 Fed by Lines 1&2 [Filling and Packing Line 2 ACC Pack]
963	Multipacker discharge conveyor from eagle x ray discharge, including extension to Pkg Ln 1 case packer [Filling and Packing Line 2 ACC Pack]

Lot	Description
964	SIG Combibloc Filler (mfg 2003) mod. no. 510-FL ser. no. 868551005 OUT of Service, for product viscosity of up to 5, 000mPa-s (centipoise) packaged materials sealed at center seam an printed board/PEA/Aluminum foil sleeves, with 4 lanes blank magazine, valve block, flanged on connection, 3ph/50/60hz, 230/400v, folding /pusher section, aseptic /sterilization drying and filling, to sealing, to ejector and discharge off conveyor, machine have 135liters product tanks, sterile filter System, air and electro pneumatically controlled infeed / control valves, tank level control pump, condensate generators, all stainless, main drive/process control panel and Benkhoff touch screen HMI (NOTE : machine is disassembled/disconnected -buyers are greatly advised to inspect personally) [Filling and Packing Line 1 ACC Pack]
965	(2) Highland stainless flow panels ceiling suspended, multi ports with associated sanitary piping connecting between flow panel # 3 and # 2 [Filling and Packing Line 1 ACC Pack]
966	Trio PAC Table top conveyor mod. no. 3986 with approx 48 in. W x 40 in. deep bi directional accumulation table, 3 in. W x 30 ft. approx total length from combi discharge to 2 lane directional/laning to accumulation plus approx 4 ft. after accumulation with associated proximity sensors, guides, gear drives, with (2) 90 deg, stainless frame and supports, 2004 (NOTE: basically complete but with disassembled parts as shown) [Filling and Packing Line 1 ACC Pack]

Lot	Description
967	Table top conveyor 3-1/2 in. W from accumulation table discharge break to right after Hartness, line include 90 deg, merger /diverter, plastic table top belt, stainless frame and supports, with poly guides, gear drives and proximity sensors [Filling and Packing Line 1 ACC Pack]
968	Hartness Dynac 6400 mod. no. 6400 ser. no. 64-077 6 pass, single file FIFO (first in - first out) spiral accumulation machine with close coupled center, metered downstream, enclosed with see thru operators safety barriers, AB VFDs and processor control cabinet [Filling and Packing Line 1 ACC Pack]
969	Combitop applicator this unit is similar to a PKL Combitop, use for brickpack products cap application with Kleinknecht cap sorting elevator, and feeder bowl, approx 6 ft. long thru /feed/discharge conveyor and with Nordson hot melt machine, swivel arm mount LH operator ft. s control [Filling and Packing Line 1 ACC Pack]
970	Condi Case Packer #1 ser. no. 15414-75 with infeed laner [Filling and Packing Line 1 ACC Pack]
971	Priority One transfer belt to spiral lift approx 15 in. W x 11 ft. L with plastic table top belt, stainless frame [Filling and Packing Line 1 ACC Pack]
972	PAI 3-tank CIP system with (3) 48 in. dia x 50 in. h stainless tanks, approx 300-350 gallons capacity/tank, with (3) 15 and 7hp centrifugal pumps, control panel with ABB chart recorders, AB HMI, Hirsch analytical controllers, numatic cabinet, complete with inline screen filters, pneumatic valves, sanitary pipe and fittings associated with CIP within stainless skid. [ACC Packaging CIP System ACC Pack]

Lot	Description
973	(2) Poly Tanks approx 6 ft. wide x 12 ft. h with lid cover, approx 2000 gallons capacity per tank [ACC Packaging CIP System ACC Pack]
974	Dosing station with (12) diaphragm pumps, interconnected sanitary pipe line, regulators and (2) small poly chemical tanks, approx 300 to 350 gallons capacity on red poly stands [ACC Packaging CIP System ACC Pack]
975	Clean air blower enclosure [ACC Packaging CIP System ACC Pack]
976	PSC pressure washer [ACC Packaging CIP System ACC Pack]
977	AmbaFlex spiral case elevator #1 mod. no. SV-200-1000 ser. no. 3203-01 4 tier continuous motion mild steel frame, stainless side guide with 8 in. W plastic slat belt, approx 55 in. dia w, 4 tier, 2003 [Balance of ACC Packaging ACC Pack]
978	Overhead case conveyor approx 120 to 150 ft. long, extending to palletizing stations, stainless frame with plastic table top belt, gear drives, poly side enclosure [Balance of ACC Packaging ACC Pack]
979	AmbaFlex spiral case elevator #2 mod. no. SV-200-1000 ser. no. 17863-01 5 tier continuous motion mild steel frame, stainless side guide with 8 in. W plastic slat belt, approx 48 in. dia w, 5 tier @ 10 ft. h case transfer, 2014 [Balance of ACC Packaging ACC Pack]
980	AmbaFlex spiral case elevator #3 mod. no. SV-200-1000 ser. no. 7314-01 small dia column, disconnected (id no. 10031264) [Balance of ACC Packaging ACC Pack]
981	Stainless 3 door Conveyor Control panel with (17) Power Flex VFD's (3) 40 (14) 4 CPU I/O Chassis (23) Slot [ACC pkg]
981A	Stainless 2 door pkg Control Cabinet with (8) Power Flex 525 VFD [ACC pkg]

Lot	Description
981B	(2) Stainless Control Cabinet (1) Power Flex 4 VFD (1) CPU 6 slot (5)Power Flex 4 VFD [ACC pkg]
982	Table top conveyor from AmbaFlex #2 to palletizer #2 (from table top to roller top conveyor up to roller case turner conveyor @ robot # 2 side approx 25 to 30 ft. total length) [Balance of ACC Packaging ACC Pack]
983	Palletizing robot # 2 mod. no. Skilled 504 ser. no. 23CEO160 AS-IS unit, with articulated type selectively compliant assembly robot arm (scara), 360deg work area, 4 axes, 120kg (264lbs) payload including gripper, with automation control panel auto start/stop button and bypass switch Built 2004 (NOTE: unit is partly disassembled and incomplete, buyers is encourage to inspect) [Balance of ACC Packaging ACC Pack]
984	ITW Muller pallet wrapper mod. no. 505 Octopus ser. no. C9380703 auto rotary ring stretch wrapper, 80 loads wrap per hour, with octo thread film carriage, approx 93 in. x 129 in. x 154 in. h frame, max load size / weight @ 48 in. x 50 in. x 80 in. h / 4800lbs, film capacity @ 20 in. x 10 in. dia, controlled impulse cutter and heat seal, chain lift with 480vac lift and rotation motor, load height photo sensor, with main drive control panel. [Balance of ACC Packaging ACC Pack]
985	Premier pallet inverter ser. no. B13A2473 4500lbs pallet capacity located on upper shipping dock [Balance of ACC Packaging ACC Pack]
985A	Portable man lift (located in front of Pilot room) [Balance of ACC Packaging ACC Pack]

Lot	Description
985B	(3) Stainless parts cabinet with parts 2 door parts cabinets with assorted combi block filler parts including jigs, pulleys, sleeve feed parts, pocket chain jig, auto loader plates, hoses, clamps, o-rings, filling rods, 510 pins, [Balance of ACC Packaging ACC Pack]
985C	(1) Stainless parts cabinet with parts 2 door parts cabinet with fill head nozzle, tubular heads, cutting pins, with carrying cases for combi filler 2 and 3 [Balance of ACC Packaging ACC Pack]
985D	(2) Hydraulic pallet lift tables approx 48 in. x 48 in. with hydraulic power pack[Balance of ACC Packaging ACC Pack]
985E	(3) Cross over stairways stainless frame and support with plastic grating deck (located throughout aseptic packaging area [Balance of ACC Packaging ACC Pack]
985F	Stainless table and tool chest with work vise and 8 drawers mobile tool chest and (1) mobile portable parts washing /drying tank [Balance of ACC Packaging ACC Pack]
985G	Stainless portable wash sink (2) 2 compartment portable wash sink plus (1) table and (2) HMI attached to table and sink [Balance of ACC Packaging ACC Pack]
986	Empty can depalletizer #1 mod. no. 608-IHUL ser. no. 12R54R221x American Can Company, high level, semi auto, hydraulic pallet unloader for 10 oz can, with accumulation conveyor approx 40 in. W x 18 ft. L, pallet chain infeed, and empty pallet discharge conveyor to pallet stacker, can sweep and auto slip sheet removal to slip sheet rack, Integrated can transfer/single filer conveyor to can elevator #1 (included) carbon steel support structure, with control panel, 575v, 120vac, 1982 (for can line 1 and 3) [Empty Can Warehouse]

Lot	Description
987	Empty can depalletizer #2 mod. no. 608-IHUL American Can Company, high level semi auto, hydraulic pallet unloader for 10 oz can, with accumulation conveyor approx 40 in. W x 18 ft. L, pallet chain infeed, and empty pallet discharge conveyor to B&T packaging pallet stacker, can sweep and auto slip sheet removal to slip sheet rack, Integrated can transfer/single filer conveyor to can elevator #2 (included) carbon steel support structure, with control panel, 575v, 120vac, 1982 (for can line 2 and 4) [Empty Can Warehouse]
988	Empty can depalletizer #3 Priority one high level semi auto, hydraulic pallet unloader for 28 and 48oz can, with accumulation conveyor approx 40 in. W x 18 ft. L, pallet chain infeed, and empty pallet discharge conveyor to B and T packaging model PS1 pallet stacker, can sweep and auto slip sheet removal to slip sheet rack, Integrated can transfer/single filer conveyor to can elevator #3 (included) carbon steel support structure, with control panel, 575v, 120vac, (for can line no. 11) [Empty Can Warehouse]
989	Empty can depalletizer #4 mod. no. W400 ser. no. 175 Busse Bros Inc high level semi auto, hydraulic pallet unloader for 10oz can, with accumulation conveyor approx 40 in. W x 18 ft. L, pallet chain infeed, and empty pallet discharge conveyor to model ST40 pallet stacker, can sweep and auto slip sheet removal to slip sheet rack, Integrated can transfer/single filer conveyor to can elevator #4 (included) carbon steel support structure, with control panel, 575v, 120vac, (for can line no. 9) [Empty Can Warehouse]

Lot	Description
990	Empty can depalletizer #8 mod. no. 608-IHUL Canco low level semi auto, hydraulic pallet unloader for 14oz can, with accumulation conveyor approx 40 in. w, pallet chain infeed, and empty pallet discharge conveyor to model ST40 pallet stacker, can sweep and auto slip sheet removal to slip sheet rack, Integrated can transfer/single filer conveyor to can elevator (included) carbon steel support structure, with control panel, 575v, 120vac, (for can line no. 8 id no 10001112) [Empty Can Warehouse]
991	Empty can depalletizer #9 mod. no. 608-IHUL Canco high level semi auto, hydraulic pallet unloader with accumulation conveyor approx 40 in. w, pallet chain infeed, and empty pallet discharge conveyor to model ST40 pallet stacker, can sweep and auto slip sheet removal to slip sheet rack, Integrated can transfer/single filer conveyor to can elevator (included) carbon steel support structure, with control panel, 575v, 120vac, (for can line no. 9 id no 10001121) [Empty Can Warehouse]
992	Empty can depalletizer #10 Priority one / Simplimatic Engineering high level semi auto, hydraulic pallet unloader with accumulation conveyor approx 40 in. w, pallet chain infeed, and empty pallet discharge conveyor to model ST40 pallet stacker, can sweep and auto slip sheet removal to slip sheet rack, Integrated can transfer/single filer conveyor to can elevator (included) carbon steel support structure, with control panel, 575v, 120vac, (for can line no. 10 id no 10001131) [Empty Can Warehouse]
993	Logemann can crusher with approx 50hp hydraulic pack and loading hopper, single ram [Empty Can Warehouse]

Lot	Description
994	(5) Section Push-Back Racks 23'Hx78"w-upright (6)19'HX78"w-upright (6) (95) 8' Cross-bars (80) 21' Rails 4 High x 5 Deep 200 Pallet position [Empty Can Warehouse]
995	(2) Section Push Back Rack 23'Hx78"w-upright (4) 19'HX78"w-upright (4) (26) 8' Cross-Bars (32) 21' Rails 4 High x 5 Deep 80 Pallet position [Empty Can Warehouse]
995A	(5) Section Push Back Rack 23'Hx78"w-upright (4) 19'HX78"w-upright (4) (29) 8' Cross Bars (13) 4' Cross Bars (38) 21' Rails 100 Pallet positions [Empty Can Warehouse]
995B	(5) Section Push Back Rack 23'Hx78"w-upright (4) 19'HX78"w-upright (4)(29) 8' Cross Bars(13) 4' Cross Bars (38) 21' Rails 100 Pallet positions [Empty Can Warehouse]
995C	(5) Section Push Back Rack 23'Hx78"w-upright (4) 19'HX78"w-upright (4) (29) 8' Cross Bars(13) 4' Cross Bars (38) 21' Rails 100 Pallet positions [Empty Can Warehouse]
995D	Push Back Rack Single Lane (4) 23'Hx78"w upright (13) 4' Cross Bar (8) 21' Rails 4 High x 5 Deep 20 Pallet position [Empty Can Warehouse]
995E	Push Back Rack Single Lane (4) 23'Hx78"w upright (13) 4' Cross Bar (8) 21' Rails 4 High x 5 Deep 20 Pallet position [Empty Can Warehouse behind 995D]
995F	(5) Section Push Back Rack 23'Hx78"w-upright (4) 19'HX78"w-upright (4) (29) 8' Cross Bars(13) 4' Cross Bars (38) 21' Rails 100 Pallet positions [Empty Can Warehouse behind 995C]
995G	(5) Section Push Back Rack 23'Hx78"w-upright (4)19'HX78"w-upright (4) (29) 8' Cross Bars(13) 4' Cross Bars (38) 21' Rails 100 Pallet positions [Empty Can Warehouse behind 995B]

Lot	Description
995H	(5) Section Push Back Rack 23'Hx78"w-upright (4) 19'HX78"w-upright (4) (29) 8' Cross Bars(13) 4' Cross Bars (38) 21' Rails 100 Pallet positions [Empty Can Warehouse behind 995A]
995I	(2) Section Push Back Rack 23'Hx78"w-upright (4)19'HX78"w-upright (4) (26) 8' Cross-Bars(32) 21' Rails 4 High x 5 Deep 80 Pallet position [Empty Can Warehouse behind 995]
996	(40) Section Pallet Rack (34) 16' x 42"w-upright(4) 23'H x 42"w-upright (196) 8' Cross Bar [Empty Can Warehouse]
997	(8) Section Push Back and Drive-In (4) 23'H x 78"w-upright (14) 19'H x 78"w-upright(40) 8' Cross bars (8) 4' Cross bars(60) 21' Rails 3 High x 5 Deep [Empty Can Warehouse]
998	(7) Push Back and Drive-In (4) 23'H x 78"w-upright (12) 19'H x 78"w- upright (56) 8' Cross Bar (52) 21' Rail 3 High x 5 Deep [Empty Can Warehouse]
999	LabWorks Large Drive-In Incubator with insulated modular panels and sliding door access, approx. Length: 60ft, Width: 40ft, Height: 25ft [Empty Can Warehouse]
999A	Albany Roll-Up Door 127"H x 118"W mod. no. 670 ser. no. 112201 [ACC]

Lot	Description
1000	Whallon Brite depalletizer 90 deg swing type, dual head auto accumulation unit with approx 45 in. x 58 in. x 5 ft. h max lift magnetic head, 48 in. x 48 in. vacuum head, 40 in. wide x 20 ft. L drag chain pallet feed conveyor, 55 in. x 42 ft. x 30 in. h slip sheet dispenser, 42 in. x 48 in. x 64 in. pallet stacker, complete with 50 in. x 142 in. x 42 in. h accumulation table with blue plastic modular conveyor belt, 24 in. transfer conveyor, interlock PVC guard / safety barrier, processor and drive control panel, proximity switches, approx capacity @ 3 layers -auto and 3.5 layers -semi auto, 575/120/24v, (Can Size 300 x 407, 303 x 404, 307 x 409) [Labeling and Palletizing Line 2]
1001	Automated Design can code system ser. no. 230602-31 (2) color code notification, blue and white light for wrong and illegible code detection, with can code computer panel and touch screen HMI [Labeling and Palletizing Line 2]
1002	Krones labeler mod. no. Canmatic 19oz, 24 heads, 2 gluing units for leading and tail end process, Robatech glue coating head, with Nordson Problue hot melt machine, servo driven container table, glue bowl, glue thickness micrometer adjustment screw, rated capacity b/w 2500 to 80000 container /hour, 19oz label magazine, feed /infeed starwheel, metering screw, and feed /infeed table top conveyor, complete AB PanelView plus 700 HMI, stainless processor and drive control panel, 575, 3ph/60hz, plus extra change over parts for 14oz set up including infeed, discharge, starwheel and metering screw on parts trolley (Id no. 10002656) [Labeling and Palletizing Line 2]

Lot	Description
1003	TapTone 500 dud detector mod. no. T500-D-407-26 dud detector, Std ANSI - 23-985-111-X, with reject, 1hp 1760rpm drive motor, pedestal type user interface /HMI (NOTE: buyer will be responsible for local / federal regulations pertaining to shipping and transport) [Labeling and Palletizing Line 2]
1004	B and T packaging Accumulation table approx 6 ft. W x 12 ft. L, with 24 in. W x 10 ft. transfer from dud detector to case packer line, stainless frame with gear drive, photo sensors [Labeling and Palletizing Line 2]
1005	Standard Knapp tray packer mod. no. 260 ser. no. 232 12 and 24 pack, continuous motion tray /overpacker and shrink tunnel machine, set for 28 and 48oz, with infeed laning conveyor, blank carton magazine, 4 lanes grouper, front and rear carton gluing with Nordson ProBlue hotmelt, FoxJet printer, 30 in. x 36 in. upper film stand, shrinkwrap infeed, heat tunnel with 24 in. x 10 ft. L feed / discharge, operators control console and processor/drive control panel, 575v /120v [Labeling and Palletizing Line 2]
1006	Weber Alpha Compact label applicator mod. no. 120 LH ser. no. 50016516 with digital touch pad display /control, on height adjustable mobile base, 2016 [Labeling and Palletizing Line 2]
1007	Amba Flex spiral elevator mod. no. SV 400 1300 ser. no. 23 541 02 3 tier, approx 80 in. dia x 10 ft. transfer height, with 16 in. wide belt, 33lbs/ft capacity [Labeling and Palletizing Line 2]

Lot	Description
1008	Alvey case palletizer mod. no. 800 ser. no. 01-K08538 high level automatic case palletizer with pallet elevator, pallet stacker /dispenser approx 42 in. x 58 in. x 68 in. h, case pattern table, pusher, case turner roller and infeed conveyor, RedLion HMI, main control panel, 2 pattern set up for 14 and 19oz, [Labeling and Palletizing Line 2]
1009	Whallon Brite Palletizer / depalletizer 90 deg swing type, dual head auto accumulation unit with approx 45 in. x 58 in. x 5 ft. h max lift magnetic head, 48 in. x 48 in. vacuum head, 40 in. wide x 20 ft. L drag chain pallet feed conveyor, 48 in. x 40 ft. x 36 in. h slip sheet dispenser, 53 in. x 42 in. x 48 in. pallet stacker, complete with 50 in. x 142 in. x 42 in. h accumulation table with blue plastic modular conveyor belt, 24 in. transfer conveyor, interlock PVC guard / safety barrier, processor and drive control panel, proximity switches, approx capacity @ 3 layers -auto and 3.5 layers -semi auto, 575/120/24v, (Machine ID 10002721) (Can Size 307 x 409, 40 cspm) [Labeling and Palletizing Line 3]
1010	Transfer conveyor approx 24 in. w, from accumulation transfer to krone labeler with connecting single filer, with side roller guides, gear drive, stainless frame and support, approx 30 ft. L total length (id no 10002694) [Labeling and Palletizing Line 3]
1011	Automated Design can code system ser. no. 230 602-36 (2) color code notification, blue and white light for wrong and illegible code detection, with can code computer panel and touch screen HMI [Labeling and Palletizing Line 3]

Lot	Description
1012	Krones Labeler mod. no. Canmatic ser. no. 73-524 set for 19oz / 14oz cans, 24 heads, 2 gluing units for leading and tail end process, Robatech glue coating head, with Nordson Problue hot melt machine, servo driven container table, glue bowl, glue thickness micrometer adjustment screw, rated capacity b/w 2500 to 80000 container /hour, 19oz label magazine, feed /infeed starwheel, metering screw, and feed /infeed table top conveyor, complete AB PanelView plus 700 HMI, stainless processor and drive control panel, 575, 3ph/60hz, [Labeling and Palletizing Line 3]
1013	TapTone 500 dud detector mod. no. T500-D-407-26 ser. no. 64 dud detector, Std ANSI - 23-985-111-X, with reject, 1hp 1760rpm drive motor, pedestal type user interface /HMI (NOTE: buyer will be responsible for local / federal regulations pertaining to shipping and transport) [Labeling and Palletizing Line 3]
1014	Canners Machinery Accumulation table mod. no. 1994 ser. no. 94192 approx 6 ft. W x 12 ft. L, with 24 in. W x 10 ft. transfer from dud detector to case packer line, stainless frame with gear drive, photo sensors [Labeling and Palletizing Line 3]

Lot	Description
1015	Standard Knapp Spectrum packer mod. no. 1500T ser. no. 240-137 12 and 24 pack, continuous motion tray /overpacker and shrink tunnel machine, set for 14 and 19oz, with infeed/ laning, tray infeed conveyor, blank carton magazine, 6 lanes grouper, front and rear carton gluing with Nordson ProBlue hotmelt, Marksman Elite FoxJet printer, 30 in. x 36 in. upper film stand, shrinkwrap infeed, spectrum seal bar heater, heat tunnel with 24 in. x 10 ft. L feed / discharge, operators control console and processor/drive control panel, 575v /120v [Labeling and Palletizing Line 3]
1016	Tray transfer conveyor Stayton model 4410CLr case turner, plus 22 in. W x 103 in. L with blue sanitary belt, side roller guides, mild steel frame [Labeling and Palletizing Line 3]
1017	Weber Alpha Compact label applicator mod. no. 120 LH ser. no. 50017245 on height adjustable mobile stand (SAP# 10076783) [Labeling and Palletizing Line 3]
1018	Amba Flex spiral elevator mod. no. SV400-1300 ser. no. 4622-01 approx 75 in. dia with 16 in. wide belts, 120 in. transfer height, with gear drive, 2005 [Labeling and Palletizing Line 3]
1019	Alvey case palletizer mod. no. 800 high level automatic case palletizer with pallet elevator, pallet stacker /dispenser approx 42 in. x 58 in. x 68 in. h, case pattern table, pusher, case turner roller and infeed conveyor, RedLion HMI, main control panel, 2 pattern set up for 14 and 19oz, (Machine number 10002721) [Labeling and Palletizing Line 3]

Lot	Description
1020	Whallon electric shuttle palletizer/depalletizer ser. no. 10790 approx 45 in. x 58 in. magnetic head assembly, 48 in. x 48 in. vacuum head, on 220 in. x 71 in. shuttle /gantry frame, with pallet and paper bin scissor lift, 36 in. x 104 in. and 55 in. x 135 in. accumulation table conveyor with blue modular belt, 5hp Sew Euro main drive, 54 in. x 58 in. x 76 in. h pallet stacker, 48 in. x 6 ft. L discharge, safety barrier, with processor/drive control panel plus operator ft. s HMI console. (211 x 315, 60 cspm) [Labeling and Palletizing Line 6]
1021	Single filer can discharge conveyor approx 20 in. W x 20 ft. L single filer plus 4. 5 in. x 8 ft. single lane from accumulation transfer to labeler infeed junction, with side roller guides, associated proximity sensors and gear drives, stainless frame and support with plastic table top belts [Labeling and Palletizing Line 6]
1022	Automated Design can code system ser. no. 230602-32 (2) color code notification, blue and white light for wrong and illegible code detection, with can code computer panel and touch screen HMI [Labeling and Palletizing Line 6]
1023	Krones labeler mod. no. Canmatic ser. no. 73-D03 10oz, 30 heads, 2 gluing units for leading and tail end process, Robatech glue coating head, with Nordson Problue hot melt machine, servo driven container table, glue bowl, glue thickness micrometer adjustment screw, rated capacity b/w 2500 to 80000 container /hour, 10oz label magazine, feed /infeed starwheel, metering screw, and feed /infeed table top conveyor, complete AB PanelView plus 700 HMI, stainless processor and drive control panel, 575, 3ph/60hz, [Labeling and Palletizing Line 6]

Lot	Description
1024	Standard Knapp Spectrum packer mod. no. 260 ser. no. 181 12, 18 and 24 pack, continuous motion tray /overpacker and shrink tunnel machine, with approx 24 in. x 16 ft. L blue belt infeed/ laning, tray infeed conveyor, blank carton magazine, 6 lanes grouper, front and rear carton gluing with Nordson ProBlue hotmelt, Marksman Elite FoxJet printer, 30 in. x 36 in. upper film stand, shrinkwrap infeed, spectrum seal bar heater, heat tunnel with 24 in. x 10 ft. L feed / discharge, operators control console and processor/drive control panel, 575v /120v (id no 10002785) [Labeling and Palletizing Line 6]
1025	(1) Weber Alpha label applicators mod. no. Type 120 LH ser. no. 500 08615 Alpha compact, pressure sensitive wipe on labeler, 4. 7 in. to 6 in. x 11. 8 in. label capacity @ 164 in. /minute, on adjustable mobile base [Labeling and Palletizing Line 6]
1026	(1) Weber Alpha label applicators mod. no. 120RH ser. no. 50017333 Alpha compact, pressure sensitive wipe on labeler, 4. 7 in. to 6 in. x 11. 8 in. label capacity @ 164 in. /minute, on adjustable mobile base [Labeling and Palletizing Line 6]
1027	(1) Weber Alpha label applicators mod. no. 120RH ser. no. 50021700 Alpha compact, pressure sensitive wipe on labeler, 4. 7 in. to 6 in. x 11. 8 in. label capacity @ 164 in. /minute, on adjustable mobile base [Labeling and Palletizing Line 6]
1028	Inclined belt conveyor to palletizer approx 10 ft. h x 30 ft. L incline x 14 in. W with v-belt, plus (1) Hytrol blue belt and Stayton model 8096 discharge and case turner conveyor, mild steel frame with gear drives. 2017 [Labeling and Palletizing Line 6]

Lot	Description
1029	Alvey case palletizer mod. no. 800 ser. no. 01-K4901112 high level automatic case palletizer with pallet elevator, pallet stacker /dispenser approx 42 in. x 58 in. x 68 in. h, case pattern table, pusher, case turner roller and infeed conveyor, RedLion HMI, main control panel, (Machine number 10002798) [Labeling and Palletizing Line 6]
1030	Whallon Brite depalletizer # 7 90 deg swing type, dual head auto accumulation unit with approx 45 in. x 58 in. x 5 ft. h max lift magnetic head, 48 in. x 48 in. vacuum head, 40 in. wide x 20 ft. L drag chain pallet feed conveyor, 55 in. x 42 ft. x 30 in. h slip sheet dispenser, 42 in. x48 in. x 64 in. pallet stacker, complete with 50 in. x 142 in. x 42 in. h accumulation table with blue plastic modular conveyor belt, 24 in. transfer conveyor, interlock PVC guard / safety barrier, processor and drive control panel, proximity switches, approx capacity @ 3 layers -auto and 3. 5layers -semi auto, 575/120/24v, (Id no. 10002807) (211 x 300, 211 x 304, 211 x 315) [Labeling and Palletizing Line 7]
1031	Automated Design Solutions code system ser. no. 230602-15 (2) color code notification, blue and white light for wrong and illegible code detection, with can code computer panel and touch screen HMI [Labeling and Palletizing Line 7]

Lot	Description
1032	Krones labeler mod. no. Canmatic ser. no. 73-B51 10 oz, 30 heads, 2 gluing units for leading and tail end process, Robatech glue coating head, with Nordson Problue hot melt machine, servo driven container table, glue bowl, glue thickness micrometer adjustment screw, rated capacity b/w 2500 to 80000 container /hour, label magazine, feed /infeed starwheel, metering screw, and feed /infeed table top conveyor, complete AB PanelView plus 700 HMI, stainless processor and drive control panel, 575, 3ph/60hz, (Id no. 10002813) 1993 [Labeling and Palletizing Line 7]
1033	TapTone Turbo Trak dud detector mod. no. T500 ser. no. 66 dud detector, Std ANSI - 23-985-111-X, with reject, 1hp 1760rpm drive motor, pedestal type user interface /HMI (NOTE: buyer will be responsible for local / federal regulations pertaining to shipping and transport) [Labeling and Palletizing Line 7]
1034	Standard Knapp Spectrum packer mod. no. 260 ser. no. 180 12 and 24 pack, continuous motion tray /overpacker and shrink tunnel machine, set for 10oz, with infeed/ laning, tray infeed conveyor, blank carton magazine, 6 lanes grouper, front and rear carton gluing with Nordson ProBlue hotmelt, Marksman Elite FoxJet printer, 30 in. x 36 in. upper film stand, shrinkwrap infeed, spectrum seal bar heater, heat tunnel with 24 in. x 10 ft. L feed / discharge, operators control console and processor/drive control panel, 575v /120v [Labeling and Palletizing Line 7]

Lot	Description
1035	(1) Weber Alpha label applicators mod. no. 120 RH ser. no. 50017249 Alpha compact, pressure sensitive wipe on labeler, 4. 7 in. to 6 in. x 11. 8 in. label capacity @ 164 in. /minute, on adjustable mobile base, 2017 [Labeling and Palletizing Line 7]
1036	Transfer conveyor including (1) Stayton model 4410CLR case turner roller conveyor, (1) Hytrol blue belt and (1) incline vbelt conveyors [Labeling and Palletizing Line 7]
1037	Alvey 800 case palletizer mod. no. 800 ser. no. 01-K4901112 high level automatic case palletizer with pallet elevator, pallet stacker /dispenser approx 42 in. x 58 in. x 68 in. h, case pattern table, pusher, case turner roller and infeed conveyor, RedLion HMI, main control panel, 6 patterns /12, 18 and 24 packs [Labeling and Palletizing Line 7]
1038	Whallon Brite depalletizer 90 deg swing type, dual head auto accumulation unit with approx 45 in. x 58 in. x 5 ft. h max lift magnetic head, 48 in. x 48 in. vacuum head, 40 in. wide x 20 ft. L drag chain pallet feed conveyor, 55 in. x 42 ft. x 30 in. h slip sheet dispenser, 42 in. x 48 in. x 64 in. pallet stacker, complete with 50 in. x 142 in. x 42 in. h accumulation table with blue plastic modular conveyor belt, 24 in. transfer conveyor, interlock PVC guard / safety barrier, processor and drive control panel, proximity switches, approx capacity @ 3 layers -auto and 3. 5layers -semi auto, 575/120/24v, (212 x 315, 60 cspm) [Labeling and Palletizing Line 9]
1039	Automated Design can code system (2) color code notification, blue and white light for wrong and illegible code detection, with can code computer panel and touch screen HMI [Labeling and Palletizing Line 9]

Lot	Description
1040	Krones labeler mod. no. Canmatic ser. no. 73-D01 10 oz, 30 heads, 2 gluing units for leading and tail end process, Robatech glue coating head, with Nordson Problue hot melt machine, servo driven container table, glue bowl, glue thickness micrometer adjustment screw, rated capacity b/w 2500 to 80000 container /hour, label magazine, feed /infeed starwheel, metering screw, and feed /infeed table top conveyor, complete AB PanelView plus 700 HMI, stainless processor and drive control panel, 575, 3ph/60hz, (id no 10002895) [Labeling and Palletizing Line 9]
1041	TapTone 500 dud detector mod. no. T500 ser. no. 0100-038 dud detector, Std ANSI - 23-985-111-X, with reject, 1hp 1760rpm drive motor, pedestal type user interface /HMI (NOTE: buyer will be responsible for local / federal regulations pertaining to shipping and transport) [Labeling and Palletizing Line 9]
1042	Standard Knapp Spectrum packer mod. no. 260 ser. no. 179 12, 18 and 24 pack, continuous motion tray /overpacker and shrink tunnel machine, set for 10 oz with infeed/ laning, tray infeed conveyor, blank carton magazine, 6 lanes grouper, front and rear carton gluing with Nordson ProBlue hotmelt, Marksman Elite FoxJet printer, 30 in. x 36 in. upper film stand, shrinkwrap infeed, spectrum seal bar heater, heat tunnel with 24 in. x 10 ft. L feed / discharge, operators control console and processor/drive control panel, 575v /120v [Labeling and Palletizing Line 9]
1043	(3) Transfer conveyors including (1) Stayton model 4410CLR case turner roller conveyor, (1) Hytrol blue belt and (1) incline vbelt conveyors [Labeling and Palletizing Line 9]

Lot	Description
1044	Weber label applicator Alpha compact, pressure sensitive wipe on labeler, 4. 7 in. to 6 in. x 11. 8 in. label capacity @ 164 in. /minute, on adjustable mobile base, 2017 [Labeling and Palletizing Line 9]
1045	AmbaFlex spiral case elevator mod. no. SV-400-1300 ser. no. 4622-02 4 tier continuous motion mild steel frame, stainless side guide with 16 in. W plastic slat belt, approx 55 in. dia W x 12 ft. transfer height, 2005 [Labeling and Palletizing Line 9]
1046	Alvey 800 case palletizer mod. no. 800 ser. no. 01-K4901112 high level automatic case palletizer with pallet elevator, pallet stacker /dispenser approx 42 in. x 58 in. x 68 in. h, case pattern table, pusher, case turner roller and infeed conveyor, RedLion HMI, main control panel, 6 patterns /12, 18 and 24 packs [Labeling and Palletizing Line 9]
1047	Alvey pallet roller transfer / accumulating conveyor system approx 55 in. W x 160 ft. total length live rollers with lift up chain pallet transfer segments and fitted with ALMAC pallet carousel approx 6 ft. dia [Labeling and Palletizing Line 9]
1048	Label-Aire label applicator mod. no. 3138NV with Datalogic CBX500 control, adjustable tamp assembly with stainless steel rods and locking collars, ambidextrous parts-unit, (asset no. 100122710) [Labeling and Palletizing Line 9]
1049	Alvey pallet transfer/infeed roller conveyor approx 55 in. W x 70 ft. L from carousel transfer to shrink wrap discharge end [Labeling and Palletizing Line 9]

Lot	Description
1050	Muller octopus pallet wrapper mod. no. 808 Octopus ser. no. 98021093 auto rotary ring / orbital stretch wrapper, 120 loads wrap per hour, with powered pre stretch octo thread film carriage, approx 93 in. x 129 in. x 154 in. h frame, max load size / weight @ 48 in. x 50 in. x 80 in. h / 4800lbs, film capacity @ 20 in. x 10 in. dia, controlled impulse cutter and heat seal, chain lift with 480vac lift and rotation motor, load height photo sensor, with main drive control panel. [Labeling and Palletizing Line 9]
1051	(2) Label printing system mod. no. TTP-2410MT TSC bar code printers [Labeling and Palletizing Line 9]
1052	Nederman mod. no. FB0900 ser. no. 663 fume extraction unit, 575v, 2hp, 3ph, 2001 [Labeling and Palletizing Line 9]
1054	(3) FoxJet mod. no. Proseries 384 ink jet coders parts with printer heads and Marksman touch pad control [Labeling and Palletizing Line 9]
1055	Weber label applicator mod. no. 120RH ser. no. 50017250 Alpha compact, pressure sensitive wipe on labeler, 4. 7 in. to 6 in. x 11. 8 in. label capacity @ 164 in. /minute, on adjustable mobile base, 2017 [Labeling and Palletizing Line 9]
1056	Weber label applicator mod. no. 120 ser. no. 50016523 Alpha compact, pressure sensitive wipe on labeler, 4. 7 in. to 6 in. x 11. 8 in. label capacity @ 164 in. /minute, on adjustable mobile base, 2016 [Labeling and Palletizing Line 9]
1057	Weber label applicator mod. no. 120RH ser. no. 50017251 Alpha compact, pressure sensitive wipe on labeler, 4. 7 in. to 6 in. x 11. 8 in. label capacity @ 164 in. /minute, on adjustable mobile base, 2017 [Labeling and Palletizing Line 9]

Lot	Description
1058	Weber label applicator mod. no. 120RH ser. no. 50005947 Alpha compact, pressure sensitive wipe on labeler, 4. 7 in. to 6 in. x 11. 8 in. label capacity @ 164 in. /minute, on adjustable mobile base, 2015 [Labeling and Palletizing Line 9]
1059	(1) Krone label magazine and parts mod. no. G035-93-044-0 ser. no. 21076191 on mobile rack [Labeling and Palletizing Line 9]
1060	(1) Krone label magazine and parts mod. no. G039-17-3240 for 10-3/4 oz, on mobile rack [Labeling and Palletizing Line 9]
1061	(1) Krone label magazine and parts for 19 oz, on mobile rack [Labeling and Palletizing Line 9]
1062	(1) Krone label magazine and parts for 14oz, on mobile rack [Labeling and Palletizing Line 9]
1063	(1) Krone label magazine and parts for 7. 5oz on mobile rack [Labeling and Palletizing Line 9]
1064	alpine can accumulation conveyors 5 sets, 4 pass each, approx dimension with turn @ 55 ft. L x 6 ft. wide (for each Whallon depal machine - starts and end from Whallon depal to underside of can conveyor platform) [Labeling and Palletizing Line 9]
1065	Cable can track conveyors including drive station, can twist, diverter and work platform/catwalk (within /packaging room only, approx 800 ft. total length) [Labeling and Palletizing Line 9]
1067	SS clean water storage tank approx 15, 000 gallons capacity 14 ft. dia x 16 ft. h with 24 in. dia front mh, 304 stainless, with (5) 6 in. dia side ports (not insulated) [Heat Recovery Storage Tanks 1st Flr]

Lot	Description
1068	O Connor Tanks Ltd, SS 180 degF hot water storage tank approx 25, 000 gallons capacity, 18 ft. dia x 16 ft. h 1994 (insulated with corrugated stainless panels, Campbell tag no T0244) [Heat Recovery Storage Tanks 1st Flr]
1069	SS 180 degF hot water storage tank approx 25, 000 gallons capacity, 18 ft. dia x 16 ft. h (insulated with corrugated stainless panels, Campbell tag no T0244) [Heat Recovery Storage Tanks 1st Flr]
1070	Hartford SS 50-60deg F tempered water storage tank approx 25, 000 gallons capacity, 18 ft. dia x 16 ft. h, 304stainless, caged access ladder (not insulated) 2007 [Heat Recovery Storage Tanks 1st Flr]
1071	Gould centrifugal pump mod. no. 3196 ser. no. E725H227 5hp, 1 x 2 -10, 40gpm, 1750rpm, 316ss, [Heat Recovery Storage Tanks 1st Flr]
1072	Gould centrifugal pump mod. no. 3196 ser. no. E725H226 15hp, 3 x 4 -10H, 500gpm, 1750rpm, 316ss, 8. 625 impeller [Heat Recovery Storage Tanks 1st Flr]
1073	Gould centrifugal pump mod. no. 3196 ser. no. E726H652 15hp, 3 x 4 -10H, 500gpm, 1750rpm, 316ss, 8. 625 impeller [Heat Recovery Storage Tanks 1st Flr]
1074	(2) Vertical water pumps with approx 7. 5hp Brook Crompton drive motor[Heat Recovery Storage Tanks 1st Flr]
1075	(2) Gould centrifugal pump mod. no. G and L series SSH ser. no. G1709520 25hp, catalog no. 6SH2P75A0, 2. 5 x 3-6, 7. 313 impeller, flanged connection [Heat Recovery Storage Tanks 1st Flr]
1076	(2) Myers centrifugal condensate pumps mod. no. 150M50-53 ser. no. 394 5 hp, 5-1/8 impeller, plus (1) insulated condensate tank approx 100 gallons [Heat Recovery Storage Tanks 1st Flr]

Lot	Description
1077	(4) Armstrong Tube-in-tube heat exchangers approx 12 in. dia and 14 in. dia x 8 ft. and 12 ft. long, on tubular steel frame with 8 steps access ladder, plus (2) heat recovery starter and main control panel, with HMI 600vac, 300amp, 3ph (manufactured by Steam Specialty sales 1994) [Heat Recovery Storage Tanks 1st Flr]
1078	(2) Waukesha centrifugal pumps mod. no. 2065 ser. no. 100000-2896116, 15hp, 316 stainless, 2013[Heat Recovery Storage Tanks 1st Flr]
1079	(2) Gould centrifugal pumps mod. no. G and L series SSH 2. 5 x 3-6, 7. 313 impeller, flanged connection [Heat Recovery Storage Tanks 1st Flr]
1080	(2) Gould centrifugal pumps mod. no. G and L series SSH ser. no. G0714035 50hp, catalog no. 23SHK6, 3 x 4-8, 7. 69impeller [Heat Recovery Storage Tanks 1st Flr]
1081	(2) Gould centrifugal pumps mod. no. G and L series SSH (No P3 and P4) [Heat Recovery Storage Tanks 1st Flr]
1082	Valves and flow tubes assorted control valves including rotary, butterfly, fishers valves and Rosemount magnetic flow tubes plus transmitters, approx 30 (located at back of water tanks, within pumps and within condensate return pit at front of water tanks) [Heat Recovery Storage Tanks 1st Flr]
1083	Weir Roto Pump mod. no. 2100A ser. no. 10CR76404-01 single stage pump, 125hp, 3 x 2, 2745rpm, 465gpm, 2950 ft. head, 1300psi, rpm 2 250 deg F [Heat Recovery Storage Tanks 1st Flr]

Lot	Description
1084	Weir Roto Pump mod. no. 2100a ser. no. 10CR76404-02 single stage pump, 125hp, 3 x 2, 2745rpm, 465gpm, 2950 ft. head, 1300psi, rpm 2 250 deg F [Heat Recovery Storage Tanks 1st Flr]
1086	SS vegetable oil storage tank, approx 12 ft. dia x 14 ft. h, with 24 in. dia side mh, caged inspection ladder, Waukesha centrifugal pump (approx 10000 gallons capacity) [Bulk Storage Tanks 1st Flr]
1087	(2) Carbon filtered tanks (CS) approx 10 ft. dia x 18 ft. h with inspection ladder, associated control valves, [Bulk Storage Tanks 1st Flr]
1088	Bulk fructose tank approx 12 ft. dia x 14 ft. h, 10, 000 gallons capacity HFCS jacketed tank with side mh, cone bottom, center bottom discharge, 36 in. h legs support, tank level and temp monitor [Bulk Storage Tanks 1st Flr]
1089	Waukesha positive displacement pump mod. no. 060-U1 ser. no. 100000-3025433 7. 5hp, SPX flow, 2015[Bulk Storage Tanks 1st Flr]
1090	Alfa Laval plate heat exchanger with approx 15 in. W x 5 ft. h packed plates, [Bulk Storage Tanks 1st Flr]
1091	Parker Nitrogen generation system mod. no. 75-76 ser. no. 7576-8258 with nitrogen holding tank, NBN 65689M, approx 2001[Bulk Storage Tanks 1st Flr]
1092	Afco CIP tank approx 100 gallons capacity stainless with control panel with diaphragm pump on skid [Bulk Storage Tanks 1st Flr]
1093	MTC barrel dumper mod. no. HLET 2 stage, 2000lbs capacity, all stainless with welded wire safety barrier (by water recovery area) [Bulk Storage Tanks 1st Flr]

Lot	Description
1094	Lycos single drum waste water screen approx 48 in. dia x 78 in. L, 500 to 1000/min gallons capacity ratings with cleaning spray head, SDS-0612-69099 stainless (2012)[Waste Water Area 1st Flr]
1095	Hycor single drum wastewater screen approx 48 in. dia x 5 ft. L rotoshear, with cleaning spray head, stainless (Machine ID 2906300) [Waste Water Area 1st Flr]
1096	Stainless infeed with control valves, approx 24 in. dia stainless drum infeed and distribution system plus (4) Orbinox model 20-3434MI metal seat knife gate valve with handwheel manual control [Waste Water Area 1st Flr]
1097	Knud Simmons Ind column dumper mod. no. D-5000 ser. no. A1-6102 with barrel holder approx 18 in. x 24 in. x 48 in. h, all stainless, Campbell ft. s tag T0124[Waste Water Area 1st Flr]
1098	Waste Corp large Trash Flow centrifugal pump mod. no. TFCC4B ser. no. 983130 self priming, solid handling up to 3 in. capacity, with clean out port, 4 in. x 4 in. dia, belt driven, 25 ft. suction lift, 650-1950rpm ratings [Waste Water Area 1st Flr]
1099	Small Gorman Rupp pump approx 10hp, with Shelco micro filter & hopper[Waste Water Area 1st Flr]
1100	SS live bottom dump bin with approx 10hp screw press, stainless receiving hopper on tubular frame support, with AB HMI [Waste Water Area 1st Flr]
1101	Shred Tech can shredder with stainless feed hopper, approx 60 in. x 55 in. x 36 in. deep fitted with dump hood, double shaft, 24 in. W x 12 ft. L Key Iso Flo shaker & Hayward pump and work platform with magnet, conveyor and shredder start control buttons [Waste Water Area 1st Flr]

Lot	Description
1102	Hayward Gordon gear pump mod. no. 6P81EFMIU3B2 ser. no. HG328642 7. 5hp, 850rpm, 90gallons/min [Waste Water Area 1st Flr]
1103	Marathon Trash Compactor mod. no. RJ250SC ser. no. 51402639 self contained unit, roll off, approx 40 in. x 58 feed opening, 24 tons crushing force, with 5hp hydraulic power pack, 2011[Waste Water Area 1st Flr]
1104	(6) stainless sugar totes approx 46 in. x 42 in. x 82 in. h, forklift ready base support [Waste Water Area 1st Flr]
1105	Prosysco LTD large holding tank ser. no. P9623 approx 20, 000 gallons capacity, 16 ft. dia x 16 ft. h, with 36 in. high 3 in. dia legs support, 18 in. elliptical side mh, (located near inside shipping dock door) [Organic Waste System 1st Flr]
1106	Gould centrifugal pump mod. no. 3196 ser. no. E724H370-1 30hp /1180rpm, 575v, 60hz, 1600gpm, size 6 x 8-13, D1/316ss, 13 in. max dia, (classified as screen pit pump) 2015 [Organic Waste System 1st Flr]
1107	Gould centrifugal pump mod. no. 3196 ser. no. E724H370-2 30hp /1180rpm, 575v, 60hz, 1600gpm, size 6 x 8-13, D1/316ss, 13 in. max dia, (classified as screen pit pump) 2015 [Organic Waste System 1st Flr]
1108	Control valves and panel including (1) magnetic flow tube, pneumatic butterfly discharge valve, (2)CLA-VAL Flexcheck size 8 rotary valves with connecting sanitary stainless pipes, from 4 in. to 12 in. dia, plus (1) 2 door stainless control panel [Organic Waste System 1st Flr]

Lot	Description
1109	Chromalox electric boiler mod. no. CHPES-135ASF10-603 600v, 131amp, 120control volts, 3ph/60hz, 476lbs/hr, 136kw, MAWP - 150psig, boiler p/n 022-300253-013, with McDonnell auto reset switch, approx 50gallons capacity tank, Honeywell pressure switches, AB condensate pump on /off switch, 2004[Organic Waste System 1st Flr]
1110	Gorman Rupp waste pump mod. no. T6A61S-B ser. no. 1488090N self priming centrifugal pump with Val Matic model 506C swing flex cast iron check valves, approx 15hp [Hot Water Rinse Area 1st Flr]
1111	Gorman Rupp waste pump mod. no. T6A61S-B self priming centrifugal pump with Val Matic model 506C swing flex cast iron check valves, approx 15hp [Hot Water Rinse Area 1st Flr]
1112	Gorman Rupp waste pump mod. no. Trash Flow self priming centrifugal pump approx 3 in. x 3 in. on skid, approx 5hp (located behind O'Connor tank) [Hot Water Rinse Area 1st Flr]
1113	Alfa-Laval Plate heat exchanger mod. no. AQ2L-FG ser. no. 30113-89542 MAWP 150psi @ 200degF, MDMT -20 deg F @ 150psi, 326. 6 sqft surface area, 269mm w/ (121) 0. 40mm plates, 2011[Hot Water Rinse Area 1st Flr]
1114	Alfa Laval Plate heat exchanger mod. no. M15-BFG ser. no. 30110-70678 MAWP 150psi @ 225degF, MDMT -20 deg F @ 150psi, 1588. 00 sqft surface area, 724mm w/ (241) 0. 50mm plates, 2007[Hot Water Rinse Area 1st Flr]

Lot	Description
1115	Alfa Laval Plate heat exchanger mod. no. M15-BFG ser. no. 30110-70679 MAWP 150psi @ 225degF, MDMT -20 deg F @ 150psi, 1355. 00 sqft surface area, 615mm w/ (205) 0. 50mm plates, 2007[Hot Water Rinse Area 1st Flr]
1116	Tekleen auto filter system mod. no. ABW6 approx 10 in. dia x 6 ft. L, stainless, backwash filter, 800gpm max flow rating, 6 in. dia flange size, system includes butterfly valves, Fieldvue electro mechanical actuator valves, Rosemount transmitters and associated insulated pipes plus (1) 2 door control panel with AB control Logix processor and Versa View 1750M HMI [Hot Water Rinse Area 1st Flr]
1118	Goulds centrifugal pump mod. no. 3196 ser. no. 732H310 25hp, size 3 x 4-7, 400gpm, 3600rpm, 6. 25 impeller, 316ss, 2016[Hot Water Rinse Area 1st Flr]
1119	Goulds centrifugal pump mod. no. 3196 ser. no. 737F457W3 25hp, size 3 x 4-7, 400gpm, 3600rpm, 6. 25 impeller, 316ss [Hot Water Rinse Area 1st Flr]
1120	(2) Chemical dosing system ser. no. 2813002840 by Prominent Fluid Controls Ltd, system includes Blacoh pulsation dampener, Sigma dosing pumps, Dialog dulcometer, Endress Hauser controller, (1) Ecolab day tank fill control, 12-vac, 1ph/60hz, plus Poly acid tanks (NOTE: buyer will be responsible for a safe, responsible and approved way of disposal and draining of contents) [Hot Water Rinse Area 1st Flr]

Lot	Description
1121	Solar gas turbine gen set mod. no. Centaur 50 version 6201SA GSC ser. no. CG15258, 4600KWe (4. 6MWe) power (G/L), 13. 8KV generator, industrial single shaft axial compressor with variable inlet guides/vanes and strator, set point (G/L) full load @ T5-1250deg F, 14949rpm@ 50hz, 14951rpm@ 60hz, solonox combustion system @ 14ppmNOX, equipped with Caloritech cat. no. CXS16976-05 lube oil tank heater, hydac filter assembly, pre/post start up lube oil pump, Epicyclic gear unit assembly no. 302750-201/sn Jan1572651 @ 8. 305921 ratio, rated power @ 8, 700HP, 14, 951rpm input and 1800rpm output speed rating, 575Vac, 120Vdc, 3ph/60hz, 188/12. 2 amps, Kato engineering Synchronous AC generator model AA29164000, bearing no. 012-693290-19 / 012-69329-72 opposite drive end / drive end, Burner Acoustic Monitor, Solar Turbotronic control box with AB Control Logix XT control and communication modules, XM series dynamic measurement system, model 1200XT touch screen color HMI, Combination generator control module cat no. 1407-CGCM, Emerson Network power model iVS1-3R3R80B584, back up system active reset, voltage, speed and fire alarm control system, plus system include Remote synch panel - CTLM02, ASCO 800amp / 600v auto transfer switch panel, cat no. H03ATSA30800RG0C, s/n 1223549BR with Emerson Network power monitor, 500psig MSP, 52. 02MMBTU/hr, 151, 410 lbs/hr approx exhaust flow, 22, 800 operating hours, (in enclosed sound proof box with integrated ventilation ductwork) 2015 [Powerhouse]

Lot	Description
1122	Cleaver brooks heat recover steam generator (HRSG) mod. no. MF-4S-85 ser. no. ER-4373-2015, Job no FR4373, 90, 000lb/hr max design steam capacity, @ 250 psig MAWP, 19598sqft heat surface, NBN 4771, equipped with NATCOM type NG industrial burner, s/n N20176 -2015, model DB-66-G-3, heat input @ 66. 4 / 6. 64 max /min MMBTU/HR @ 15 / 0. 28 max /min psig, ignitor fuel type NG model EXC-C-CL-3-7 @ 0. 42MMBTU/hr, feedwater and steam associated components including flow control meter and valves, top exhaust to feed water economizer, steam drum, plus Reliance Electro Eye-Hye remote water level indication system, model Recil-2R, s/n EE10248, 120v, and Natcom burner management control panel with AB Compact Guard Logix L43S system with 115/230vac, thermocouple, ethernet /IP Logix modules, and PanelView HMI, gas loop supply manifold, Zirconia oxygen analyzer. converter, water fall combustion chamber with water cooled membranes @ approx 2, 800 deg F firing /flu gas ratings, carbon steel support / inspection platform structure and cage access ladder, mfg 2014, [Powerhouse]
1123	New York Blower co industrial pressure / Flame scanner cooling blowers mod. no. 22404ALM ser. no. shop no. 2015-06353-01, system is made up of (2) model NY04RI-E040023 centrifugal fan blowers each with 3hp / 3510rpm fan motors, 100cfm, 30. 5 in. SP, 0. 0697 DENS, 110deg F, 575v, 60hz, [Powerhouse]

Lot	Description
1124	E-Tech vertical condensing economizer system, 6 MMBTU/hr, 125, 000lb/hr water, 89 deg F in, 145deg F out, with NY fan purge blower, man safe dampers (main and breaching dampers, and actuators associated support structure. (located outside -side wall front of cooling tower) [Powerhouse]
1125	Emerson Climate Tech / Vilter (FGBC) fuel gas booster compressor skid mod. no. VSG601VVR6HPAMD30 ser. no. 2041, single screw VSG series with parallex slide system gas compressor, natural Gas, 414 test pressure, 30psig suction and 250psig discharge pressure, equipped with refrigeration HEX model PS174242-2, design pressure @ 350/350 psi, s/n S174242, Henry Technologies shell and tube HEX, model LXX-08084-110, MAWP 350psi @ 250 deg F for shell and tube side, Air and Gas Inc certified vessel with (1) NBN 168, 350MAWP @ 500 deg F, s/n 1177, Tag no 211-V-300, CRN - R1751. 50 and (1) NBN 167, MAWP 350 psi @ 400 deg F, s/n 1176, CRN-R1752. 50, lube oil pump, associated NG pipework, pneumatic actuators and valve controllers within the skid, horizontal pressure tank NBN49416, CRN-0H17393. 5, 600psig @ 400 deg F, instrument/wiring /control Jbox, August 05, 2015 [Powerhouse]

Lot	Description
1126	6 Sections Sq-D MCC mod. no. model 6 ser. no. 36485412, Low voltage, dead front freestanding assembly, with 20 breaker switches, and (1) Square D power pack disconnect switch model RK1600 high interrupting capacity with Micrologix 6. 0amp trip unit, 1600Amp horiz, 600amp vert bus ratings, 600v-Ac/Ca max, 3ph/60hz, (unit no. CHP-MCC-01, service for Cogen, booster compressor and gas turbine generator, aircon, exhaust and economizer) [Powerhouse]
1127	Powell 15KV class switch Gear (Generator / Utility breaker) mod. no. 35351 ser. no. 211572-0100-01, 3poles-3 wires, 13800v nominal 1200amp main bus rating, 95Kv BIL, 50kA, 60hz, trip coil controllers, lock out relay switches, fitted with Woodward DSLC-2 digital synchronizer and load control, May 2015 [Powerhouse]
1128	(2) SEL Protection and Control panels, system include SEL 700GI and SEL TS4-700GT intertie generator protection relay, SEL 787 - transformer protection relay, SEL 2407 satellite synchronized clock, [Powerhouse]
1129	Stacion station rectifier mod. no. CT125B50E5676BENLHGD ser. no. 43458, constant voltage charger / rectifier unit, 208vac, 29amp, 125vdc, 50amp, 3ph/60hz, 125v nominal, 50amp max DC output, with Stativolt digital control, August 2015 [Powerhouse]

Lot	Description
1130	(4) Process control panels and boxes, with the AB Compact Logic L33ER and 1756 processor modules, Cat no 2711P series logic module HMI, Schneider Altivar 71, 5 and 7. 5hp ac drives, 500/690v, PUS dimension and Murr power supply, plus automation and electrical wiring components plus (2) wall mount. ENERAGENT instruments [Powerhouse]
1131	Powerohm neutral grounding resistor ser. no. 23535444, high impedance, 8400 system voltage, 240L-N voltage, 1. 1-1. 5 ohm @ 25 deg C, 152-207 amps, 375 deg C temp rise, [Powerhouse]
1132	AB HMI and VFD, including (1) AB PanelView plus 1500 co generation BOP HMI, 120vac, (1) PowerFlex 753 gas turbine VFD, cat no. 20F1ANE125JA0NNNNN with DC motor starter, 690v / 110kw(90kw) 600v / 125hp (100hp) plus (1) Thermon heat trace panel, [Powerhouse]
1133	American Battery charging unit mod. no. ABC11B-120-10 ser. no. 115014, 100-120v / 21 amp input, 120v / 10amp output, p/n 65327-01, solar 1060367-100, with 2 banks of (5) torque value fix batteries, [Powerhouse]
1134	Solar Turbines on-line compressor washer unit mod. no. 1054-541-3NS01 ser. no. 2930, with water common / chemical common inlet valves, 100psig, approx 40gallons stainless tank, NBN 3732, 130psiMAWP @ 200 deg F, CRN -M-2248. 5, 2015 [Powerhouse]
1134A	portable poly wash tank with locking hoses [Powerhouse]
1134B	lot/ Grundfos digital metering pump and Rosemount float level sensor (new in box) [Powerhouse]

Lot	Description
1134C	lot/ turbine filters, parts and consumables [Powerhouse]
1134D	lot/ (3) storage cabinets [Powerhouse]
1134E	lot/ turbine filters, parts and consumables [Powerhouse]
1134F	solar turbines gantry type specialty rigging and lifting apparatus [Powerhouse]
1134G	lot/ heavy duty cart and portable hoist [Powerhouse]
1135	DV System desiccant dryer mod. no. DD100-00 ser. no. 71174, 100cfm, 120v, 1ph/60hz, 0. 34amp. 150psi max pressure plus (1) Omega carbon steel air tank (Subject to Confirmation) [Powerhouse]
1136	Norther Transformer, 5MVA, oil filled step up transformer, 27. 6KVA primary, 13. 8KVA secondary (located outside by cage) (Subject to Confirmation) [Powerhouse]
1137	Bank of switchgears (inside cage outside) (Subject to Confirmation) [Powerhouse]
1137A	mfg unknown high voltage oil filled pad transformer, s/n n/a (Subject to Confirmation) [Powerhouse]
1137B	self contained, temperature controlled, skid mounted switchgear shack with (3) section breaker panel, s/n n/a (Subject to Confirmation) [Powerhouse]
1137C	mfg unknown high voltage oil filled pad transformer, s/n n/a (Subject to Confirmation)[Powerhouse]
1137D	high voltage pad type breaker (Subject to Confirmation) [Powerhouse]

Lot	Description
1139	Durpro RO system mod. no. DPRO-50/100 ser. no. SO07587R2, 50-100gpm permeate rate @ nominal 25deg C, nominal recovery rate @ 75%, 250psig MAWP, with high pressure and recirculating /CIP pumps model DPVF-25/7, 25hp and DPVF 40/1-1, 5hp, (11) pressure membranes approx 8 in. dia x 9 ft. L model no. GE-AG8040F-400, Filter solution inc pre filter, 150psi MAWP @ 225 deg F, -20 deg F @ 150 psi MDMT, s/n 10035-2017, Watlow 600v / 24000watts model F0NP727A61W-2 CIP heater, stage 1 to 4 pressure, pre /post filter and permeate, pressure gage panel, plus process control panel with AB PanelView HMI, PowerFlex 525 VFD, 1783-NATR Ethernet, Compact Logix L16Er processor unit with (5) 1734 series network status modules, Wieland -Wipos P124. 5 power supply, 600v, 3ph/60hz, 60amp (6 months old on carbon steel skid) 2017-02-14 [Powerhouse]

Lot	Description
1140	Cleaver Brooks / Arctic Combustion LTD. Boiler #1 mod. no. CN3-200 ser. no. WS-1723, NG fuel @ 1000 BTU per SCf, max input @ 61, 490SCFH, min input @ 6, 149SCFH, inlet pressure -8psig, MWP @ 59. 2 in. w. c., min pressure -5. 9 in. w. c., pilot pressure - 0. 5psig, no. 2 fuel @ 19, 600BTU/lbs, max input @ 442gph, min input @ 55gph, inlet pressure - 120 psig / 40psig, maximum/minimum pressure rating, steam @ 30psig, design ALT - 650ft-ASL, design std - TSSA-FA-2012, 120v, 1ph/60hz, 3 minutes purge time, firing rates @ 61. 490 btu/hr, supply pressure @ 100psi, burner voltage @ 575, 3ph/60hz, plus Bailey controls 120vac junction box, ABB SMA smart analyzer 90 flue gas analyzer, associate pipework / control valves/maxon shut off valves, fishers-Fieldvue actuator within boiler [Powerhouse]
1141	Foster Wheeler Limited Boiler #2 mod. no. Package AG 144 ser. no. 1202, equipped with JNE burner management and combustion control unit, model CRN-C6194, s/n PRN-5102110, NG/No. 2 oil dual burner, 70, 000 BTU/hr max input rating, 2psi/4psi - min/max supply pressure, 9psi NG, 60psi/87psi-No. 2 oil burner supply pressure, 125psi inlet, Atomizing steam supply @ 135psi, 3 minutes purge time, with AB PanelView 700 HMMi, Bailey Controls co. universal actuator @ 90ft-lbs, air -100psig max, s/n 97WO53880, plus associated fuel transfer control loop manifold assembly including pipework, control valves, 575vac, 3ph/60hz, 120vac, 1ph/60hz, 24vdc, [Powerhouse]

Lot	Description
1142	Foster Wheeler Limited Boiler #3 ser. no. 7378, 75, 000lbs/hr max steam capacity design, 280psig waterfall pressure, 280psig MAWP, 3, 454sq / 689 sq ft heated surface, economizer @ 400psig / 7, 179 sq ft, CRN- L9114. 5, equipped with John Zink combustion unit, model V5901G0XXX, s/n 951127, 91MMBTU/hr, inlet pressure @ 15psig /175psig, max burner manifold pressure 2 10 psig / 140 psig, min burner manifold pressure @ 1psig / 20psig, 120v/1ph/60hz, plus associated fuel transfer control loop manifold assembly including pipework, control valves, control panel with ignitor, fuel oil energized switches, fuel selector switch, fireeye type ED510 reset control, AB PanelView 1000HMI, (National Board # 565) 2002 [Powerhouse]
1143	Goulds water tech water pump mod. no. e-SV - 56SV70 series, vertical multi-stage water pump, 250gpm nominal flow, non - self priming pump, 1200 ft. head rating, 3 in. dia, 580psi max, 60hp /3550rpm, [Powerhouse]
1144	Goulds water tech water pump mod. no. e-SV - 56SV70 series, vertical multi-stage water pump, 250gpm nominal flow, non - self priming pump, 1200 ft. head rating, 3 in. dia, 580psi max, 60hp /3550rpm, [Powerhouse]
1144A	Goulds water tech water pump mod. no. e-SV - 56SV70 series, vertical multi-stage water pump, 250gpm nominal flow, non - self priming pump, 1200 ft. head rating, 3 in. dia, 580psi max, 60hp /3550rpm [Powerhouse]

Lot	Description
1145	Revak Skinner steam turbine mod. no. SB-18 ser. no. L29142, single stage steam turbine, inlet pressure 180psi @ 379 deg F, trip rpm @ 3850, 3500 rated, 60hp, with Revak governor, P/n RDC0104-H/sn 1065, 400 rpm, CW rotation, (2006) [Conventional Powerhouse]
1146	(2) ITT Bell and Gossett mod. no. 80BF series, In-line centrifugal pump, 20hp, 450gpm (blue and red) [Powerhouse]
1147	Corpus turbo fan blower mod. no. T-68, [Powerhouse]
1148	(3) Bell and Gossett centrifugal pumps mod. no. 1531 series, 155gpm, 175 psi max working pressure @ 250deg F [Powerhouse]
1149	Boiler feedwater instruments and controls, including magnetic flow tube, Rosemount 8732 series transmitters, size 2 Fishers - Fieldvue actuator, Spirax Sarco controller, (located at lower level) [Powerhouse]
1150	(2) Goulds water technologies mod. no. 33SV10N series, 175gpm, 1 stage with 5hp/3510rpm WEG drive motor, 362 psi max @ 250deg F, [Powerhouse]
1151	Clemmer Technologies Blow down Tank, MAWP @ 100psi /650 deg F, MDMT @ -20 deg F/ 100 psi., CRN - E2-360. 531, approx 40 in. dia x 8 ft. h, 2000 [Powerhouse]
1152	(2) Poly Processing Tanks with pumps, 1400 gallons capacity with Goulds 2hp/3450rpm centrifugal pumps model NPE, size 1-1/2 x 2-6, 4-1/16 in. dia impeller. [Powerhouse]

Lot	Description
1153	EM Bemac packaged AC generator unit mod. no. type BRKT ser. no. 1-63-918172, with built in voltage regulator, 62. 5kva, 600v, 60amp, with REVAK model TF-23 steam turbine unit, 1800 rpm rating, discharge pressure @ 5psi, 9. 4hp, 175 psi inlet @ 377 deg F, 2300 trip rpm, plus Em manual control s/n 163916125 (color green) [Powerhouse]
1154	Torna Tech duplex gas pump and control system mod. no. ADA 600 / 2x 10/3/60 ser. no. 20209029-1/1, 600line volt, 120 control volt, 10 hp (no. 1 and 2) 3ph/60hz, 1200amp max fuse, associated pipework and control within the skid (buyer make sure that all main gas line are properly shut down and disconnect be plugged with approved gas plug) [Powerhouse]
1155	Air dryer and compressor unit mod. no. AP 50 ser. no. 08-198, Comp -Air model AP 50, s/n 08-198, twin tower regenerative air dryer, 50 scfm, 100psig, 150psig max, 1ph/60hz, 115v, with (1) reciprocating compressor, approx 10 to 15 hp drive motor, plus (1) green compressed air tank located above [Powerhouse]
1156	(2) Goulds water technologies centrifugal pumps mod. no. NPE, 1/2hp / 1725rpm, size 1 x 1-1/4-6, 4-3/4impeller, 115/208-230v, 60hz, plus (1) Walchem cooling tower controller, water diversion valve, (2) chemical metering pumps, [Powerhouse]
1157	Alfa Laval plate HEX mod. no. AQ2L-FG ser. no. 30113-89540, 150psi @ 200deg F, 145. 5sq ft, 122mm (55) 0. 40mm plates, CRN- M5593. 5, 2011 [Powerhouse Deaerator upper deck]

Lot	Description
1158	Alfa Laval plate HEX mod. no. AQ4L-FG ser. no. 30113-89541, 150psi @ 200deg F, 920. 30sq ft, 436mm (173) 0. 50mm plates, CRN-M2262. 5, 2011 [Powerhouse Deaerator upper deck]
1159	Alfa Laval plate HEX mod. no. AQ4-FG ser. no. 30113-89539, 150psi @ 200deg F, 480. 5sq ft, 574mm (188) 0. 50mm plates, CRN - M1742. 5R1, 2011 [Powerhouse Deaerator upper deck]
1160	HVAC heating water HEX system, 12 in. dia x 5 ft. L on carbon steel support, plus (2) approx 1hp vertically mount centrifugal pump plus control box (right beside HEX-04) [Powerhouse Deaerator upper deck]
1161	(2) Taco centrifugal end suction process water pumps mod. no. F1-2007-5. 80F, 15hp/3500rpm, 250gpm, 116 ft. Head, flanged connections, [Powerhouse Deaerator upper deck]
1162	(4) Rosemount magnetic flow tubes, various sizes, with 8712ESR series remote water flow transmitters (service for economizer water, HVAC heating water, boiler make up water and condensate water) [Powerhouse Deaerator upper deck]
1163	ALPS Welding Ltd Deaerator ser. no. 1093, MAWP @ FV and 50 psi, 300 deg F, MDMT @ 32 deg F, 50psi, CRN - 14798. 5, approx 7 ft. dia x 16 ft. L, 1999 [Powerhouse Deaerator upper deck]
1164	Condensate tank, approx 5 ft. dia x 10 ft. L, with associated, low pressure steam pipework from condensate tank front port to gate valve within tank plus SPRAX Sarco valves with PP5 positioner, (3) TB-Bailey TB82 conductivity transmitters [Powerhouse Deaerator upper deck]

Lot	Description
1165	Condensate line pipework, including condensate, boiler feed and non potable water pipes, (2) size 45, type 657- Fishers scientific /Fieldvue actuator controls, booster pump, low pressure blowdown flash tank, ABB process master model FEP315 series valve, Elo-matic valve actuator, (3) Assured automation P/N D26NRXV4A electric actuators, [Powerhouse Deaerator upper deck]
1166	(3) Tanks water softener system, approx 4 ft. dia x 5 ft. h, with associated control /regeneration monitor, certified by Structural North America, 150psig MAWP, 150 deg F, [Powerhouse Deaerator upper deck]
1167	(3) Tanks Durpro dealkalizer system, approx 4 ft. dia x 5 ft. h with associated controls [Powerhouse Deaerator upper deck]
1168	GE water treatment system mod. no. J2683-201 ser. no. 090215-01, with (4) Optisperse APFE poly tanks approx 44 in. dia x 54 in. h, with (5) chemical metering /peristaltic pumps, plus (1) cooling water poly tank open top, dealkalizer and brine solution poly tanks with Lightnin mixers, open top with lid covers, [Powerhouse Deaerator upper deck]
1169	Atlas Copco 400 HP air compressor mod. no. ZR 315 VSD ser. no. S994261 01, variable speed drive oil free screw compressor [Powerhouse Deaerator upper deck]
1170	Atlas Copco mod. no. FD 1600, 1600psi inlet pressure, 3392cfm, 1.9 psi, 24.67hp, 189psi MAWP, approx shipping dimension @ 104 in. x 53 in. x 74 in. and approx 2822lbs [Powerhouse Deaerator upper deck]

Lot	Description
1172	Ingersoll Rand Compressor #2 mod. no. SIERRA-H40W ser. no. TS6810U09216, package rotary air compressor, capacity @ 1594cfm, 125psig rating, 128psig max discharge, nominal drive motor @ 400hp, 3hp fan motor, 402amps, 575v, 3ph/60hz, 120v control, [Powerhouse Deaerator upper deck]
1173	Ingersoll Rand Compressor #4 mod. no. SIERRA-H35W ser. no. TS6593U06277, package rotary air compressor, capacity @ 1494cfm, 125psig rating, 128psig max discharge, nominal drive motor @ 350hp, 3hp fan motor, 250 amps rating, 575v, 3ph/60hz, 120v control [Powerhouse Deaerator upper deck]
1174	Ingersoll Rand refrigerated air dryer mod. no. NVC4000W600X01 ser. no. 325683, 200psig, R404A/14lbs, 575v, 3ph/60hz, 10.5hp, [Powerhouse Deaerator upper deck]
1175	Compressed air horizontal receiving tank ser. no. 5-129-248, MAWP @ 125psi, 650 deg F, CRN-1194-756, approx 36 in. dia x 10 ft. L, carbon steel with side mh, approx 8 in. dia top ports, relief valve, pressure gage [Powerhouse Deaerator upper deck]
1176	Compressed air horizontal receiving tank, MAWP @ 137psi, 550deg f, CRN - E529-123456780, SFW - 5144448, approx 48 in. dia x10 to 12 ft. L carbon steel with (2) approx 8 in. dia top ports, pressure gage [Powerhouse Deaerator upper deck]

Lot	Description
1177	(2) Pump skid sets, with (3) 10hp/3500rpm, Gould Pump ITT, model GL series SSH end suction pumps, back full type, class 150 flanged suction and discharge, close coupled, plus control box and motor starter switch, 600v, 3ph/60hz, (dual pump /FC25 cooler) plus (1) Taco system with (2) IR centrifugal pumps, small blue taco vert tank and plate heat exchanger [Powerhouse Deaerator upper deck]
1178	(3) Bailey distribution panels mod. no. Infi 90, (located by boiler and IR compressor area) [Powerhouse Deaerator upper deck]
1178A	lot/ contents of boiler control room consisting of screens, desks, chairs and cabinets [Powerhouse]
1178B	server rack with Asus servers [Powerhouse]
1178C	stainless steel lab cabinet with contents and sink [Powerhouse]
1178D	lot/ workbench with contents, wall mounted fire proof cabinet and floor type fire proof cabinet [Powerhouse]
1178E	lot/ (2) emergency wash stations, lot of boxes throughout power house, and lockers [Powerhouse]
1178F	lot/ (2) Scott SCBA ft. s with wall mounted composite cases [Powerhouse]
1178G	lot/ stainless steel sink with tables and chairs [Powerhouse]
1179	Belliss and Morcom high pressure reciprocating air compressor, 200 hp/ 700rpm [Powerhouse Deaerator upper deck]
1180	Glycol centrifugal pump system, Armstrong propylene glycol recirculating pump plus (1) poly glycol tank approx 65 in. dia x 68 in. h (buyer responsible for the proper and authority approved glycol disposal) [Powerhouse Deaerator upper deck]
1180A	lot/ (16) section MCC/disconnect cabinet (Subject to Confirmation) [Powerhouse]

Lot	Description
1181	Budget 2 tons gantry chain hoist, 2 tons capacity with pendant switch control, on I-beam runner (beam and support not included - LATE DELIVERY) [Powerhouse Deaerator upper deck]
1181A	Vilter VSR301 100 hp single screw ammonia refrigeration compressor with retrofit 2017 Vilter Emerson vision 20/20 digital touch screen controls, 450 psig test rating, 100hp/3550rpm/575v/3ph/60hz high efficiency drive motor, Lincoln electric hydraulic pump, s/n 3063 (compressor #1) [Ammonia Room]
1181B	Vilter VSR301 100 hp single screw ammonia refrigeration compressor with retrofit 2017 Vilter Emerson vision 20/20 digital touch screen controls, 450 psig test rating, 100hp/3550rpm/575v/3ph/60hz high efficiency drive motor, Lincoln electric hydraulic pump, s/n 1424 (compressor #2) [Ammonia Room]
1181C	Vilter vss301 125hp single screw ammonia refrigeration compressor with retrofit 2017 Vilter Emerson vision 20/20 digital touch screen controls, 450 psig test rating, 125hp/3550rpm/575v/3ph/60hz high efficiency drive motor, Lincoln electric hydraulic pump, s/n 1377 (compressor #3) [Ammonia Room]
1181D	Vilter VSR301 100 hp single screw ammonia refrigeration compressor with retrofit 2017 Vilter Emerson vision 20/20 digital touch screen controls, 450 psig test rating, 100hp/3550rpm/575v/3ph/60hz high efficiency drive motor, Lincoln electric hydraulic pump, s/n 1380 (compressor # 4) [Ammonia Room]

Lot	Description
1181E	J. L. Wilson main ammonia receiver tank with 250 psi mawp @ max 650 deg f, 7/16 in. steel construction, sight glass, gauges, valves and analog temp recorder, s/n n/a [Ammonia Room]
1181F	Chil-Con (1998) RA-241CC L. T. ammonia receiver system with 250 psig @ max 300 deg f test capacity, (2) Hansen Technologies low temp pumps with pump guardian overload controls, aux tanks, valves and instrumentation, s/n C9802744-1 [Ammonia Room]
1181G	Chil-Con (1998) AA-30096-500 H. T. ammonia receiver system with 250 psig @ max 200 deg f test capacity, Phillips refrigeration (1998) x-120 recovery tank system, aux tanks, valves and instrumentation, s/n C980274C-1 [Ammonia Room]
1181H	Hansen Technologies AP-08 ammonia auto purge system, s/n F513 [Ammonia Room]
1181J	lot/ ammonia lockout stn, compressor oil and pump [Ammonia Room]
1181K	Baltimore Aircoil of Canada (BAC) VC2-420 twin fan ammonia chiller, s/n 7814771 [Ammonia Room]
1181L	Ingersoll Rand DDNS790BS3069 Drycooler glycol chiller with 921000 btu/h rated capacity, copper core, s/n F73764/100000 [Ammonia Room]
1181M	Blanchard-Ness FEVF-25412P glycol chiller with copper core, s/n 2001060704 [Ammonia Room]
1181N	Ingersoll Rand FCVF-24308PA glycol chiller with copper core, s/n 852141-010-001 [Ammonia Room]

Lot	Description
1183	Berg chiller skid # 1 mod. no. WCQ-180-2 ser. no. W01250D-AH1-1103, 133 tonners, with Henry Tech dual circuit evaporators, 350psi/200degF, 125psi/150degF, shell and tube MAWP, filter drier, hot gas bypass, water cooled condenser unit, equipped with (2) Copeland type SCH2-900E-TWE-200, 90hp, 400psiMAWP, parallel mount semi hermetic compact screw compressors, with integrated oil separator, valve capacity control, electrical panel, approx 5 in. dia butterfly shut-off / control valves, 575v/3ph/60hz, 235amp, R407C, 110lbs/circuit, on skid [Chiller Bldg]
1184	Berg chiller skid # 2 mod. no. WCQ-180-2/1-x ser. no. W01400D-AH1-0704, 133 tonners, with Henry Tech dual circuit evaporators, 350psi/200degF, 125psi/150degF, shell and tube MAWP, and water cooled condenser unit, equipped with (2) Copeland type SCH2-900E-TWE-200, 90hp, 400psiMAWP, parallel mount semi hermetic compact screw compressors, with integrated electrical panel, approx 5 in. dia butterfly shut-off / control valves, 575v/3ph/60hz, 235amp, R407C, 110lbs / circuit, R407C-110lbs/circuit, on skid [Chiller Bldg]
1185	Berg chiller skid mod. no. WCQ-180-2/1 ser. no. W01639D-AH1-0705, 133 tonners, with Henry Tech dual circuit evaporators, 350psi/200degF, 125psi/150degF, shell and tube MAWP, and water cooled condenser unit, equipped with (2) Copeland and Bitzer type CSH7573-90-5PU, 90hp, 400psi MAWP, parallel mount semi hermetic compact screw compressors, with integrated electrical panel, approx 5 in. dia butterfly shut-off / control valves, 575v/3ph/60hz, 235amp, R407C, 110lbs/circuit, on skid [Chiller Bldg]

Lot	Description
1185A	Copeland screw compressor, type SCH-900E-TWE-200, 3500 rpm, 575 volt, 60 Hz [Chiller Bldg] [Ammonia Room]
1185B	Copeland screw compressor, type SCH-900E-TWE-200, 3500 rpm, 575 volt, 60 Hz [Chiller Bldg] [Ammonia Room]
1187	Berg Heat Exchanger skid mounted, model Heat Exchanger, s/n W01250A-GI-1003, w/ Alfa Laval plate heat exchanger, model M15-BFML, MAWP 150PSI at 225 F, 981 sq. ft., 433MM w/ 149 0. 40MM plts. w/ (2) Belimo GM24-MFT US damper actuators [Chiller Bldg]
1188	Berg Heat Exchanger skid mounted, HX 1 PKG, s/n W01400A-G1-0704, w/ Alfa Laval plate heat exchanger, model M15-BFML, MAWP 150PSI at 104 F, 981 sq. ft., 433MM w/ 149 0. 40MM plts. w/ (2) Belimo GM24-MFT US damper actuators [Chiller Bldg]
1189	Berg Heat Exchanger skid mounted, model M15-BFML, s/n W01639G-G1-0705, w/ Alfa Laval plate heat exchanger, model M15-BFML, MAWP 150PSI at 104 F, 981 sq. ft., 433MM w/ 149 0. 40MM plts. w/ (2) Belimo GM24-MFT US damper actuators [Chiller Bldg]
1190	Berg tower water pump package A skid mounted, model TT-1578-3 (25) x 3(50), s/n W01400E-EFI-0704, 285 hp, w/ (3) 25 hp pumping units, (3) 50 hp pumping units, Walchem digital cooling tower controller, recirculating tank size approx 6300 gal tank cap. [Chiller Bldg]
1191	Berg tower water pump package B, skid mounted, model TT-1479-2(30)1Bx2(50)1B, s/n W01639B-EF1-0705, 300 hp, w/ (2) 30 hp pumping units, (2) 50 hp pumping units w/ controllers, w/3M purification system, recirculating tank size approx 4000 gal. tank cap. [Chiller Bldg]

Lot	Description
1192	Berg process tower tank pump package, skid mounted, model TT-578-2(30), s/n W01250C-EB1-1003, 60 hp, w/ (30) hp pumping units, w/ True sense online monitoring controller and stroke rate controllers, recirculating tank size approx 6 ft. x 4 ft. x 10 [Chiller Bldg]
1193	Berg process tower tank pump package, skid mounted, model TT-578-x2(30), s/n W01400C-EB1-0704, 60 hp, w/ (2) 30 hp pumping units, recirculating tank size approx 3770 gal. tank cap. [Chiller Bldg]
1194	Berg Tower water circulation skid, model, s/n, W (2) 25 hp pumping units and (4) 15 hp pumping units, w/ Rosemount smart transmitter [Chiller Bldg]
1195	Square D Motor Control Panel, w/ PowerPact RK 1600 circuit breaker, s/n 19486190-001, 60 hz, 1600 amp, 600 volt (Subject to Confirmation) [Chiller Bldg]
1196	Berg 2 door control cabinet w/ Allen-Bradley PanelView 1000 touch pad screen, with (3) rack, Allen-Bradley SLC 5/05 CPU controller and (7) DC-Sink inputs, (7) isolated relay outputs, (1) input and (1) output [Chiller Bldg]
1197	Armstrong vertical in-line pump P-01, model 3x3x8, 4300TC, 368 USGPM, 188 ft. feet, s/n 781526 w/40 hp, 3600 rpm, BF-MOD construction, w/ associated Square D Enclosed 48 soft start motor controller, class 8638, type 48UJ5N, w/ Altistart 48 starter [Chiller Bldg]
1198	Armstrong vertical in-line pump P-01, model 3x3x8, 4300TC, 368 USGPM, 188 ft. feet, s/n 781527 w/40 hp, 3600 rpm, BF-MOD construction, w/ associated Square D Enclosed 48 soft start motor controller, class 8638, type 48UJ5N, w/ Altistart 48 starter [Chiller Bldg]

Lot	Description
1199	Armstrong vertical in-line pump P-01, model 3x3x8, 4300TC, 368 USGPM, 188 ft., s/n 781528 w/40 hp, 3600 rpm, BF-MOD construction, w/ associated Square D Enclosed 48 soft start motor controller, class 8638, type 48UJ5N, w/ Altistart 48 starter [Chiller Bldg]
1200	Takagi tankless water heater model, T. K. Jr., s/n 23001521, 140, 000 BTU, natural gas, 150 gallons [Mail Chiller Bldg]
1201	various steel process piping within building including victaulic elbows, connectors, valves, fittings, clamps, flow controls [Chiller Bldg]
1202	Rosemount magnetic flowtube sensor with transmitter, model 9705TSA060C1WONOB3Q4, s/n 0284004 [Chiller Bldg]
1203	Rosemount transmitter, model 644HAK6J2M5Q4, s/n 0400899 [Chiller Bldg]
1204	(3) 1150 Litre, 550 Litre, 320 Litre poly tanks w/ one poly bin [Chiller Bldg]
1204A	poly transport totem 1650 kg max cap. [Chiller Bldg]
1204B	poly skid w/ ramp [Chiller Bldg]
1206	Marley NC Class 450 tonners, cooling tower module with 2 speed induced draft, single fan with TEFC fan motor @ 1. 15 service factor, cooling tower, approx dimension @ 10 ft. x 18 ft. x 13 ft. h, hot dipped galvanized modular water distribution Cooling tower, NC-253824-A1, s/n NG8305H1GG-05 (on roof) [Chiller Bldg]

Lot	Description
1207	Marley NC Class 450 tonners, cooling tower module with 2 speed induced draft, single fan with TEFC fan motor @ 1.15 service factor, cooling tower, approx dimension @ 10 ft. x 18 ft. x 13 ft. h, hot dipped galvanized modular water distribution Cooling tower, NC-8305H1GS-04, s/n NC-246607-A1 (on roof) [Chiller Bldg]
1208	Marley NC Class 450 tonners, cooling tower module with 2 speed induced draft, single fan with TEFC fan motor @ 1.15 service factor, cooling tower, approx dimension @ 10 ft. x 18 ft. x 13 ft. h, hot dipped galvanized modular water distribution Cooling tower, NC-240639-A1, s/n NG8305H1GS (on roof) [Chiller Bldg]
1209	Structural framing for cooling towers on roof and stairway leading from ground to top of building (subject to confirmation) [Chiller Bldg]
1210	BAC (4) fan cooling tower on ground [Chiller Bldg]
1211	BAC (4) fan cooling tower on ground [Chiller Bldg]
1212	structural framing for cooling tower on ground [Chiller Bldg]
1213	McQuay WDC087-BCCBM refrigeration and air conditioning compressor with touchscreen pc based plc control, 134A refrigerant, s/n STNU040600136 [Small Chiller Room]
1214	lot/ (2) glycol centrifugal pumps, s/n n/a [Small Chiller Room]
1215	lot/ (2) refrigerant centrifugal pumps, s/n n/a [Small Chiller Room]
1217	lot/ piping, valves and instrumentation [Small Chiller Room]
1218	GE Betz water treatment and monitoring station, s/n n/a [Small Chiller Room]
1219	poly mixing tank with (2) electric pumps, s/n n/a [Small Chiller Room]

Lot	Description
1220	(6) section MCC & electrical disconnect panel, s/n n/a (Subject to Confirmation) [Small Chiller Room]
1221	Toshiba 100hp/1175rpm/575v/3ph/60hz heavy duty electric motor, s/n n/a [Small Chiller Room]
1222	lot/ steel rack with heavy duty electric motors, filters and consumables [Small Chiller Room]
1223	specialty installation tooling set [Small Chiller Room]
1224	Scott self contained breathing apparatus with wall mount case [Small Chiller Room]
1225	lot/ ladders, cart and high bay high efficiency lights [Small Chiller Room]
1250	Leibinger Ink Jet Marker, Model Jet 3UP Pro, ser. no LJ-330371, asset no. C-17, Mounted on Stainless Mobile Cabinet [Cage Area 1st Flr]
1251	Leibinger Ink Jet Marker, Model Jet 3UP Pro, ser. no LJ-330370, asset no. C-16, Mounted on Stainless Mobile Cabinet [Cage Area 1st Flr]
1252	Leibinger Ink Jet Marker, Model Jet 3UP Pro, ser. no LJ-330355, asset no. C-01, Mounted on Stainless Mobile Cabinet [Cage Area 1st Flr]
1253	Leibinger Ink Jet Marker, Model Jet 3UP Pro, ser. no LJ-330361, asset no. C-07, Mounted on Stainless Mobile Cabinet [Cage Area 1st Flr]
1254	Leibinger Ink Jet Marker, Model Jet 3UP Pro, ser. no LJ-330358, asset no. C-04, Mounted on Stainless Mobile Cabinet [Cage Area 1st Flr]
1255	Bearings (10 Pallets) [Cage Area 1st Flr]
1256	Allen Bradley Automation Photo Sensor, I/O Chassis, Panel View Touch Screen, Programmable Controller, Power Flex Drives, Modules (17 Pallets) [Cage Area 1st Flr]

Lot	Description
1257	Electrical Sensors, Micro Switches, Breakers, Monitor Screens, Modules, Transformers (18 Pallets) [Cage Area 1st Flr]
1258	Fuses (2 Pallets) [Cage Area 1st Flr]
1259	(5) Rosemount Pressure Transmitter, (2) 0-30 psi, (3) 10-30 psi [Cage Area 1st Flr]
1260	Rosemount Level Switch Pressure Transmitter
1261	Micromotion mod. No. T150T625SBBCE2222 ser. no. 907036 Stainless Flow Meter, Flow FCF 374Q5, FT 6.7 FTG 4.3, FFG, -0.33, Temp. Range 50 - 150C
1262	(2) Rosemount Magnetic Flow Meters (1) Mod. No. 8721ASA030RA2N0 Ser. no. 14686551 3 in. (1) mod. No. 8721ASA015RA1NO ser. no. 0224572 1 1/2 in.
1263	Pressure Transmitter
1264	Waukesha mod. No. 220 UI ser. no. 1000002717957 4 in. stainless positive displacement pump
1265	(2) Gould Stainless Centrifugal Pump, (1) Mod. 2.5 in x 3.8 in, 30 HP Motor, (1) Mod. ESV, # 1503673 Vertical Pump, 75 HP [Cage Area 1st Flr]
1266	SPX Stainless 4 ft x 2 ft Centrifugal Pump with 10 HP Motor, Model 2085, ser. no 158739 [Cage Area 1st Flr]
1267	Nalikesha 4 ft x 3 ft Centrifugal Pump with 10 HP Motor, Model 2035, ser. no 285135 [Cage Area 1st Flr]
1268	(2) SPX Stainless 2 ft x 1.5 ft Centrifugal Pump, Model 2065V, (1) 2 HP Motor, (1) 1.5 HP Motor [Cage Area 1st Flr]

Lot	Description
1269	(2) Stainless Centrifugal Pump, (1) SPX Model 2065V, ser. no 2922104, 2 ft x 1. 5 ft with 10 HP Motor, (1) APV model AV2, ser. no 2952217, 2 ft x 1. 5 ft with 1. 5 HP Motor [Cage Area 1st Flr]
1270	(2) APV Stainless Centrifugal Pump, (1) W 50/50, ser. no 315996, 3 ft x 2 ft with 3 HP Motor, (1) 6V2, ser. no 8729, 2. 5 ft x 1. 5 ft with 3 HP Motor [Cage Area 1st Flr]
1271	(2) Stainless Centrifugal Pump, (1) Waukesha Model 2045, ser. no 344148, 2. 5 ft x 1. 5 ft with 3 HP Motor, (1) Stainless Process, ser. no 16382, 2 ft x 1. 5 ft with 3 HP Motor [Cage Area 1st Flr]
1272	Goulds Stainless Rotary Pump, Model 3196, ser. no E733H017, 2 ft x 1 ft [Cage Area 1st Flr]
1273	Stainless Centrifugal Pump, 2. 5 ft x 1. 5 ft with 10 HP Motor (Out of Order) [Cage Area 1st Flr]
1274	Waukesha 3 ft Stainless Positive Displacement Pump, Model 130-U2, ser. no 423446 (Out of Order) [Cage Area 1st Flr]
1275	(2) Waukesha stainless positive displacement pumps mod. No. 030 UI 1 1/2 in. (1) Waukesha stainless positive displacement pump mod. No. 006, 1 1/2 in.
1276	Sandpiper 4x4 stainless diaphragm pump
1277	Sandpiper 4x4 stainless diaphragm pump
1278	Warren Rupp 2 1/2 in x 2 1/2 in stainless diaphragm pump
1279	Vertiflo 5x4x8 Rotary Pump mod. No. 1420 ser. no. 20513-41
1280	Vertiflo Rotary Pump, Model 1420, ser. no 23132-41, 5 in x 4 in x 8 in [Cage Area 1st Flr]
1281	Baldor 50 HP Motor, ser. no 478313, 575 Volt, 436 Amps, 3540 RPM, Frame 326TS [Cage Area 1st Flr]

Lot	Description
1282	Baldor 30 HP Motor, ser. no 30982, 575 Volt, 28 Amps, 1765 RPM, Frame 286TC [Cage Area 1st Flr]
1283	(3) WEG 25 HP Motor, 575 Volt, 236 Amps, 1765 RPM, Frame 284/6T [Cage Area 1st Flr]
1284	(3) 20 HP Motor [Cage Area 1st Flr]
1285	(7) 15 HP Motors (3 Pallets) [Cage Area 1st Flr]
1286	(13) 10 HP and 7. 5 HP Motors (2 Pallets) [Cage Area 1st Flr]
1287	Stainless Motors, Varying HP, (2 Pallets) [Cage Area 1st Flr]
1288	Varying HP Motors, 1-5 HP, (4 Pallets) [Cage Area 1st Flr]
1289	Sew Gear Drive with 5 HP, Model K67DRN100L4/RI, 330/575 Volt, CT 550 - 1800 RPM, RPM 1758/100 [Cage Area 1st Flr]
1290	Sew Gear Drive with 2 HP, Model SA67D26BDRN90L4/RI, 330/575 Volt, CT 330 - 1800 RPM, RPM 1767/53 - 264/264 [Cage Area 1st Flr]
1291	(20) Gear Drives with Motors, varying HP (4 Pallets) [Cage Area 1st Flr]
1292	(31) Gear Drives with Motors, varying HP (4 Pallets) [Cage Area 1st Flr]
1293	(33) Gear Drives with Motors, varying HP (4 Pallets) [Cage Area 1st Flr]
1294	(18) Gear Drives with Motors, varying HP (6 Pallets) [Cage Area 1st Flr]
1295	Gear Reducer (4 Pallets) [Cage Area 1st Flr]
1296	Change Parts for Blending Area: Pumps, Hydraulic Motors, Gears, Gaskets, Valves (2 Pallets) [Across from 1st Flr Cage Area]
1297	Change Parts for Veg Prep Area / Peelers : Gear Drives, Bushings, Valves, Gaskets (2 Pallets) [Across from 1st Flr Cage Area]

Lot	Description
1298	(24) Brush for Peeler, 70 in x 6 in diameter [Across from 1st Flr Cage Area]
1299	(22) Abrasive Peeler Roll, 70 in x 5 in diameter [Across from 1st Flr Cage Area]
1300	Elmer Filler Parts: Pistons, Gears, Wear-Rings, Sleeve Fillers, Gear Drives (7 Pallets) [Across from 1st Flr Cage Area]
1301	Angelus Change Parts for Can Seamer: Seaming Chuck, Pistons, Gears, Track Guide, Gaskets, Sleeves (11 Pallets) [Across from 1st Flr Cage Area]
1302	K-Line Filler Parts : Plug Valves, Valve Pockets, Filler Probe (4 Pallets) [Across from 1st Flr Cage Area]
1303	Urschel Change Parts : Belts, O-Seals, Motors, Electrical, Blades, Holders (4 Pallets) [Across from 1st Flr Cage Area]
1304	Quadro Chopping Rotor [Across from 1st Flr Cage Area]
1305	Lot of APV Homogenizer Parts: Springs, Gaskets, Gauges (2 Pallets) [Across from 1st Flr Cage Area]
1306	Lot of Veg Prep/Frozen Parts: O-Rings, Hoses, Shafts, Gear Drives (2 Pallets) [Across from 1st Flr Cage Area]
1307	Lot of Norman Change Parts: Mixers, Rotors, Spring Gaskets (2 Pallets) [Across from 1st Flr Cage Area]
1308	Lot of Blancher Change Parts: Bushing Sleeves, Sprockets (2 Pallets) [Across from 1st Flr Cage Area]
1309	Lot of Krones Change Parts: Springs, Chains, Gauges, Brushes, Rods, Sleeves (6 Pallets) [Across from 1st Flr Cage Area]
1310	Lot of Tetra Pak Change Parts: Belts, Guides, Pulleys, Electrical, O-Rings (9 Pallets) [Across from 1st Flr Cage Area]
1311	Lot of Tetra Pak 48 oz Parts for A3 Flex Filler: Carton Reel, Guides, Filler Spouts, Folding parts (8 Crates, 1 Pallet) [Located 2nd Flr Back Area]

Lot	Description
1312	Lot of Tetra Pak 32 oz Parts: Carton Reel, Guides, Filler Spouts, Folding parts (6 Crates) [Located 2nd Flr Back Area]
1313	Lot of Standard Knapp Change Parts: Motors, Reducer Gear, Shaft, Roller [Across from 1st Flr Cage Area]
1314	Lot of Zambelli Change Parts: Shafts, Motors, Suction Cups, Chains (3 Pallets) [Across from 1st Flr Cage Area]
1315	Lot of Sig Combi Change Parts: Electrical, Motors, Springs, Belts, Cylinders (8 Pallets) [Across from 1st Flr Cage Area]
1316	Lot of Alvey Change Parts: Rollers, Control Panel, Motors, Guides, Cylinders (5 Pallets) [Across from 1st Flr Cage Area]
1317	Lot of Check Weigh Change Parts: Electrical, Belts, Motors, Cylinders, Guides (3 Pallets) [Across from 1st Flr Cage Area]
1318	Nordson Hot Melt Gluer, Model Pro Blue 4, ser. no V4-2022 [Across from 1st Flr Cage Area]
1319	Nordson Hot Melt Gluer, Model 3400, ser. no 60048 [Across from 1st Flr Cage Area]
1320	Lot of Nordson Change Parts: Hoses, Nozzles, Regulators [Across from 1st Flr Cage Area]
1321	Lot of Load Cells with Read Out, Range from 100-10, 000 LBS (2 Pallets) ([Across from 1st Flr Cage Area]
1322	Lot of Whallon Change Parts: Hoses, Cylinders, Gears, Springs, Grippers (7 Pallets) [Across from 1st Flr Cage Area]
1323	Lot of Tegra Change Parts for Colour Sorter: Motors, Guides, Springs, Gears, Solenoid (4 Pallets) [Across from 1st Flr Cage Area]
1324	Lot of Change Parts for Cooker/Sterilizer: Gears, Gaskets, Ejector Brackets, Paddles, Pulleys (8 Pallets) [Across from 1st Flr Cage Area]

Lot	Description
1325	Shick Change Parts: Rupture Discs, Filters, Gaskets, Screens, Socks (12 Pallets) [Across from 1st Flr Cage Area]
1326	Lot of Co-Gen Parts: Electrical, Gaskets, Coalescer (2 Pallets) [Across from 1st Flr Cage Area]
1327	Solenoid and Regulators (4 Pallets) [Across from 1st Flr Cage Area]
1328	Endress Hauser, Control and Sensor [Across from 1st Flr Cage Area]
1329	Rosemount Flow Meter Sensor Transmitter [Across from 1st Flr Cage Area]
1330	Leibinger Ink Jet Marker, Model Jet 3UP, ser. no 330359, asset no. C-05, Mounted on Stainless Mobile Cabinet [Across from 1st Flr Cage Area]
1331	Leibinger Ink Jet Marker, Model Jet 3UP, ser. no 330360, asset no. C-06, Mounted on Stainless Mobile Cabinet [Across from 1st Flr Cage Area]
1332	Leibinger Ink Jet Marker, Model Jet 3UP, ser. no 330369, asset no. C-14, Mounted on Stainless Mobile Cabinet [Across from 1st Flr Cage Area]
1333	Leibinger Ink Jet Marker, Model Jet 3UP, ser. no 330362, asset no. C-08, Mounted on Stainless Mobile Cabinet [Across from 1st Flr Cage Area]
1334	FoxJet Change Parts for Ink Jet Marker: Touch Screen, Light Bar Electrical [Across from 1st Flr Cage Area]
1335	(6) ABB Chart Recorder with Chart Recorder Chart, Pen, Model 500 (3 Pallets) [Across from 1st Flr Cage Area]
1336	Lot of Assorted Gauges for Temperature, Pressure, Vacuum (3 Pallets) [Across from 1st Flr Cage Area]
1337	Lot of Probes [Across from 1st Flr Cage Area]

Lot	Description
1338	Sandpiper 2. 5 in x 2. 5 in Stainless Diaphragm Pumps Mounted on Stainless Cart [Across from 1st Flr Cage Area]
1339	Cornell 4 in x 9 in Rotary Pump, Model ANMPP F5K, ser. no 17891 [Across from 1st Flr Cage Area]
1340	Cornell 4 in x 8 in Rotary Pump, Model 4NMP F5K, ser. no 106590 [Across from 1st Flr Cage Area]
1341	(4) Stainless Centrifugal Pump, (1) 3 in x 2 in with 15 HP, (1) 2. 5 in x 1. 5 in with 7. 5 HP, (1) 2. 5 in x 1. 5 in with 3 HP, (1) Incomplete [Across from 1st Flr Cage Area]
1342	CSF 2 in x 2 in Vertical Pump with 0. 5 HP, Model 50-2/Bant 34, ser. no 39496 [Across from 1st Flr Cage Area]
1343	Ebara 1. 5 in x 1. 5 in Vertical Pump with 3 HP, Model EVUM/A54, ser. no 100004 [Across from 1st Flr Cage Area]
1344	(3) Pro Spec Mechanical Pump [Across from 1st Flr Cage Area]
1345	(6) Mechanical Pump [Across from 1st Flr Cage Area]
1346	(6) IMI Metering Pump, (2) Diaphragm Pump [Across from 1st Flr Cage Area]
1347	ADM Boston Shear Pump [Across from 1st Flr Cage Area]
1348	Scot Pump with Kit [Across from 1st Flr Cage Area]
1349	Lot of Light Mixer [Across from 1st Flr Cage Area]
1350	Lot of Boiler Parts: Valves, Transmitters, Electrical, Relief Valves (3 Pallets) [Across from 1st Flr Cage Area]
1351	Lot of Bronze and Copper Gate Valves and Cheek Valves, Varying Sizes [Across from 1st Flr Cage Area]
1352	Lot of Stainless Ball Valves, Varying Sizes [Across from 1st Flr Cage Area]
1353	(20) 3 in Stainless Butterfly Valves [Across from 1st Flr Cage Area]

Lot	Description
1354	(20) 4 in Stainless Butterfly Valves [Across from 1st Flr Cage Area]
1355	(21) 3 in Stainless Butterfly Valves [Across from 1st Flr Cage Area]
1356	(35) 2 in Stainless Butterfly Valves [Across from 1st Flr Cage Area]
1357	(20) 2 in Stainless Pneumatic Actuator Valves [Across from 1st Flr Cage Area]
1358	(10) 4 in Stainless Pneumatic Actuator Valves [Across from 1st Flr Cage Area]
1359	(16) Stainless Pneumatic Actuator Valves, (6) 4 in, (5) 3 in, (4) 1 in, (1) 2 in [Across from 1st Flr Cage Area]
1360	(9) Stainless Pneumatic Actuator Valves, (6) 2. 5 in, (3) 1. 5 in [Across from 1st Flr Cage Area]
1361	(3) Mechanical Valves [Across from 1st Flr Cage Area]
1362	(2) Bray 8 in Pneumatic Butterfly Valve [Across from 1st Flr Cage Area]
1363	(3) Sharpe 2 in Pneumatic Actuator Valve [Across from 1st Flr Cage Area]
1364	Lot of Stainless Diverson Plate with Inline Filter, Stainless Cone Shape Tank, 12 in dia x 26 in to slant [Across from 1st Flr Cage Area]
1365	Stainless Inline Filter System [Across from 1st Flr Cage Area]
1366	4 in Stainless Magnetic Trap [Across from 1st Flr Cage Area]
1367	Lot of (2) Stainless 3-Way Valve, and (6) Pressure Relief / Throttle Valve [Across from 1st Flr Cage Area]
1368	Lot of Stainless Fitting Coupler, Sleeve, Elbow 316/340 (5 Pallets) [Across from 1st Flr Cage Area]
1369	Lot of Stainless Inline Filter and Screen (2 Pallets) [Across from 1st Flr Cage Area]
1370	Lot of 316/340 Stainless Nuts, Bolts, Washers (4 Pallets) [Across from 1st Flr Cage Area]

Lot	Description
1371	Lot of Stainless Pneumatic Actuator [Across from 1st Flr Cage Area]
1372	(50) 3. 5 in Stainless Clamps [Across from 1st Flr Cage Area]
1373	(50) 3. 5 in Stainless Clamps [Across from 1st Flr Cage Area]
1374	(50) 2. 5 in Stainless Clamps [Across from 1st Flr Cage Area]
1375	(50) 1. 5 in Stainless Clamps [Across from 1st Flr Cage Area]
1376	(51) Stainless Clamps, (25) 3 in, (26) 3. 5 in [Across from 1st Flr Cage Area]
1377	(50) 4 in Stainless Clamps [Across from 1st Flr Cage Area]
1378	(50) 2. 5 in Stainless Clamps [Across from 1st Flr Cage Area]
1379	Assorted Stainless Clamps, Valves, Braided Hose, Fittings (3 Pallets) [Across from 1st Flr Cage Area]
1380	(7) Stainless Ball Valves, (1) 4 in, (4) 3 in, (2) 2 in [Across from 1st Flr Cage Area]
1381	Assorted Stainless Clamps, Valves, Braided Hose, Fittings (3 Pallets) [Across from 1st Flr Cage Area]
1382	Lot of Pneumatic Actuators (2 Pallets) [Across from 1st Flr Cage Area]
1383	(4) Pressure Relief Valves, (3) Fisher, (1) Jordan [Across from 1st Flr Cage Area]
1384	Zilli Bellini Gear for Filler [Across from 1st Flr Cage Area]
1385	Kennedy 8 in Gate Valve, Model 957, Ser. no C0396, 175 psi [Across from 1st Flr Cage Area]
1386	Lot of APV/Waukesha Pump Parts: Shafts, O-Rings, Seals [Across from 1st Flr Cage Area]
1387	Lot of Gauge Wires (4 Pallets) [Across from 1st Flr Cage Area]
1388	Lot of Crate with V-Belts [Across from 1st Flr Cage Area]

Lot	Description
1389	(6) Hydraulic Cylinder [Across from 1st Flr Cage Area]
1390	Sutorbilt Vacuum Blower, Model GABLDPA, Ser. no 165589, 3600 RPM [Across from 1st Flr Cage Area]
1391	Lot of (1) Barnes Sump Pump 1 HP, (1) 2. 5 in 1. 5 in Centrifugal Pump with 3 HP [Across from 1st Flr Cage Area]
1392	(4) Ball Valves, (3) 4 in, (1) 3 in [Across from 1st Flr Cage Area]
1393	(25) Weigh, (24) 50 lb, (1) 25 lb [Across from 1st Flr Cage Area]
1394	Lot of Casters (3 Pallets) [Across from 1st Flr Cage Area]
1395	24 in Stainless Drag Conveyor [Across from 1st Flr Cage Area]
1396	(27) 3 in Tabletop Belt [Across from 1st Flr Cage Area]
1397	(14) 3. 25 in Black Table Top Belt [Across from 1st Flr Cage Area]
1398	(14) 3. 25 in Gray Table Top Belt [Across from 1st Flr Cage Area]
1399	(23) 4. 5 Table Top Belt [Across from 1st Flr Cage Area]
1400	(11) 4. 5 Table Top Belt [Across from 1st Flr Cage Area]
1401	(9) Table Top Belt, (5) 4. 5 in Mat Top, (4) 4. 5 in - 0. 5 G [Across from 1st Flr Cage Area]
1402	(10) 4. 5 in Black Table Top Belt [Across from 1st Flr Cage Area]
1403	(8) 4. 5 in Table Top Belt [Across from 1st Flr Cage Area]
1404	(12) 3. 3 in Blue Table Top Belt [Across from 1st Flr Cage Area]
1405	(5) 7. 5 in Black Table Top Belt [Across from 1st Flr Cage Area]
1406	(6) 6 in Gray Table Top Belt [Across from 1st Flr Cage Area]
1407	(21) 3. 25 in Brown Table Top Belt [Across from 1st Flr Cage Area]

Lot	Description
1408	(16) 3. 25 in Green Table Top Belt [Across from 1st Flr Cage Area]
1409	(17) 7. 5 in Table Top Belt Brown and Gray [Across from 1st Flr Cage Area]
1410	(25) Table Top Belt, (12) 3. 25 in Brown, (5) 1. 75 in Gray, 0. 375 in Brown [Across from 1st Flr Cage Area]
1411	(6) 10 in Table Top Belt [Across from 1st Flr Cage Area]
1412	Lot of Intralox Belt, Various Sizes (3 Pallets) [Across from 1st Flr Cage Area]
1413	Lot of Conveyor Belt for Blending (2 Pallets) [Across from 1st Flr Cage Area]
1414	Armstrong Tube Exchanger, Model W587-2E1, Ser. no 524553, 150 psi MAWP, 150 psi MDMT 35F [Across from 1st Flr Cage Area]
1415	Armstrong Copper Tube for Heat Exchanger [Across from 1st Flr Cage Area]
1416	Albany Rapid Roll up Door, Model 670, Ser. no 12034 [Across from 1st Flr Cage Area]
1417	Albany Rapid Roll up Door, Model 670, Ser. no 12034 [Across from 1st Flr Cage Area]
1418	FTS Stainless UV Light Test Hoop (Mobile), Model UV, Ser. no 100142754 [Package Area]
1419	Damark Shrink Wrap System, Model 1334180, Ser. no 5017, 28 in W x 78 in L x 11. 5 Aperature, 32 in W x 116 in L [Package Area]
1420	Pentalift 48 in x 48 in Pallet Lift, 2000 lb cap [Package Area]
1421	Pentalift 48 in x 48 in Pallet Lift, 2000 lb cap [Package Area]
1422	Pentalift 48 in x 48 in Pallet Lift, 2000 lb cap [Package Area]
1423	Bestflex Accordion Skate Conveyor Mobile [Package Area]
1424	(6) Roller Conveyors, (4) 18 in x 15 ft L, (2) 18 in x 118 in L [Package Area]

Lot	Description
1425	Securall 2 Door Flammable Storage Cabinet, Model A145, 45 Gal cap [Proceed to Part Room]
1426	Securall 2 Door Flammable Storage Cabinet, Model A145, 45 Gal cap [Proceed to Part Room]
1427	Securall 2 Door Flammable Storage Cabinet, Model P160, 60 Gal cap [Proceed to Part Room]
1428	(24) Section Metal Shelving with Contents: Gloves, Ear Plugs, Filters, Safety Glass, Beard Guards, Tags [Proceed to Part Room]
1429	(18) Section Metal Shelving with Nuts, Bolts, Washers, Fittings, Saw Blades, Filters, Garlocks, with (12) Section Metal Shelving Units [Proceed to Part Room]
1430	(15) Section Metal Shelving with (2) Section, with Ink Jet Cartridge [Proceed to Part Room]
1431	Lot of Assorted Hose with Rack [Proceed to Part Room]
1432	Stainless Heat Exchanger Plate, 16. 5 in W x 61. 5 in L [Proceed to Part Room]
1433	(13) Section Metal Shelving with (2) Section with Stork parts, Shafts, Sleeves, Tachs, Gauges, Pulleys [Proceed to Part Room]
1434	Lot of Can Track Wheels and Cable Guide Pulleys [Proceed to Part Room]
1435	(8) Section Metal Shelving w/ Misc. Parts, Gears, Seals, Filters, Socks, Belts, Gasket (Contents Only)
1436	(6) Section Metal Shelving w/ gears, Couplers, Taper Locks (Contents Only)
1437	(3) Section w/ Chains (Content Only)
1438	Ink Jet Part for Markem and Leibinger (3) Shelf Unit (Contents Only)
1439	(4) Section W Conduit Fitting, Plugs, Receptacle
1440	(5) Section W Festo Actuator Spring, Tubing, O-Rings, (Content Only)

Lot	Description
1441	(16) Green 3 1/4" Table Top Belt
1442	(5) Section and (2) metro Rack w/Light Bulbs, Fixtures, Fluorescent Bulbs, Rack Included (Content Only)
1443	(5) Section w/ Misc. Parts, Electrical, Hoses, Heater Element, Filler
1444	Misc. Engraving Sheets, Hose, Conduit Flex Hose, Conveyor Roller Guide (Content only)
1445	(4) Mobile Safety Ladder (3) 3 Step, (1) 2 Step
1446	(2) Eagle Over Pack 90 Ga Cap. (2) Boxes absorbent sock
1447	(32) Section Metal Shelving 39"L x 15" W x 85" H
1448	(30) Section Metal Shelving 39"L x 15"w x 85"H
1449	(42) Section Metal Shelving 39"L x 15"w x 85"H
1450	(39) Section metal Shelving 39"L x 15"w X 85"H
1451	(28) Section metal Shelving 39"L x 15"w X 85"H
1452	(26) Section metal Shelving 39"L x 15"w X 85"H
1453	(27) Section metal Shelving 39"L x 15"w X 85"H
1454	(18) Section metal Shelving 39"L x 15"w X 85"H w/Misc. Steam Trap
1455	Contents of Office, (4) L-Shaped Desk, (2) File Cabinets, (1) 4 Drawer, (1) 5 Drawer, (2) Work Table, (4) Swivel Chair, (1) TSC Label Printer
1456	Miller Pallet Stretch Wrapper w. Electric Sensor Safety Cage, Mod. No 703, Ser. No XX (Loading dock)
1457	Stainless Steel Pressure Washer, Pressure 0. 85 MPA -8. 5 Bar Temp. 90 c-135 C (Mobile) SJE Corp. ? XX

Lot	Description
1458	Cold Jet Dry Ice Cleaning Unit Mod. No XX Ser. No. XX (Mobile)
1459	ABB Vacuum Pump Mod. No. MHF75
1460	Stainless 2"x1/2" Centrifugal pump w/ 3 HP. Motor w/Cart
1461	(2) Lowara 1 1/2" x 1 1/2" pump w/ Cart
1462	Lot Tetra Pak Assortment Change Parts, Shafts, Electrical Belts, Motor, Cylinders, Pump, (11) Pallet
1463	Lot Sig Combi Assortment change parts, Motor, Electrical Cylinder, Touch Screen, Actuator Valve (8) Pallet
1464	Lot Sig Combi (12) Stainless Filling Nozzles
1465	Lot Stainless Agitator Shafts for Static Mixer
1466	Lot Assorted Change Part for Combi Chain Electrical, Pulley, Belt, (3) Pallet
1467	Lot Assorted Change Part for Robot Gear, Cylinder, Belt, Valve (2) Pallet
1468	Lot Assorted Parts for Condi Packer, Chain, Belt
1469	Lot Case Packer Top Bracket
1470	Dynac Assorted parts for Dynac Hartness guide, Pulley Gear, Belt, Flight (2) Pallet (1) Crate and (1) Cart
1471	Weber Label Applicator Mod. No 5300 RH Ser. No 2764 (mobile)
1472	Weber Label Applicator Alpha Compact Mod. No 5300 Ser. No 16524 (mobile)
1473	Hoppman Label Applicator
1474	Weber Change Part
1475	Acotec Electric Film loader Mod. No 20300, (Mobile)
1476	Linx Ink Jet Printer w/ Cart Mod. No 88940 IP65. Ser. No AC129
1477	Fox Jet 700 Ink Jet Printer Screen and 2 printing head, ITW Corp
1478	Matthews Ink Jet Printer Mod. No. V-Series
1479	Markem Ink Jet Parts

Lot	Description
1480	Lot Nordson Assorted parts, hoses, nozzles, electrical (2) Pallet
1481	Lot Load Cell, Read Screen w/cart
1482	Lot Assorted Parts for Depalletizer, Gear Motors, Belt, Cylinders, Electrical (6) Pallet
1483	Lot (16) Rolls Stretch Wrap Film 20"L x 10" Diameter
1484	Lot (30) Case H. B. Fuller Hot Melt Adhesive
1485	Lot (37) Case H. B. Fuller Hot Melt Adhesive
1486	Lot (7) Magnet w/ Cart
1487	Lot Assortment electrical breaker, torch screen, sensors, VFD's, stainless cabinet, servo motor (10) Pallet
1488	Rittal Compressor unit cooling Fan Unit for Control Cabinet, Mod. No. SK3330-501
1489	(2) WEG (1) 75 HP Motor volt 208-230/460, 3 PH, 3500 RPM, (1) 10 hp. Motor Volt 575, 3520 RPM, 3 PH
1490	Lot (9) Electric Motor W (2) carts, (6) 10 HP, (3) 7.5 HP
1491	Lot (20) Uari HP Motors
1492	Lot (30) Gear Motors Uari HP
1493	Lot (3) Pressure Relief Valve
1494	Lot Stainless Pneumatic actuator and part (2) Pallet
1495	Lot (4) Pneumatic Actuator positioner valve stainless w/ cart (2) 2", (2) 1 1/2"
1496	Hach Stainless Refrigerated Sampler Mod. No Sigma SD 900 Ser. No 11836
1497	Hach Stainless Refrigerated Sampler Mod. No Sigma SD 900
1498	Hach Stainless Refrigerated Sampler Mod. No 1350 Ser. No 13183
1499	(2) JBT stainless fluiten mechanical seal GTA 19
1500	Comitrol cutting head and breaker

Lot	Description
1501	(57) assorted stainless clamps - approx (25) 2 1/2 in. (16) 2 in. (6) 3 1/2 in. (7) 1 in. (2) 4 1/2 in. (1) 4 in.
1502	(22) assorted butterfly valves - approx (14) 2 in. (7) 1 1/2 in. (1) 1/2 in.
1503	(12) assorted butterfly valves - approx (7) 3 in. (5) 4 in.
1504	(2) Vibco vibrator motors
1505	(5) stainless barrel carts 51 in. L x 25 in. W
1506	misc. parts, valves, chain, conveyor, belting and roller, electrical, gauge wire, filter (contents only)
1507	(28) sectional metal shelving 85 in. H x 40 in. L x 18 in. Deep
1508	mezzanine deck w/ 19 step stairway 14 ft. H x 27 ft. L x 12 ft. W
1509	Rosemount / Emerson transmitters
1510	misc. hoses, electric extension cords, conveyor, roller and belting, conduit tubing
1511	(2) crates w/ casters
1512	(5) diaphragm pump w/ stainless cart
1513	Misc. parts veggie prep w/ metal shelf
1514	Lista 12-drawer parts cabinet
1515	Lista 12-drawer parts cabinet
1516	JustRite flammable 2-door storage cabinet
1517	JustRite flammable 2-door storage cabinet
1518	(3) section pallet racking 6 ft. H x 30 in. W, (16) 9 ft. cross bar, (6) upright
1519	Nordson mod. no. ProBlue 4 ser. no. 121900392 hot melt gluer (parts)
1520	Markem ink jet printer 5200 (parts)
1521	(30) misc size conveyor belting (2) pallet
1522	Proline constant current AC/DC welder mod. no. 250 HF ser. no. JK714743 (mobile)
1523	(1) Jet JDP17F no. 255914, 17 in. pedestal drill press w/ machine vise (1) pedestal double-end grinder
1524	No. 4 Arbor Press, tabletop

Lot	Description
1525	State parts washer
1526	Knack mobile tool cabinet w/ vise
1527	(3) hydraulic units (1) bottle jack
1528	(2) chain hoist, (1) 1/2 ton cap., (1) 200 kg cap. w/ rail
1529	Mahaffy hydraulic lift mod. no. SLH242470 ser. no. 1196, 1, 000 lb. cap. (mobile)
1530	metal work table w/ vise, 8 ft. L x 48 in. W x 36 in. H
1531	metal work table w/ vise, 8 ft. L x 48 in. W x 36 in. H
1532	metal work table 8 ft. L x 48 in. W x 36 in. H
1533	metal work table 8 ft. L x 48 in. W x 36 in. H
1534	(4) metal 2-door storage cabinets w/ constant grease gun, sanding disk, safety harness wrench
1535	storage cabinet w/ contents nuts, bolts, washers
1536	storage cabinet w/ fuses, electrical plugs, terminals (no manuals)
1537	(6) grease pumps, gas cans

Lot	Description
1538	misc. stainless fitting, pipe ready rods
1539	(1) acetylene cart (1) hand truck
1540	Gorman Rupp self priming centrifugal pump mod. no. TGA65S/F ser. no. 105373
1541	Gorman Rupp self priming centrifugal pump mod. no. TGA65S/F ser. no. na
1542	Waste Corp. 2 in. x 2 in. trash flow centrifugal pump mod. no. TFCC2 ser. no. 984186
1543	(2) Lightnin mixer motor mod. no. X5Q300
1544	Waste Corp. 2 in. x 2 in. trash flow centrifugal pump mod. no. TFCC2B ser. no. 983435 w/ 1 hp motor w/ Endress + Hauser liquiline sensor
1545	KG stainless transport system mod. no. SKV200 ESVP ser. no. 10116 w/ Rice Lake mod. no. CW90X ser. no. 1787200014 scale 36 in. x 36 in.
1546	KG stainless transport system mod. no. SKV200 ESVP ser. no. 9995 w/ scale (no reader) 36 in. x 36 in.
1547	Stocka 4000 N cap.

Lot	Description
1548	Domnick Hunter compressed refrigerated dryer mod. no. CRD500 ser. no. 2462810004 max. pressure 174
1549	Fabweld vertical air tank receiver CRNC 7228 SFW 5242711 max. psi 200 6 ft. H x 2 ft. Dia.
1550	Rosemount 10" magnetic flow meter mod. no. 8705TSA080C1WONOB3 ser. no. 40748, max process pressure 100F / 38C, 285 psi / 1.96 MPA, max. process temperature 350F / 177C
1551	Eriez magnet [Empty Can Warehouse]
1552	Stainless carts with sides [Empty Can Warehouse]
1553	Various size valves and traps [Empty Can Warehouse]
1554	(6) Stainless meat tub on mild steel cart 5'L x 3'W x 20" Deep [Empty Can Warehouse]